



Personality and Authenticity in Light of the Memory-Modifying Potential of Optogenetics: A Reply to Objections about Potential Therapeutic Applicability of Optogenetics

Agnieszka K. Adamczyk & Przemysław Zawadzki

To cite this article: Agnieszka K. Adamczyk & Przemysław Zawadzki (2021): Personality and Authenticity in Light of the Memory-Modifying Potential of Optogenetics: A Reply to Objections about Potential Therapeutic Applicability of Optogenetics, AJOB Neuroscience, DOI: [10.1080/21507740.2021.1938292](https://doi.org/10.1080/21507740.2021.1938292)

To link to this article: <https://doi.org/10.1080/21507740.2021.1938292>



Published online: 17 Jun 2021.



Submit your article to this journal [↗](#)



View related articles [↗](#)



View Crossmark data [↗](#)

Acknowledgments

The Version of Record of this manuscript has been published and is available online in AJOB Neuroscience <https://www.tandfonline.com/doi/abs/10.1080/21507740.2021.1938292>

Personality and Authenticity in Light of the Memory-Modifying Potential of Optogenetics: A Reply to Objections About Potential Therapeutic Applicability of Optogenetics

In our article (Zawadzki & Adamczyk, 2021), we analyzed threats that novel memory-modifying interventions may pose in the future. More specifically, we discussed how optogenetics' potential for reversible erasure/deactivation of memory “may impact authenticity by producing changes at different levels of personality.” Our article has received many thoughtful open peer commentaries for which we would like to express our great appreciation. We have identified two main threads of objections. They are related to the potential applicability of optogenetics as a therapeutic memory modification technology (MMT) in humans—*applicability thread*, and the normative value of authenticity, that is, the assumption that preserving authenticity is valuable (either in general or in the particular approach we adopted)—*normative thread*. Both of these threads concern fundamental issues: The former deals with the scientific credibility of the case vignette on which our discussion is based, and the latter deals with the normative weight of our considerations. We think that addressing both of them can be instructive in a broader context as they reflect a more general disagreement among neuroethicists about the very purpose and method of our discipline. The *applicability thread* relates to the question of whether the role of neuroethics should be to “think ahead and act proactively” (Adamczyk & Zawadzki, 2020; also see, Elsey & Kindt, 2018), or whether neuroethical considerations should be necessarily tied down to empirical results that are already well established, since “thinking ahead future development of invasive brain devices ‘too much’ and ‘too far’ propels neuroethics into a speculative narrative” (Gilbert & Goddard, 2014). Objections related to the *normative thread* put on the spot another basic methodological concern of neuroethics: the metaethical question of how neuroethicists should justify the normative value of the concepts they employ. Unfortunately, due to the space limitations, we can cover only one of these threads exhaustively. We decided to address the *applicability thread* concerns in this response.

It is necessary to distinguish two further categories within the *applicability thread*: objections associated with *technological obstacles*, and *the nature of memory*. The former category consists of objections related to our extrapolation that using optogenetic technology as a therapeutic MMT in humans may be possible in the future. The latter consists of objections related to our claims about how optogenetics may influence memory.

Technological obstacles noted by Gilbert et al. (2021) relate to the following safety issues: “genetic modification of an individual, implanting an optrode which would induce severe trauma and risks of using the device including thermal damage to tissue.” While Gilbert and colleagues have certainly identified crucial safety risks associated with the potential use of optogenetics in humans, we believe that these concerns can be alleviated to some extent in light of the latest advances in optogenetic-related technologies.

There are promising approaches that may help to reduce risks associated with the delivery of foreign genes, such as utilization of nanoparticles or carbon dots as gene carriers (Shen et al., 2020). Moreover, a viral vector, adeno-associated virus (AAV) is already being used in neural tissue to treat vision impairment and—despite several technological limitations that need to be overcome—this technique appears to be the frontrunner for optogenetic applications in humans (Shen et al., 2020).

Furthermore, strategies are currently under development to reduce the invasiveness of an optrode implantation and the use of the device in general. Chen et al. (2018) demonstrated that molecularly tailored upconversion nanoparticles (UCNPs) can be utilized as optogenetic actuators of transcranial near-infrared light to stimulate deep brain neurons of mammals, thereby enabling less-invasive optical neuronal activity manipulation with the promise of remote therapy. Moreover, Bedbrook et al. (2019) designed channelrhodopsin, a Gaussian process-engineered recombinant opsin (ChRgers) that allows optogenetic control over neural populations that are particularly difficult to access or distribute. Notably, ChRgers can be coupled with UCNPs to allow for minimally-invasive optogenetics in deep brain areas with systemic transgene delivery and near-infrared light for neuronal excitation. This system could offer a minimally-invasive therapeutic optogenetic tool with potential applicability in humans (Bedbrook et al., 2019).

Other strategies may offer even less-invasive approaches with the potential for therapeutic use. Recently, Rich et al. (2020) reported successful non-invasive delivery of light-emitting radio luminescent X-ray sensitive particles (RLPs) to the hippocampus of rats using magnetic resonance imaging (MRI)-guided focused ultrasound (FUS). Crucially, MRI-guided FUS can be used to deliver both RLPs and viral vectors for light-sensitive channel expression as demonstrated by Wang et al. (2017). Thus, since RLPs can be non-invasively activated with X-ray exposure, the need of any invasive procedure is negated.

Finally, it also seems that the safety concern of Gilbert and colleagues that optogenetic de/activation of modified cells would damage target brain tissue and “burn memory” can be mitigated. First, contrary to the commentators’ assumption, memory de/activation does not require “continually de/activating precise optogenetically modified cells,” as memory silencing can also be achieved through a single session of long-term depression (LTD) protocol (see Josselyn & Tonegawa, 2020; Nabavi et al., 2014). Second, there are ways to minimize photodamage, for instance, by using shorter wavelengths or proteins that are more sensitive to light (Shen et al., 2020).

Despite the above-mentioned results, we strongly agree with Gilbert and colleagues that the number of technological obstacles to translating optogenetic techniques from animal models to humans is great. Our only point is that many novel approaches are currently being explored with a good chance of alleviating some of the concerns raised by the commentators—concerns that might have seemed insurmountable just a few years ago. Given this rapidity in the pace of technological progress, unlike Gilbert and Goddard (2014), we believe that the important mission of neuroethics should include engaging in proactive inquiries which sometimes look boldly into the future “so that a sufficient amount

of relevant literature will be available to fall back on when various technologies are about to be applied in humans; in this way, ethics committees will not be forced to make ill-informed ad-hoc decisions when facing the dilemma of whether to issue approval for a specific investigation or treatment involving invasive neurostimulation technologies” (Adamczyk & Zawadzki, 2020).

Relating to objections associated with *the nature of memory*, Gilbert et al. (2021) argue against the premise that it may be possible in the future to have “precise control on specific memory contents in human brains.” However, this premise is supported by not only a multitude of optogenetic studies in animal models (see Josselyn & Tonegawa, 2020), but also, as noted by Elsey (2021), as well as Bublitz and Repantis (2021), engram theories of memory, according to which there is an enduring off-line physical and/or chemical representation of a past experience allocated to particular engram cells (see Josselyn & Tonegawa, 2020).

On the other hand, as Bublitz and Repantis note, “Current [optogenetic] research concerns only specific parts of a memory such as contextual information,” and since our neuroethical analysis refers to more complex autobiographical memories that are “stored in dynamic and plastic connections between cells as well as cell ensembles,” it may be impossible to pinpoint them (an issue which we also examined in more detail in Adamczyk & Zawadzki, 2020). However, contextual memories are also stored in dynamic and plastic connections between cells and cell ensembles, and previous optogenetic “nonengram” studies demonstrated the ability to target such memories by modifying the synaptic strength of various neural assemblies (Josselyn & Tonegawa, 2020). Moreover, although the neural circuits which underlie memory change over time as memory undergoes consolidation, targeting such “relocated” or “neuronally distributed” memories could be also possible by stimulating brain regions that are indispensable for initiating the activity of the whole neural network implicated in storing and retrieving both recent and remote (autobiographical) memories (see Adamczyk & Zawadzki, 2020; Goshen et al., 2011; Sousa et al., 2019).

Another related objection is that autobiographical memories can be: 1) “branched out into many other mental states” (Lavazza, 2021) and 2) “naturally protected against minor, localized disruptions due to their synergistic distribution and redundancy” (Kostick & Lázaro-Muñoz, 2021), thus it may not be possible to selectively erase them. While, in general, we agree with these arguments, previous studies show that interfering with only one aspect of autobiographical memory (such as valence) may be sufficient to produce tangible changes (e.g., reduce PTSD symptoms that are intrinsically related to negative autobiographical memories) (Brunet et al., 2018). Thus, it seems likely that interfering with only selected parts of the neural circuit responsible for storing given autobiographical memory would be sufficient to disrupt that memory and produce substantial changes to the effect which that memory had for the person.

All things considered, we agree with the critics that it is unlikely that optogenetics will be used to modify memory in humans in the nearest future, and that there is a possibility that it will not work in the way supposed in the target article. However, even if this is the case, our paper adds to the current

neuroethical debate by examining intricate relations between memory, personality, and authenticity which may also be useful for analyzing neuroethical consequences of other MMTs as well as various neurological disorders that impact memory (e.g., Alzheimer's). Finally, even if one does not believe that optogenetics (or optogenetic-like) technology will ever be allowed to be used as MMT in humans, our considerations can still be viewed as theoretically useful thought experiments (Bublitz & Repantis, 2021; Gilbert et al., 2021). Through this lens, one of the functions of our article would also be to explore the conceptual toolkit of neuroethics, that is, intuitions about the meaning and normative weight of philosophical concepts (such as authenticity). However, this last point relates to the *normative thread* which we cannot discuss here as it needs to be addressed on its own due to its complexity.

Funding

Research work was financed by the Polish Ministry of Science and Higher Education from the budget for science in 2017–2021 under the “Diamond Grant” program (Diamond Grant no. 0188/DIA/2017/46).

Literature

- Adamczyk, A. K., & Zawadzki, P. (2020). The Memory-Modifying Potential of Optogenetics and the Need for Neuroethics. *NanoEthics*, *14*(3), 207–225. <https://doi.org/10.1007/s11569-020-00377-1>
- Bedbrook, C. N., Yang, K. K., Robinson, J. E., Mackey, E. D., Gradinaru, V., & Arnold, F. H. (2019). Machine learning-guided channelrhodopsin engineering enables minimally invasive optogenetics. *Nature Methods*, *16*(11), 1176–1184. <https://doi.org/10.1038/s41592-019-0583-8>
- Brunet, A., Saugier, D., Liu, A., Streiner, D. L., Tremblay, J., & Pitman, R. K. (2018). Reduction of PTSD Symptoms With Pre-Reactivation Propranolol Therapy: A Randomized Controlled Trial. *American Journal of Psychiatry*, *175*(5), 427–433. <https://doi.org/10.1176/appi.ajp.2017.17050481>
- Bublitz, J. C., & Repantis, D. (2021). Memory, Authenticity, and Optogenetics. *AJOB Neuroscience*, *12*(1), 30–32. <https://doi.org/10.1080/21507740.2020.1866102>
- Chen, S., Weitemier, A. Z., Zeng, X., He, L., Wang, X., Tao, Y., Huang, A. J. Y., Hashimoto, Y., Kano, M., Iwasaki, H., Parajuli, L. K., Okabe, S., Teh, D. B. L., All, A. H., Tsutsui-Kimura, I., Tanaka, K. F., Liu, X., & McHugh, T. J. (2018). Near-infrared deep brain stimulation via upconversion nanoparticle-mediated optogenetics. *Science (New York, N.Y.)*, *359*(6376), 679–684. <https://doi.org/10.1126/science.aaq1144>
- Elsley, J. W. B. (2021). Optogenetic Manipulation of Maladaptive Memory – New Challenges or New Solutions for Personal Authenticity? *AJOB Neuroscience*, *12*(1), 27–29. <https://doi.org/10.1080/21507740.2020.1866101>

- Else, J. W. B., & Kindt, M. (2018). Manipulating Human Memory Through Reconsolidation: A Reply to Commentaries. *AJOB Neuroscience*, 9(1), W21–W23. <https://doi.org/10.1080/21507740.2018.1435590>
- Gilbert, F., & Goddard, E. (2014). Thinking ahead too much: Speculative ethics and implantable brain devices. *AJOB Neuroscience*, 5(1), 49–51.
- Gilbert, F., Harris, A. R., & Kidd, M. (2021). Burnt in Your Memory or Burnt Memory? Ethical Issues with Optogenetics for Memory Modification. *AJOB Neuroscience*, 12(1), 22–24. <https://doi.org/10.1080/21507740.2020.1866104>
- Goshen, I., Brodsky, M., Prakash, R., Wallace, J., Gradinaru, V., Ramakrishnan, C., & Deisseroth, K. (2011). Dynamics of Retrieval Strategies for Remote Memories. *Cell*, 147(3), 678–689. <https://doi.org/10.1016/j.cell.2011.09.033>
- Josselyn, S. A., & Tonegawa, S. (2020). Memory engrams: Recalling the past and imagining the future. *Science*, 367(6473). <https://doi.org/10.1126/science.aaw4325>
- Kostick, K. M., & Lázaro-Muñoz, G. (2021). Neural Safeguards against Global Impacts of Memory Modification on Identity: Ethical and Practical Considerations. *AJOB Neuroscience*, 12(1), 45–48. <https://doi.org/10.1080/21507740.2020.1866111>
- Lavazza, A. (2021). Can Memory Make a Difference? Reasons for Changing or Not Our Autobiographical Memory. *AJOB Neuroscience*, 12(1), 38–40. <https://doi.org/10.1080/21507740.2020.1866106>
- Nabavi, S., Fox, R., Proulx, C. D., Lin, J. Y., Tsien, R. Y., & Malinow, R. (2014). Engineering a memory with LTD and LTP. *Nature*, 511(7509), 348–352. <https://doi.org/10.1038/nature13294>
- Rich, M., Zhang, E., Dickey, A., Jones, H., Cannon, K., Bandera, Y., Foulger, S., Lubin, F., & Bolding, M. (2020). A Noninvasive Approach to Optogenetics Using Focused Ultrasound Blood Brain Barrier Disruption for the Delivery of Radioluminescent Particles. *BioRxiv*, 2020.08.20.248302. <https://doi.org/10.1101/2020.08.20.248302>
- Shen, Y., Campbell, R. E., Côté, D. C., & Paquet, M.-E. (2020). Challenges for Therapeutic Applications of Opsin-Based Optogenetic Tools in Humans. *Frontiers in Neural Circuits*, 14. <https://doi.org/10.3389/fncir.2020.00041>
- Sousa, A. F. de, Cowansage, K. K., Zutshi, I., Cardozo, L. M., Yoo, E. J., Leutgeb, S., & Mayford, M. (2019). Optogenetic reactivation of memory ensembles in the retrosplenial cortex induces systems consolidation. *Proceedings of the National Academy of Sciences*, 116(17), 8576–8581. <https://doi.org/10.1073/pnas.1818432116>
- Wang, S., Kugelman, T., Buch, A., Herman, M., Han, Y., Karakatsani, M. E., Hussaini, S. A., Duff, K., & Konofagou, E. E. (2017). Non-invasive, Focused Ultrasound-Facilitated Gene Delivery for Optogenetics. *Scientific Reports*, 7(1), 39955. <https://doi.org/10.1038/srep39955>

Zawadzki, P., & Adamczyk, A. K. (2021). Personality and Authenticity in Light of the Memory-Modifying Potential of Optogenetics. *AJOB Neuroscience*, *12*(1), 3–21.
<https://doi.org/10.1080/21507740.2020.1866097>