

University of East London Institutional Repository: <http://roar.uel.ac.uk>

This paper is made available online in accordance with publisher policies. Please scroll down to view the document itself. Please refer to the repository record for this item and our policy information available from the repository home page for further information.

To see the final version of this paper please visit the publisher's website. Access to the published version may require a subscription.

Author(s): Dickins, Thomas E; Sergeant, Mark James Timothy.

Article title: Two more things for consideration: Sexual orientation and conduct disorder (Commentary)

Year of publication: 2009

Citation: Dickins, T.E. & Sergeant, M.J.T. (2009) 'Two more things for consideration: Sexual orientation and conduct disorder (Commentary)' Behavioral and Brain Sciences 32 (3-4) 275

Link to published version: <http://dx.doi.org/10.1017/S0140525X09990252>

DOI: 10.1017/S0140525X09990252

Target article author: Archer, J.

Commentary authors: Dickins, T.E., & Sergeant, M.J.T.

Word counts: Abstract: 52 Main text: 910 References: 445 Entire text: 1407

Title: Two more things for consideration: Sexual orientation and conduct disorder

Author's details:

Full name: Thomas Edmund Dickins

Full mailing address: School of Psychology, University of East London, London E15 4LZ, U.K. AND Centre for Philosophy of Natural and Social Science, London School of Economics, London WC2A 2AE, U.K.

Email: dickins@uel.ac.uk; dickins@lse.ac.uk

URL: <http://www.uel.ac.uk/psychology/staff/tomdickins.htm>;
http://www.lse.ac.uk/collections/CPNSS/people/centre_research_associatesinResidence.htm

Full name: Mark James Timothy Sergeant

Full mailing address: School of Social Sciences, Nottingham Trent University, Nottingham, NG1 4BU, U.K.

Email: mark.sergeant@ntu.ac.uk

URL: http://www.ntu.ac.uk/research/school_research/social/staff/54063gp.html

Abstract:

We add to Archer's review with mention of sexual orientation differences in aggression and empathy, which suggest a biological basis for the mediating role of empathy. We also note that Archer's view of sex differences will illuminate discussion of conduct disorder which can only be of help to researchers in this field.

Main text:

As Archer has made clear, intrasexual competition among males is a consequence of operational sex ratios (OSR). Male gametes are more numerous and cheaper to produce than those of females and in many species paternal care is relatively low. This leads to a situation where there are more reproductively available males than females, and females are thus a scarce resource to be striven for and consequently males enter into competition with one another. Those males with

heritable traits that enable competitive success reproduce more and those traits go to fixation. The literature abounds with examples of male phenotypes designed for aggressive display and combat, and these dimorphisms are the consequence of this intrasexual selection. Although Archer is asking whether sexual selection accounts for sex differences in aggression he is really adding to the evidence for sexual selection in his detailed overview of this literature. We should like to add two more considerations to the discussion.

One line of enquiry that Archer does not pursue is that of the influence of sexual orientation on aggression. Organizational hormones, important in the process of sexual differentiation, are strongly implicated in the aetiology of male homosexuality. Specifically, the regime of organizational hormones appears to be different in homosexual compared with heterosexual males. These hormones are thought to alter a number of behaviours, somatic features and cognitive dispositions, including sexual preference (see Wilson & Rahman, 2005). A number of studies have now also drawn a tentative link between the actions of these organizational hormones and the levels of physical aggression displayed by individuals (Bailey & Hurd, 2005; Berenbaum & Resnick 1997; Fink et al., 2006; Pasterski et al. 2007)

Sergeant, Dickins, Davies and Griffiths (2006) and Dickins and Sergeant (2008) have recently tested specific hypotheses about homosexual male aggression at an individual level and the coalitional psychology underpinning group-level aggression. Both papers report that homosexual males display significantly lower levels of physical aggression than heterosexual males. No differences were recorded in either study for sexual orientation-related differences in verbal aggression, anger, hostility or several forms of indirect or relational aggression. These findings are in accord with the sex differences described by Archer. Furthermore, both papers documented significantly higher levels of empathy among homosexual males compared to heterosexual males. Empathy is identified by Archer as possible mediator of aggression, associated with the 'biosocial' approach (Bettencourt & Miller 1996; Eagly & Steffen 1986), and as being reduced among women through the administration of exogenous testosterone (Hermas et al., 2006). Interestingly, the levels of empathy displayed by individuals have been tentatively linked to organizational hormone exposure (Knickmeyer et al., 2005). Thus, there appears to be a relationship not only between organizational hormones, sexual orientation and the process of sexual differentiation, but also between levels of physical aggression and empathy.

Although Archer clearly talks about less than desirable traits in his paper he does not mention disorders associated with aggression. For the most part this is unsurprising, for dysfunction is not the focus of his argument. However, conduct disorder might be an exception to this. The DSM-IV describes conduct disorder as “a repetitive and persistent pattern of behaviour in which the basic rights of others or major age-appropriate societal norms or rules are violated” (DSM-IV Diagnostic Criteria 312.8). To be diagnosed with conduct disorder a person must exhibit three or more behaviours from a list of fifteen over the last year, with at least one in the past six months. Seven of these behaviours are aggressive and include intimidation, physical fights and sexual coercion.

Males are two-and-a-half times more likely to have conduct disorder than females. Meltzer et al. (2000), in a survey of the mental health of children and adolescents (from 5 to 15 years old) in Great Britain, reported that conduct disorder was overrepresented in low socioeconomic status boys between 11 and 15 years of age. It is not unreasonable to assume that low socioeconomic status boys are under-resourced and face more risks than wealthier boys. Given that they are entering sexual maturity from some point after 11 years, and their endocrine profile is changing accordingly, the full impact of their local OSR will begin to be felt. As Archer has noted, males from such backgrounds are more likely to be heavy future discounters and more prone to aggressive conflict, irrespective of a conduct disorder diagnosis (Wilson & Daly, 1997). Finally, it is worth noting that girls with conduct disorder have higher levels of free testosterone (Pajer et al., 2006) and are more likely to have precocious menarche (Burt et al., 2006). Early menarche is also associated with high risk environments, lower socioeconomic status and early fertility (Belsky, Steinberg & Draper, 1991; Chisholm, 1999; Dickins, 2006). As Clutton-Brock (2007) notes, in a recent discussion of advances in sexual selection theory, females of some species do compete aggressively for breeding opportunities and they can exhibit more masculine anatomical, physiological and behavioural profiles. This kind of female competition can emerge, even when the OSR is as discussed by Archer.

Taking sexual selection seriously, as Archer does, thus provides us with a possible research programme with regard to conduct disorder. It would be of great value to collect data on the local ecologies in which conduct disorder arises, tracking resources and OSR as well as fertility profiles. The relationship between early fertility, or teenage pregnancy, and male aggression is well known (Wilson &

Daly, 1997) but sexual selection theory should throw new light on the facultative psychology underpinning these patterns.

References:

- Bailey, A.A., & Hurd, P.L. (2005.) Finger length ratio (2D:4D) correlates with physical aggression in men but not women. *Biological Psychology*, 68, 215-222
- Belsky, J., Steinberg, L., & Draper, P. (1991.) Childhood experience, interpersonal development, and reproductive strategy: an evolutionary theory of socialization. *Child Development*, 62, 647-670
- Berenbaum, S.A., & Resnick, S.M. (1997.) Early androgen effects on aggression in children and adults with congenital adrenal hyperplasia. *Psychoneuroendocrinology*, 22, 505-515
- Bettencourt, B. A. & Miller, N. (1996.) Gender differences in aggression as a function of provocation: A meta-analysis. *Psychological Bulletin*, 119, 422–47
- Burt, S.A., McGue, M., DeMarte, J.A., Krueger, R.F., & Iacono, W.G. (2006.) Timing of Menarche and the Origins of Conduct Disorder. *Archives of General Psychiatry*, 63, 890-896
- Chisholm, J.S. (1999.) Attachment and time preference: relations between early stress and sexual behavior in a sample of American university women. *Human Nature-Int Bios*, 10, 51-83
- Clutton-Brock, T. (2007.) Sexual Selection in Males and Females. *Science*, 318, 1882-1885
- Dickins, T.E. (2006.) Evolutionary Health Psychology. *Health Psychology Update*, 15, 4-10
- Dickins, T.E., & Sergeant, M.J.T. (2008.) Social dominance and sexual orientation. *Journal of Evolutionary Psychology*, 6, 57-71
- DSM-IV Diagnostic Criteria 312.8 accessed online on 12 March 2009 from:
<http://www.behavenet.com/capsules/disorders/cndctd.htm>
- Eagly, A. H. & Steffen, V. J. (1986.) Gender and aggressive behavior: A meta-analytic review of the social psychological literature. *Psychological Bulletin* 100, 309–30
- Fink, B., Manning, J.T., Williams, J.H.G., & Podmore-Nappin, C. (2007.) The 2nd to 4th digit ratio and developmental psychopathology in school-aged children. *Personality and Individual Differences*, 42, 369-379

- Hermans, E. J., Putman, P. & van Honk, J. (2006.) Testosterone administration reduces empathic behavior: A facial mimicry study. *Psychoneuroendocrinology*, 31, 859–66
- Knickmeyer R, Baron-Cohen S, Raggatt P, Taylor K., & Hackett, G. (2005.) Foetal testosterone and empathy. *Hormones and Behavior*, 49, 282-292
- Meltzer, H., Gatward, R., Goodman, R., & Ford, T. (2000.) *The mental health of children and adolescents in Great Britain*. London: Stationery Office: Office for National Statistics
- Pajer, K., Tabbah, R., Gardner, W., Rubin, R.T., Czambel, R.K., & Wang, Y. (2006.) Adrenal androgen and gonadal hormone levels in adolescent girls with conduct disorder. *Psychoneuroendocrinology*, 31, 1245-1256
- Pasterski, V., Hindmarsh, P., Geffner, M., Brook, C., Brain, S. & Hines, M. (2007.) Increased aggression and activity level in 3- to 11-year old girls with congenital hyperplasia (CAH). *Hormones and Behavior*, 52,368–74
- Sergeant, M.J.T., Dickins, T.E., Davies, M.N.O., & Griffiths, M.D. (2006.) Aggression, empathy and sexual orientation among males. *Personality and Individual Differences*, 40, 475-486
- Wilson, M., & Daly, M. (1997.) Life Expectancy, Economic Inequality, Homicide, and Reproductive Timing in Chicago Neighborhoods. *British Medical Journal* 314, 1271-1274
- Wilson, G., & Rahman, Q. (2005.) *Born Gay: The Psychobiology of Sexual Orientation*. London: Peter Owen Publishers.