

*Prediction in Selectionist Evolutionary Theory\**

Rasmus Grønfeldt Winther

(Philosophy Department, University of California, Santa Cruz)†

To Appear in

PHILOSOPHY OF SCIENCE

December 2009

\* 2/2009.

† [rgw@ucsc.edu](mailto:rgw@ucsc.edu)

Philosophy Department

University of California, Santa Cruz

1156 High St

Santa Cruz, CA 95064

TLF 415-335-4509

FAX 831-459-2650

‡ **Acknowledgements**

Many thanks to Fermín Fulda, Larry Laudan, and Elliot Sober for illuminating and detailed conversations that helped improve this article immensely. I am also grateful to John Beatty, Kirk Fitzhugh, Peter Godfrey-Smith, Deborah Mayo, Amir Najmi, Richard Otte, Sarah Richardson, and David Williams for helpful feedback.

***Prediction in Selectionist Evolutionary Theory*****Abstract**

Selectionist evolutionary theory has often been faulted for not making novel predictions that are surprising, risky, and correct. I argue that it in fact exhibits the theoretical virtue of predictive capacity in addition to two other virtues: explanatory unification and model fitting. Two case studies show the predictive capacity of selectionist evolutionary theory: parallel evolutionary change in *E. coli*, and the origin of eukaryotic cells through endosymbiosis.

Word Count (Total): 5000

## 1. Introduction: The Critique

Selectionist evolutionary theory has often been faulted for not being able to make novel predictions (e.g., Smart 1963, Popper 1974, Laudan 1977). More precisely, in so far as they even care about predictions, practitioners of selectionist evolutionary theory are taken to task for making neither (1) surprising nor (2) risky novel predictions. That is, they are critiqued for:

- (1) Inferring new phenomena that could *also* be inferred using alternative theories such as structural, developmental, and historical contingency theories. The predicted phenomena are not surprising.
- (2) Not being sufficiently rigorous about risky novel predictions:
  - a. When risky predictions are *not* borne out, this failure is either:
    - i. Downplayed and not reported, or
    - ii. Responded to by making ad hoc modifications to relevant parts of selectionist evolutionary theory in order to save it.
  - b. Scant attention is paid to whether successful novel predictions are even risky or not. Note that a prediction that is not risky is not a real test of selectionist evolutionary theory since the theory would not be falsified even if the prediction were not satisfied.

Such strategies would indeed be epistemically objectionable.

The standard response is to note that selectionist evolutionary theory does not make novel predictions, but instead unifies and provides empirically adequate models. I accept the two theoretical virtues defended by the standard response, but go further. I argue that while the complexity and historicity of the systems investigated by selectionist evolutionary theory make predicting methodologically difficult, the theory indeed values and can

formulate—under certain conditions—novel predictions that are surprising, risky, and correct.

This article is a preliminary report on prediction in selectionist evolutionary theory. In what follows, I briefly discuss unification, model fitting, and predictive capacity as theoretical virtues that provide credentials to the theory as a science. After this philosophical discussion, I use two case studies to show that selectionist evolutionary theory can indeed make novel predictions in an epistemically appropriate manner.

## **2. Three Theoretical Virtues**

There are two standard responses to a Popper-style critique of the scientific credentials of selectionist evolutionary theory: appeal to the theoretical virtues of (1) explanatory unification or (2) model fitting (or both). While selectionist evolutionary theory may not make surprising and risky predictions, the argument goes, it still exhibits one or both of these theoretical virtues. In contrast, I hold that the theory expresses explanatory unification and model fitting as well as predictive capacity. This has also been argued for physics (e.g., van Fraassen 1980). Moreover, each virtue is deeply connected to empirical adequacy.

### **2.1. Explanatory Unification**

The defense of explanatory unification as a virtue of selectionist evolutionary theory has roots in Darwin's use of Whewell's notion of consilience. Darwin (1903) wrote:

I have always looked at the doctrine of natural selection as an hypothesis, which if it explained several large classes of facts, would deserve to be ranked as a theory deserving acceptance. (vol. 1, 139-140)

This virtue of selectionist evolutionary theory continues to be defended (see, e.g., Ruse 1979, Kitcher 1981; for opposing arguments, see Lloyd 1983, Hodge 1989). The theory productively and reliably brings together disparate types of evidence – hybridization, developmental, morphological, biogeographical, and paleontological phenomena are placed under a single theoretical frame. Selectionist evolutionary theory conjoins multiple kinds of old evidence.

Consilience is a non-trivial achievement. Successful unification provides confirmation "boosts" for each piece of the theoretical structure (e.g., Friedman 1974, 1981, Kitcher 1981, 1989). This is because confirmation is acquired indirectly: the empirical adequacy of one part of the theory strengthens a distinct, but *connected*, part.<sup>1</sup> Moreover, our confidence in the empirical adequacy of the whole theory also increases as a result of unification.<sup>2</sup> Lynn Margulis (1975) and E.O. Wilson (1998) speak to the importance of unification in evolutionary theory.

## 2.2. Model Fitting

The defense of model fitting as a theoretical virtue of evolutionary theory stems mainly from 20<sup>th</sup> century population genetics. Common statistical procedures for model

---

<sup>1</sup> E.g., Friedman 1981, 9. Kitcher 1981 provides a response to "spurious unification" (similar to Hempel's "tacking paradox").

<sup>2</sup> At least in the 1980s, both Friedman and Kitcher emphasized the relation between unification and realism. The very presence of a unified theory seems to provide evidence for an inference to the (existence of the) best ontology. This ontology grounds the unification. Van Fraassen (1980) and Laudan (1981, 1990) critique realist inferences based on unified theory. But van Fraassen also writes: "presumption of unity is pervasive in scientific practice" (1980, 83).

fitting include: (1) regression analysis and (2) Neyman-Pearson techniques for hypothesis testing (e.g., Sokal and Rohlf 1994, Godfrey-Smith 1994, Mayo and Spanos 2006). Model fitting is generally fleshed out in terms of accommodating, rather than predicting, the evidence<sup>3</sup>. In evolutionary theory, model fitting has been articulated in terms of empirical adequacy [e.g., Beatty 1980, Lloyd 1983, 1994/1988].

Models are often overfitted. That is, variables, parameters, and functions are altered or added to accommodate all of the available data. Lipton (2005) calls this "fudging." Hitchcock and Sober (2004) show that accommodation is easy. Moreover, they argue that "accommodational plasticity entails predictive impotence" (2004, 7, 22): "When a background theory is sufficiently plastic that it can accommodate any data that may come along, it is in no position to make predictions about what data will come along." (2004, 7) Overfitting occurs when accommodational plasticity is too high. This is a serious epistemic problem.

But *some* accommodation in the face of correcting evidence is necessary. Hitchcock and Sober (2004) suggest an accommodation strategy that employs the Akaike Information Criterion (AIC). AIC estimates predictive accuracy in terms of both the fit-to-data and the simplicity of a model (2004, 12). Accommodation and prediction are intertwined in this account. However, in evolutionary theory per se the emphasis continues to be on (1) models that are confirmed and are accommodated to the evidence through regression analysis, curve-fitting, and hypothesis testing, rather than on (2) the predictive capacity of models in new evidentiary contexts.

---

<sup>3</sup> See Achinstein (1994), Brush (1994), Hitchcock and Sober (2004) for clear *contrasts* between accommodation and prediction. Only the third paper argues that the two are intimately related. Williams (1982) conflates accommodation and prediction of evolutionary hypotheses.

### 2.3. Predictive Capacity

There is a strong tradition in the philosophy of science arguing that the weight or relevance of a particular observation or piece of data for theory testing, confirmation, and choice is significantly greater if it is a novel prediction. A novel prediction meets the following conditions: (1) it was not known before the theory was constructed or it was not used in the construction of the theory, and (2) the observation or data follows—deductively or even with high probability—from the theory (e.g., Popper 1963, Lakatos 1970, Zahar 1973, Gardner 1982, Giere 1983, Howson 1988, Worrall 1989, 2006, and Laudan 1990). The view emphasizing the importance of novel predictions is sometimes referred to as "historicist" or "heuristic", as opposed to the "logical" view (e.g., Musgrave 1974, Mayo 1996, and Hitchcock and Sober 2004).

In contrast, the logical view holds that neither temporal order nor construction-independence are epistemic issues directly relevant to theory justification (i.e., theory testing, confirmation, and choice). *Formalist* adherents of the logical view consider novel prediction to be completely irrelevant to theory justification (e.g., Carnap 1950, Hempel 1965; see Musgrave 1974). Other partisans are more forgiving. For *screening off* advocates of the logical view, novel prediction is relevant to theory justification, but only *indirectly* as it gets philosophically screened off by more fundamental epistemic matters. Recent screening off defenders have highlighted the following epistemic concerns: (1) severe testing through Neyman-Pearson, error-probing hypothesis-testing (Mayo 1991, 1994, 1996, 2008, Mayo and Spanos 2006) or (2) contrastive testing through either (2a) maximum likelihood measures or (2b) model selection criteria such as the AIC (Forster and Sober 1994, Hitchcock and Sober 2004, Sober 1994, 1999, 2008). Although Mayo and

Sober disagree on basic aspects of theory justification (e.g., Need it be contrastive? How important is it to evaluate and control for erroneous inferences of theory rejections and theory likelihoods?), they agree that novel predictions are not necessary.

The historicist view and the screening off logical view agree that surprising, risky, and successful novel predictions, *when they can be had*, are impressive.<sup>4</sup> Under this cogent perspective, such predictions are sufficient for theory justification, though they are still not necessary according to screening off philosophers. Predictive capacity (i.e., the ability to make surprising, risky, and correct novel predictions) is the theoretical virtue and aim I focus on in the case studies.

### 3. Selectionist Hypotheses: Alternatives and Levels of Specificity

Popper and his students critique evolutionary theory *tout court* for lacking predictive capacity. I focus on a lower level of specificity: the predictive capacity of different types of theories within evolutionary theory. Alternatives to selectionist evolutionary theory include the following evolutionary theories: (1) structural (Gould and Lewontin 1979), (2) developmental (Amundson 2005), and (3) historical contingency (Beatty 2006). Selectionist evolutionary theory adopts *empirical* and *methodological* adaptationism (Godfrey-Smith 2001):

*Empirical Adaptationism:* Natural selection is a powerful and ubiquitous force, and there are few constraints on the biological variation that fuels it.

To a large degree, it is possible to predict and explain the outcome of

---

<sup>4</sup> Even Carnap seems, at times, to agree – e.g., Carnap 1945, 93.



evolutionary processes by attending only to the role played by selection. No other evolutionary factor has this degree of causal importance. (p. 336)

*Methodological Adaptationism*: The best way for scientists to approach biological systems is to look for features of adaptation and good design. Adaptation is a good “organizing concept” for evolutionary research. (p. 337).

Indeed, selectionist evolutionary theory is committed to (1) a single overall genealogy and (2) natural selection as (2a) the main mechanism of evolutionary change and (2b) the only mechanism capable of predicting and explaining adaptations (Darwin 1859/2001).

But the story is complicated. First, selectionist evolutionary theory and its models often exhibit each of the three theoretical virtues. Second, many causes are operative in evolution. Thus, selectionist theory is not exhaustive (e.g., Beatty 1997, Winther 2008). It successfully predicts only *some* sorts of evidence (ditto for its alternatives!). Ultimately, a full evolutionary theory must integrate different kinds of predictive theories, as well as distinct types of evidence.

#### **4. Two Case Studies**

The case studies show how, through its predictive capacity, selectionist evolutionary theory can be successfully tested against its alternatives.

##### **4.1. Parallel evolution in the bacterium *E. coli***

*Causal intervention* in the sense of controlled and randomized experiments can be used to ground the predictive capacity of selectionist evolutionary theory. For two decades,

Richard Lenski and co-workers have performed a remarkable set of experiments on the bacterium *E. coli*. In 1988, Lenski founded 12 populations of *E. coli* from a single ancestral population. Each day, the bacteria are transferred into new liquid media and are allowed to reproduce. They exhaust the glucose in the media after approximately 7 generations (i.e., 8 hours). The bacteria then enter into a lag phase and "must wait until their 'springtime' appears again the next day" (Lenski 2004, p. 226). The experiment has already surpassed 30,000 generations of bacteria.<sup>5</sup> The external conditions are controlled. The selection regimes are thus effectively isomorphic across the 12 lines. Evolutionary change can be measured in the laboratory.

Various kinds of parallel evolutionary changes have been observed. Each one of the 12 replicate populations has evolved larger sized cells (Lenski 2004). Every population has lost the ability to catabolize most sugar sources other than glucose (e.g., each one is now unable to catabolize ribose) (Cooper et al. 2001). These traits correlate strongly with fitness (Cooper and Lenski 2000, Lenski 2004). Moreover, the genetic architecture underlying the traits is modified in impressively similar ways across the 12 populations (Cooper et al. 2003).

Parallel evolutionary change is readily predicted by selectionist evolutionary theory. In fact, parallel evolution in diverse lineages with a common ancestor is expected, and *demanded*, given similar selection pressures. This prediction is:

- (1) *Risky*. The absence of any significant parallel evolution would be a falsification of selectionist evolutionary theory.

---

<sup>5</sup> This number of generations is roughly equivalent to 750,000 years of human evolution.

- (2) *Surprising*. Parallel evolution is not readily predicted under alternative theories/models such as historical contingency theory, which emphasizes random genetic drift (RGD) as an evolutionary force.<sup>6</sup>

The novel prediction of parallel evolution in these experimental populations is a contrastive test of selectionist vs. historical contingency theory. As Cooper et al. observe, "Parallel evolution of a trait across multiple lineages is often used as an indicator that the change is adaptive and has been shaped by natural selection." (Cooper et al. 2001, p. 2834) Note also that the data was not used to construct the predictions of either theory. In short, defenders of the mechanism of selection should be relieved that selectionist evolutionary theory shows this sort of predictive capacity.<sup>7</sup>

#### 4.2. On the Endosymbiotic Origin of Eukaryotes

I now turn to a second type of case in which *comparative (phylogenetic) inference* is used in the context of selectionist evolutionary theory to formulate novel predictions. Causal-experimental manipulations are not possible here.

A scientific controversy during the 70s and 80s concerned the evolution of eukaryotic cells and their genome-containing organelles (e.g., mitochondria and chloroplasts) (Sapp 1994). There were two explicit alternatives:

---

<sup>6</sup> However, perhaps novel predictions of *other* types of data will corroborate alternative theories (Lenski & Travisano 1994, Beatty 2006).

<sup>7</sup> Similar types of parallel evolution, under isomorphic experimental protocols have recently been found in yeast (Segrè et al. 2006).

- (1) The *endosymbiotic theory*, which postulated the serial union, and uptake, of radically different sorts of prokaryotes over evolutionary time (e.g., Margulis 1970, 1975, 1976).
- (2) A family of *autogenous theories*, which explained the internal origin of genome-containing organelles through the "pinching off" of membranes and subsequent intra-cellular sequestering of different genomes and metabolic networks (e.g., Raff and Mahler 1972, 1975, Uzzell and Spolsky 1974, Cavalier-Smith 1975, Reijnders 1975, Taylor 1976).

Although both appealed to selection, they provided different explanations and novel predictions.

Let me be very specific regarding the predictions made. Margulis (1975) provides an impressive list of 15 predictions inferred from the endosymbiotic theory. Natural selection is an explicit part of her framework (e.g., 1975, 23). She claims that while the "experimentally verifiable predictions" "are not absolute requirements of the theory", they are "much more likely consequences of the serial endosymbiotic theory than other suggested models of eukaryote organelle origin (e.g., Raff and Mahler, 1975)." (Margulis 1975, 28) Now, by observing that they are "much more likely consequences," she certainly considers the novel predictions surprising. But by noting that they are not "absolute requirements," she downplays their risky aspect. Even then, it is clear that four predictions were indeed risky: had they not been satisfied, Margulis' theory would have been significantly weakened, even falsified. Here are the novel predictions:

- (1) *Eukaryote transformation*. (29) "The phenomenon of gene transfer from prokaryotes or eukaryotic donors to eukaryote nuclei will be demonstrated." Compare: "the integration of the endosymbiont-*proto-mitochondrion*

required wholesale transfer of genes from the endosymbiont genome to an unrelated nuclear genome. A mechanism by which this end may have been achieved is extremely difficult [!] to conceive." (Raff and Mahler 1972, pp. 575-576) Margulis' surprising and risky novel prediction of gene transfer has been borne out; Raff and Mahler's hypothesis has been falsified (e.g., Adams and Palmer 2003, O'Malley and Dupré 2007).

- (2) *The red algal thallus was a multicellular heterotroph that acquired cyanelles.* (28) The proto-red algae were heterotrophs. That is, they ingested other prokaryotes and did not synthesize their own energy sources (e.g., sugars). They then entered into selectively beneficial mutualisms with blue-green algae. Hence the "metabolic pathways and primary amino acid sequences" of their "photosynthetic plastids" should resemble those of "blue-green algae," and *not* those of red algae themselves, as the autogenous theory predicted. This novel prediction has been amply corroborated (e.g., Oliveira and Bhattacharya 2000). It confirmed endosymbiosis and helped falsify the family of autogenous theories.
- (3) *Hybridization between organelles and free-living micro-organism DNAs.* (30) "Direct nucleic acid hybridization studies will show homologies between organisms and organelles as sketched in Fig. 1 [the reticulated phylogeny on p. 27]." This was the clincher novel prediction. Consider three different genomes: (1) eukaryotic nuclear DNA, (2) mitochondrial DNA and (3) the DNA from a contemporary free-living prokaryote hypothesized to be related to the proto-mitochondria (i.e., a photosynthetic alphaproteobacteria). Endosymbiosis predicts that (2) and (3) will be sister

taxa, with (1) as the outgroup. In contrast, autogeny predicts that (1) and (2) will be the sister taxa, with (3) as the outgroup. Impressive gene sequence analysis, which controlled for differential rates of evolution and other confounding factors, has amply corroborated the novel predictions of endosymbiotic theory (e.g., Yang et al. 1985, Gray et al. 1999).

- (4) *Anastomosing phylogenies*. (30-31) "A consistent phylogeny at higher taxonomic levels (such as is available for tracheophytes and chordates) acceptable to botanists, zoologists and microbiologists... will only be possible after acceptance of the symbiotic theory... . Because of anastomosing [reticulating] relationships... the finalization of such a phylogeny may be difficult." Her surprising and risky novel prediction has been strongly confirmed. Endosymbiosis, and lateral gene transfer more generally, makes a neatly divisional, hierarchical tree of life difficult to draw.<sup>8</sup>

In summary, Margulis' 1975 paper presents a number of key surprising, risky, and correct novel predictions. She relies on comparative data and comparative inference to express the predictive capacity of her theory. At least one of the 15 predictions remains undecided: eukaryotic flagella stem from a spirochaete symbiosis (30). However, most have been strongly supported. The predictive capacity of the endosymbiotic theory, which relies on natural selection and on a novel way to think about descent with modification—i.e., reticulation—is strong.

---

<sup>8</sup> See also Woese 2000, Doolittle and Baptiste 2007, and O'Malley and Dupré 2007.

## 5. Conclusion: Promises and Limits of Prediction

I have shown through two case studies that predictive capacity is an important theoretical virtue in selectionist evolutionary theory, contra the standard critiques it has received.

Some caveats are in order. By no means do I believe that predictive capacity is easily forthcoming in evolutionary theory, selectionist or otherwise.<sup>9</sup> It is hard work to make surprising, risky, and correct novel predictions for *complex systems* with *strong historicity* (see Pigliucci 2002<sup>10</sup>). However, through a well-designed causal-experimental protocol, Lenski managed to control and randomize experimental conditions in order to test selectionist evolutionary theory. And despite complexity and historicity, endosymbiosis is widespread and produces robust historical signals: gene transfers, gene homologies between eukaryotic organelles and related free-living prokaryotes, and reticulating phylogenetic patterns. Given these signals, comparative inference can be used to formulate novel predictions that test endosymbiotic selectionist theory.

There are other examples of the predictive capacity of selectionist evolutionary theory that should be developed: (1) Neil Shubin's prediction of an eventually found transitional fossil (Shubin 2008), (2) Richard Alexander's prediction of naked mole rats, (3)

---

<sup>9</sup> Nor even in theoretical physics (Putnam 1981).

<sup>10</sup> Popper also accepts the difficulty of making predictions in systems that are not "well-isolated, stationary, and recurrent." (1963, 339) He adds that "contrary to popular belief the analysis of such repetitive systems is not typical of natural science." (340) However, he also claims that "all theoretical sciences are predicting sciences." (339, see also "risky predictions" 36, "new kinds of test" 118) He thus seems to be inconsistent: *prediction is rare in science, yet it is also its hallmark*. I will not engage in exegesis here, but merely note that it is the latter view that is most characteristic of Popper and his students.

predictions made by sex-ratio theory (e.g., Schuster and Wade 2003), and (4) predictions regarding the structure and origin of the genetic code (e.g., Knight et al. 1999).

Comparative inference is used for the first two predictions. Given the importance of mathematical modeling and simulation for the second two predictions, these require further philosophical exploration. This is a preliminary report.

In short, in addition to explanatory unification and model fitting, predictive capacity (i.e., the ability to make surprising, risky, and correct novel predictions) is a central theoretical virtue of selectionist evolutionary theory.

## **Bibliography**

Achinstein, Peter (1994). Explanation v. Prediction: Which Carries More Weight? *PSA 1994* vol. 2: 156-164.

Adams, Keith L, Jeffrey D Palmer. (2003). Evolution of Mitochondrial Gene Content: Gene Loss and Transfer to the Nucleus. *Molecular Phylogenetics and Evolution* 29: 380-395.

Amundson, Ronald (2005). *The Changing Role of the Embryo in Evolutionary Thought*. Cambridge University Press.

Beatty, John. (1980). What's Wrong with the Received View of Evolutionary Biology? *PSA 1980*, vol. 2: 397-426.

—. (1997). Why do Biologists Argue Like They Do? *Philosophy of Science* 64: S432-S443.



—. (2006). Replaying Life's Tape. *Journal of Philosophy* 103: 336-362.

Brush, Stephen G. (1994). Dynamics of Theory Change: The Role of Predictions. *PSA* 1994, vol. 2: 133-145.

Carnap Rudolf. (1945). On Inductive Logic. *Philosophy of Science* 12: 72-97.

—. (1950). *Logical Foundations of Probability*. University of Chicago Press.

Cavalier-Smith, Thomas. (1975). The origin of nuclei and of eukaryotic cells. *Nature* 256: 463-468.

Cooper, Tim F., Daniel E Rozen, and Richard E Lenski. (2003). Parallel Changes in Gene Expression after 20,000 Generations of Evolution in *Escherichia coli*. *Proceedings of the National Academy of Sciences* 100: 1072-1077.

Cooper, Vaughn S., and Richard E Lenski. (2000). The Population Genetics of Ecological Specialization in Evolving *E. coli* populations. *Nature* 407: 736-739.

Cooper, Vaughn S, Dominique Schneider, Michel Blot, and Richard E Lenski. (2001). Mechanisms Causing Rapid and Parallel Losses of Ribose Catabolism in Evolving Populations of *Escherichia coli* B. *Journal of Bacteriology* 183: 2834-2841.

Darwin, Charles R. (1859/2001). *On the Origin of Species by Means of Natural Selection, or the Preservation of Favoured Races in the Struggle for Life*. Harvard University Press.

Darwin, Charles R. (1903). *More Letters of Charles Darwin*. Francis Darwin and A.C.Seward (eds.). 2 vols. London: John Murray.

Doolittle, W Ford, Eric Bapteste. (2007). Pattern Pluralism and the Tree of Life Hypothesis. *Proceedings of the National Academy of Sciences* 104: 2043-2049.

Forster, Malcolm, Elliot Sober. (1994). How to Tell when Simpler, More Unified, or Less *Ad Hoc* Theories will Provide More Accurate Predictions. *British Journal for the Philosophy of Science* 45: 1-35.

Friedman, Michael. (1974). Explanation and Scientific Understanding. *Journal of Philosophy* 71: 5-19.

—. (1981). "Theoretical Explanation", in Richard Healey (ed.), *Reduction, Time, and Reality: Studies in the Philosophy of the Natural Sciences*, Cambridge University Press, 1-16.

Gardner, Michael R. (1982). Predicting Novel Facts. *British Journal for the Philosophy of Science* 33: 1-15.

Giere, Ronald N. (1983). Testing theoretical hypotheses. In John Earman (ed.), *Testing Scientific Theories. Minnesota Studies in the Philosophy of Science* volume 10, Minneapolis: University of Minnesota Press, 269-80.

Godfrey-Smith, Peter. (1994). Of Nulls and Norms. *PSA 1994*, vol. 1: 280-290.

—. (2001). "Three Kinds of Adaptationism", in Steven H Orzack and Elliot Sober (eds.), *Adaptationism and Optimality*, Cambridge University Press, 335-357.

Gould, Stephen J and Richard C Lewontin. (1979). The Spandrels of San Marco and the Panglossian Paradigm: A Critique of the Adaptationist Programme. *Proceedings of the Royal Society of London B* 205: 581-598.

Gray, Michael W, Gertraud Burger, and B Franz Lang. (1999). Mitochondrial evolution. *Science* 283: 1476-1481.

Hempel, Carl G. (1965) *Aspects of Scientific Explanation and other Essays in the Philosophy of Science*. New York: Free Press.

Hitchcock, Cristopher, Elliot Sober. (2004). Prediction Versus Accommodation and the Risk of Overfitting. *British Journal for the Philosophy of Science* 55: 1-34.

Hodge, Martin JS. (1989). "Darwin's Theory and Darwin's Argument", in M. Ruse (ed.), *What the Philosophy of Biology Is. Essays Dedicated to David Hull*, Dordrecht: Kluwer Academic Publishers, 163-182.

Howson, Colin. (1988). Accommodation, Prediction and Bayesian Confirmation Theory. *PSA 1994*, vol. 2: 381-392.

Kitcher, Philip. (1981). Explanatory Unification. *Philosophy of Science* 48: 251-281.

—. (1989). Explanatory Unification and the Causal Structure of the World. In Wesley C. Salmon and Philip Kitcher (eds.), *Scientific Explanation. Minnesota Studies in the Philosophy of Science* volume 13, Minneapolis: University of Minnesota Press, 410-505.

Knight, Robin D, Stephen J Freeland, Laura F Landweber. (1999). Selection, History and Chemistry: The Three Faces of the Genetic Code. *Trends in Biochemical Sciences* 24: 241-247.

Lakatos, Imre. (1970). Falsification and the Methodology of Scientific Research Programmes. In I. Lakatos and A. Musgrave (eds.) *Criticism and the Growth of Knowledge*, Cambridge University Press, 91-195.

Laudan, Larry. (1977). *Progress and Its Problems. Towards a Theory of Scientific Growth*. University of California Press.

—. (1981). A Confutation of Convergent Realism. *Philosophy of Science* 48: 19-49.

—. (1990). *Science and Relativism. Some Key Controversies in the Philosophy of Science*. University of Chicago Press.

Lenski, Richard E, Michael Travisano. (1994). Dynamics of adaptation and diversification: A 10,000-generation experiment with bacterial populations. *Proceedings of the National Academy of Sciences* 91: 6808-6814.

Lenski, Richard E. (2004) Phenotypic and Genomic Evolution During a 20,000-Generation Experiment with the Bacterium *Escherichia coli*. *Plant Breeding Reviews* 24: 225-265.

Lipton, Peter. (2005). Testing Hypotheses: Prediction and Prejudice. *Science* 307: 219-221.

Lloyd, Elisabeth A. (1983). The Nature of Darwin's Support for the Theory of Natural Selection. *Philosophy of Science* 50: 112-129.

—. (1994/1988). *The Structure and Confirmation of Evolutionary Theory*. Princeton University Press.

Margulis, Lynn. (1970). *Origin of Eukaryotic Cells*. Yale University Press.

—. (1975). Symbiotic theory of the origin of eukaryotic organelles: criteria for proof. *Symposia of the Society for Experimental Biology* 29: 21-38.

—. (1976). Genetic and Evolutionary Consequences of Symbiosis. *Experimental Parasitology* 39: 277-349.

Mayo, Deborah G. (1991). Novel evidence and severe tests. *Philosophy of Science* 58: 523-552.

—. (1994). The New Experimentalism, Topical Hypotheses, and Learning from Error. *PSA 1994*, vol. 1: 270-279.

—. (1996). *Error and the Growth of Experimental Knowledge*. University of Chicago Press.

—. (2008). How to Discount Double-Counting When It Counts: Some Clarifications. *British Journal for the Philosophy of Science* 59: 857-879.

Mayo, Deborah G, Aris Spanos. (2006). Severe Testing as a Basic Concept in a Neyman-Pearson Philosophy of Induction. *British Journal for the Philosophy of Science* 57: 323-357.

Musgrave, Alan. (1974). Logical versus Historical Theories of Confirmation. *British Journal for the Philosophy of Science* 25: 1-23.

Oliveira, Mariana C, Debashish Bhattacharya. (2000). Phylogeny of the Bangiophycidae (Rhodophyta) and the Secondary Endosymbiotic Origin of Algal Plastids. *American Journal of Botany*. 87: 482-492.

O'Malley, Maureen, John Dupré. (2007) Size doesn't matter: towards a more inclusive philosophy of biology. *Biology & Philosophy* 22:155-191.

Pigliucci, Massimo. (2002). Are Ecology and Evolutionary Biology "Soft" Sciences? *Ann. Zool. Fennici* 39: 87-98.

Popper, Karl R. (1963). *Conjectures and Refutations. The Growth of Scientific Knowledge*. London: Routledge and Kegan Paul.

—. (1974). Autobiography of Karl Popper. In P. A. Schilpp, (ed.) *The Philosophy of Karl Popper*. Vol. 1. LaSalle, Illinois: Open Court, 3-181.

Putnam, Hilary. (1981). "The 'Corroboration' of Theories" in Hacking, Ian (ed.) *Scientific Revolutions*, Oxford University Press, 60-79.

Raff, Rudolf A, Henry Mahler. (1972). The non-symbiotic origin of mitochondria. *Science* 177: 575-582.

—. (1975). The symbiont that never was: An inquiry into the evolutionary origin of the mitochondrion. *Symposia of the Society for Experimental Biology* 29: 41-92.

Reijnders, Lucas. (1975). The Origin of Mitochondria. *Journal of Molecular Evolution* 5: 167-176.

Ruse, Michael. (1979). *The Darwinian Revolution*. University of Chicago Press.

Sapp, Jan. (1994). *Evolution by Association. A History of Symbiosis*. Oxford University Press.

Schuster, Stephen M, Michael J. Wade. (2003). *Mating Systems and Strategies*. Princeton University Press.

Segrè, Ayellet V., Andrew W. Murray, Jun-Yi Leu. (2006) High-resolution mutation mapping reveals parallel experimental evolution in yeast. *PLoS Biol* 4(8): e256. DOI: 10.1371/journal.pbio.0040256

Shubin, Neil. 2008. *Your Inner Fish. A Journey into the 3.5-Billion-Year History of the Human Body*. New York: Pantheon Books.

Smart, JJC. (1963). *Philosophy and Scientific Realism*. London: Routledge and Kegan Paul.

Sober, Elliott. (1994). *From a Biological Point of View. Essays in Evolutionary Philosophy*. Cambridge University Press.



—. (1999). Testability. *Proceedings and Addresses of the American Philosophical Association* 73: 47-76.

—. (2008). *Evidence and Evolution. The Logic Behind the Science*. Cambridge University Press.

Sokal, Robert R, James F. Rohlf. (1994). *Biometry*. W.H. Freeman.

Taylor, FJR. (1976). Autogenous theories for the origin of eukaryotes. *Taxon* 25: 377-390.

Uzzell, Thomas, Christina Spolsky. (1974). Mitochondria and plastids as endosymbionts: a revival of special creation? *American Scientist* 62: 334-343.

van Fraassen, Bas C. (1980). *The Scientific Image*. Oxford University Press.

Williams, Mary. (1982). The Importance of Prediction Testing in Evolutionary Biology. *Erkenntnis* 17: 291-306.

Wilson, Edward Osborn. (1998). *Consilience: The Unity of Knowledge*. Knopf.

Winther, Rasmus Grønfeldt. (2008). Systemic Darwinism. *Proceedings of the National Academy of Sciences* 105 (33): 11833-11838.

Woese, Carl R. (2000). Interpreting the Universal Phylogenetic Tree. *Proceedings of the National Academy of Sciences (USA)* 97: 8392-8396.

Worrall, John. (1989). Fresnel, Poisson and the white spot: The role of successful predictions in the acceptance of scientific theories. In *The Uses of Experiment: Studies in the Natural Sciences*, David Gooding, Trevor Pinch, and Simon Schaffer (eds.), Cambridge University Press, 135-57.

—. (2006). Theory and Confirmation. In Cheyne C and Worrall J (eds.), *Reason and Reality: Conversations with Alan Musgrave*. Dordrecht: Kluwer.

Yang, Dan, Y Oyaizu, H Oyaizu, Gary J Olsen, Carl R Woese. (1985). Mitochondrial Origins. *Proceedings of the National Academy of Sciences* 82:

Zahar, Elie. (1973). Why did Einstein's Programme Supersede Lorentz's? *British Journal for the Philosophy of Science* 24: 95-123, 223-62.