

How Much History Can Chemistry Take?

Lukasz Lamża

University of Silesia; lukasz.lamza@gmail.com

Abstract

Chemistry is typically considered to be a nomothetic science, i.e. science interested in general laws rather than historical facts (e.g. Pauling 1988: p. 16-19). Also, the unification of science is usually envisioned as an effort to connect particular scientific disciplines through their laws: e.g. laws of chemistry are derived from the laws of physics (Nagel 1979: p. 400). It is however equally sensible to combine the sciences through a single cosmic history and there is a large literature following this direction, albeit rarely focused on chemistry. In the paper some ideas concerning the possible role of a 'historical' (or 'idiographic') chemistry are presented, with special attention paid to the notion of a 'genetic' classification of chemical compounds, and to the counterintuitive proposition that many major branches of physics may in fact be explained by chemistry, not the opposite.

Keywords

astrochemistry; classification of chemical compounds; nomothetic and idiographic sciences; unification of science

1. Introduction

A classification of sciences into idiographic and nomothetic was developed by a Kantian philosopher of science, Wilhelm Windelband (Windelband 1894). Simply put, idiographic sciences aim to discover and describe the unique history of the world, while nomothetic sciences are interested in general laws, applicable to any fact of a given type, regardless of its spatiotemporal location. The paradigmatic science of the first sort would be the history of human civilization, but also evolutionary history, paleontology or any other branch of science as long as it discusses individual facts that have their specific place in the wider history of the world and will not happen again. Typical nomothetic sciences include the various disciplines of physics – from quantum mechanics and fluid dynamics to the theory of crack propagation – but also the synthetic theory of evolution, geodynamics and, last but not least, chemistry.

Chemistry is traditionally considered to be a typical nomothetic science – interested in finding general laws applicable to the amazing complexity of the chemical world, and organizing the chemical lore with a limited set of fundamental laws. It is visible in university-level textbooks (e.g. Pauling 1988; Miessler, Tarr 2010), introductory-level courses (Corwin 2007), pedagogical theory (see e.g. the concept of 'chemical logic' (Jakubowski, Owen 1998)) and original research in the foundations of chemistry (e.g. Boeyens 2008). Basically, all these sources agree on one thing: what is really important in chemistry, is a certain basic set of first principles, and as soon as you've mastered them, everything will be made clear. It is the very essence of nomothetic thinking.

The purpose of this article is to examine the possible place of chemistry in the wider panorama of the 'pan-idiographic' science of the history of the Universe, a science proceeding to describe the unique history of the world: from the Big Bang, through the astrophysical and geophysical processes, up to the realm of pre-biotic and biotic evolution. It is proposed that there might be more hope to create the 'pan-idiographic' than the 'pan-nomothetic' science in the foreseeable future, and that chemistry would play a critical role in its structure.

2. What is the problem with a 'pan-nomothetic' science?

Ernest Nagel proposed in *The structure of science* that a science B is reduced to science A if all of the fundamental concepts of science B may be defined in the language of science A (Nagel 1979). For the purpose of this article, the term 'pan-nomothetic science' will denote a hypothetical science based on fundamental physics, performing a series of reductions *sensu* Nagel to derive all other nomothetic sciences. The creation of such a science is the perennial dream of the scientific community, and although a general scheme of such a chain of reductions is known, there are gaping holes in the picture, some of them proposed to be unrepairable. The old philosophical problem of emergence (Alexander 1920) is based precisely on the notion that at certain points a reduction of science B to science A is impossible, because a certain property of the objects described by science B is *a priori* irreducible to properties of any 'lower-level' science A. A typical example is the proposed irreducibility of biology to any lower-level science (Mayr 1991: p. xvi) It is beyond the scope of this article to discuss the problems of theoretical reduction in detail, it would be however instructive to note few objections commonly raised against reduction scenarios involving chemistry. It might be a good starting point to consider the reasons to develop the pan-idiographic science and the 'historical chemistry'.

The derivation of the properties of molecules from quantum mechanics (QM) is widely recognized as a successful and promising development. More careful analyses however often point out that for physical systems of any reasonable complexity, certain techniques of approximation have to be employed – which puts in question the ability of QM to form a 'strict' reduction base for molecular chemistry (e.g. Ostrovsky 2005, Boeyens 2008: p. vi). A typical example is the use of Born-Oppenheimer approximation (BOA) in quantum chemistry calculations. Although the error caused by the fixation of nuclei is small enough to make QM useful in calculations of molecular structures, the use of BOA is certainly not the kind of development that could be equated with 'straight' reduction. Other authors have noted that regardless of the success of QM in explaining certain chemical laws, in everyday chemical work other, non-reductive methods are used, such as Lewis structures or the VSEPR theory and that closer inspection of proclaimed paths of reduction reveal in fact much incompleteness (Scerri 2007).

The proposition here is that, generally, there is a serious problem with the reductive model and, by transition, there are serious obstacles to having a rigorous 'pan-nomothetic' science in the foreseeable future. Let's rephrase the main problems.

On the one hand, the millions and billions of individual elements, each complex in its own, have to be taken into account in any reductive model. And although it is sensible to ‘drop’ certain terms of equations for practical needs, it is not possible to do it for the purposes of theoretical reduction. On the other hand, we should consider for a moment what is the point of performing reduction in the first place. It seems that for the purposes of forwarding our understanding of Nature it is absolutely sufficient to know the overall ‘roadmap’ of reduction only: we might be content that it seems the theory of electronic states of complex molecules is ‘in principle’ derivable from quantum principles, while it would be madness to use 'straight' QM every time we need to predict the migration of electrons in interacting proteins.

It would be also interesting to ask, would it *really* be psychologically satisfactory to derive, say, the behavior of lipid membranes from QM. Suppose that some stubborn quantum chemists, using weeks of computation time, actually predicted the segregation of cholesterol-based lipids into rafts in a lipid bilayer. *How* exactly would that count as a reduction of lipid membrane thermodynamics to QM? Would a printout of 10^{15} binary operations suffice?

Going even further, one may wonder, can such a reductive pathway work as an explanation of *the real world*? Pure mathematical physics can easily describe cubic planets, stars made of pure neon or blocks of uranium the size of one cubic kilometer (Hempel 1966) – yet these objects do not exist, because there are no natural processes actually producing them in the course of the cosmic evolution. To make a slightly more subtle point – there seems to be a possibility for stable isotopes with mass numbers around 300 to exist: the so-called 'island of stability'. Yet, as far as we know, there are no such isotopes actually present in the Universe. There is no way of explaining that particular fact with nuclear physics only and without the appreciation for the cosmic history and the actual conditions available in the Cosmos. Similarly, the early tendencies of explaining the phenomenon of life using solely the theoretical principles of chemistry or physics (Schrödinger 1992) have evolved into more sophisticated attempts that include the knowledge of the actual physico-chemical context for life formation on Earth (Rauchfuss 2008). To sum up – it may be not only for pedagogical reasons (Earley 2004) that a pan-idiographic, or historical, or evolutionary context for chemistry is needed.

3. So what's the alternative?

It is not the purpose of this paper to undermine the attempts to create a ‘pan-nomothetic’ science. The previous part was rather intended to show that chemistry, while standing in a central place in such a science, is at the same time a testing lab for all of the difficulties related to the reductonist, ‘pan-nomothetic’ program. This ‘negative’ introduction is not without its ‘positive’ counterpart. I believe that the traditional, automatically assumed nomothetic view of chemistry is partly responsible for the general lack of chemists in the ongoing creation of a ‘pan-idiographic’ science. What is meant by that name?

The ‘pan-idiographic’ science is, simply put, the science of the history of the Universe. Its goal would be to combine the sciences by the ‘unity of history’, not by the ‘unity of laws’. It would unfold, it seems, in two related strands: top-down and bottom-up. First, with physical cosmology of the Big Bang, followed with galactic, stellar and planetary system astrophysics,

and up to geophysics and various branches of geology. Second, it would discuss particle and atomic physics (but be concerned rather with specific loci of nucleosynthesis rather than calculation of theoretical cross-sections), and later become nothing more than a sort of 'historical chemistry', also 'historical mineralogy', prebiotic chemistry and history of life on Earth.

Similar concerns have been raised by several authors (e.g. Haken 1978; Earley 2004; Vihalemm 2001, 2005; Näpinen 2007). Both Vihalemm and Näpinen advocate openly for the introduction of *history* into chemistry, for reasons of their own. Vihalemm attacks the problem from the point of view of philosophy of science and describes chemistry as 'a research field with a dual character' (Vihalemm 2005: p. 175) – a science interested in *constructing laws* (a 'phi-science'), yet at the same time interested in *particular chemical substances* 'regardless of the fact whether and to what extent this is possible on the basis of the laws of nature' (Vihalemm 2005: p. 175). He points to numerous consequences that would be brought by the adoption of a new philosophical basis for chemistry; here I would rather discuss the importance of a similar conceptual shift for the science of chemistry itself and its relations to other natural sciences. Näpinen, on the other hand (Näpinen 2007), uses a particular example of the science of non-equilibrium thermodynamics as a leverage point and introduces the contrast of *organization* and *self-organization*, based on the well-known work of Prigogine (e.g. Prigogine 1997) and his co-workers.

The influential paper by Earley (Earley 2004), although revolving around the problem of education, is probably the closest to my perspective on the issue. The change that is advocated in Earley's paper is described as a shift from an *analytical* to a *synthetic* approach to chemistry. The synthesis would be historical in nature:

The old story-line of introductory chemistry courses – 'whatever exists can be understood through *analysis* into its component parts' – is no longer sufficient. A more appropriate story-line would be – 'everything came to be through *synthetic* processes' – that is, the Evolutionary Epic. Perhaps we should start with some remote situation, and tell a connected, coherent story of how the world came to be as it is – a story that *ends up* where the students live. Logically, perhaps one should start with *the vacuum* – an excitable medium. New classes of entities – quarks, atoms, molecules, stars, organisms, societies – could then be introduced as arising in evolutionary (historical, in Collingwood's sense) transitions from prior entities. (Earley 2004: p. 149)

It is interesting to see how everybody seems to be describing the same paradigm shift, yet there is a bewildering variety of terms used to describe it; I use the pair 'nomothetic – idiographic' simply because it has a historical flavor that I enjoy. It doesn't seem to be inherently better that a pair 'phi-science – natural history' or 'organization – self-organization' or 'analytical – synthetic'. The names are not important. What I believe should be done is a consideration of how would that paradigm shift work *in practice* – how would it influence the science of chemistry and other sciences that are intimately related to chemistry.

In the following chapters, I shall use the example of classification systems to illustrate some problems with the realization of the philosophical proposition discussed here, and later argue for some conceptual developments that may result from the work on 'historical chemistry' in the context of the 'pan-idiographic science'. In my opinion, the first part shows just how

terribly difficult in practice is to apply standard methods of an idiographic science to chemistry, and the latter – how big the payout may be.

4. Towards a ‘natural’, genetic classification of chemical species

The traditional classification of chemical species is by structure. Nuclei and their isotopes are classified by the numbers of nucleons; atoms – by their electronic configuration. There are many competing classifications of chemical molecules and most of them make use of a certain morphological criterion – the presence of rings (aromatic vs aliphatic hydrocarbons), type of bonding (alkanes vs alkenes vs alkynes), the number of residues in polymers (dipeptides, oligopeptides, proteins), polarity state of the molecule surface (hydrophiles, lipophiles) etc. Classification criteria of that sort often lead to apparent paradoxes, because most large molecules include functional groups of various kinds – hence the concepts such as amphiphilic molecules or zwitterions. Current systems of classification are extremely well developed, but the need to keep a discrete system in the light of the non-discreteness of Nature’s chemical creativity results in somewhat arbitrary definitions, like the IUPAC’s non-inclusion of cyclitols to the group of carbohydrates (McNaught 1996). That is however the sore of all ‘structural’ classification systems, i.e. systems based solely on the objects’ inherent properties, not on its history. As the purpose of this article is to examine a possibility of a 'historical chemistry' that is an organic part of a wider 'pan-idiographic' science, it might be helpful to mention one example from a neighboring discipline. The history of biological classification is a beautiful example of how a seemingly simple system turns out to be a nightmare in the light of the real complexity of Nature. Let’s consider the example of plants.

The straightforward definition of plants as multicellular organisms performing photosynthesis would currently lead to the inclusion of not only the paradigmatic land ‘green plants’ (currently grouped as embryophytes), but also rhodophytes and chlorophytes plus certain more cryptic and evolutionarily unrelated entities like brown algae and water molds. The resulting consensus definition is exceedingly unintuitive: the so-called true plants (Viridiplantae) are in one oft-cited source circumscribed as ‘platycristate taxa with or without flagella, with chloroplast containing chlorophylls *a* and *b*, eyespot when present in plastid, basal bodies anchored by cruciate system of rootlets’ (Patterson 1999). Every bit of information is needed, because in the course of evolutionary action various forms of photosynthetic organisms evolved, sometimes transmuting via convergent evolution into forms differing from ‘true plants’ only by minute ultracellular (like the form of mitochondrial cristae) or biochemical (like the variation of chlorophyll) features.

It is however only at the level of ‘synchronically’ considered structure that the difference may seem trivial. If analyzed diachronically – in the context of the universal tree of life – plants form a nicely diverging, monophyletic taxon with its own particular history, relatives and resulting derived characteristics (synapomorphies). It is becoming more and more popular to define *all* taxa phylogenetically (Mayr 1991). It’s now a cliché that living organisms shouldn’t be classified according to ‘skin-deep’ similarities, but according to family relationships: nobody seriously considers grouping bats, birds and pterodactyls (or snakes, earthworms and caecilians) just because they are similar. It might be interesting to examine how a similar point of view would apply to the science of chemistry. Also, the

'historicization' of chemical classification systems would automatically bring us much closer to the unification of sciences. If we really want a 'historical chemistry', than we also need a 'historical classification system': just like evolutionary biology needs a phylogenetic taxonomy.

5. The work done so far

I am aware of only three areas laying in the scope of the broadly understood chemistry in which the program of 'historical' (or 'genetic') classification has been developed in considerable detail: the classification of the isotopes (in the context of nucleosynthesis), of certain small molecules (in the context of astrochemistry) and of the minerals (in the context of Earth system evolution). The following three chapters will be devoted to the concise description of these examples. The discussion of their philosophical significance will follow.

5.1. Nuclei and atoms

The traditional, logical classification of atoms is the periodic table – combining the 'numerical' enumeration of nuclei according to the number of protons with the vertical arrangement of the table according to the filling of subsequent electronic shells. An amazing amount of information can be read out of this simple scheme. What would then be a 'genetic' classification of elements? The history of any atom goes back to a certain event of nucleosynthesis, and there is now a considerable agreement as to the genesis of atomic species present in the Universe. These are typically tied to specific sites of nucleosynthesis (BB, stellar hydrostatic, stellar explosive etc.) or to specific modes of nucleosynthesis (alpha particle addition, s- and r-process nucleosynthesis etc.). The resulting agreement (see e.g.: Burbidge et al. 1957, Wallerstein et al. 1997) is that from the point of view of the mode of generation, there are only few major groups of elements:

- "primary" elements formed in BB nucleosynthesis: H, Li and He;
- "secondary" elements formed after BB:
 - elements forming in hydrostatic stellar burning: most elements up to the 'iron peak', including C, O, Ne and Mg;
 - elements forming via slow neutron capture (the 's-process elements'): much of the elements past the iron peak, notably Sr, Y, Zr, Ba, La, Ce, Pr, Nd, Pm, Sm;
 - elements forming via rapid neutron capture (the 'r-process elements'): approximately the other half of the heavier nuclei, notably the vast majority of As, Br, Rh, Ag, Sb, I, Cs, Eu, Gd, Tb, Ho, Re, Ir, Au and all of the elements with atomic number Z higher than 83 (s-process nucleosynthesis doesn't proceed past $Z = 83$).

In addition there are other minor groups, such as the group of light elements formed by the so-called x-process, notably boron. Also, it should be noted that the classification scheme above is simplified for the purposes of clarity: in reality, all nuclides, not just elements, should be discussed.

In contrast to this widely discussed area of nuclear chemistry, one interesting project pursued by a single scientist should also be mentioned here: the 'Earth Scientist's Periodic Table'

devised by B. Railsback (Railsback 2003). This periodic table is a proposition to group elements (or rather, their ionic states) by charge, and further, by properties that result in a different overall geochemical behavior. For our purposes, the Author's philosophical remarks are even more interesting. Railsback claims that:

the conventional periodic table is product of Platonist-idealist thought: the elements are considered only in an ideal state, and each element has only one perfect condition/position. This Platonist view ignores the fact that many elements don't exist in nature in this purportedly ideal (uncharged) state, and that many elements exist in multiple charges or states. The new table acknowledges that natural reality deviates from ideality, and that things take different character under different conditions. (Railsback, electronic document)

Effectively, the table isn't that different from the 'ordinary' table, but it is clearly designed to show what various elements 'do' and 'where do they come from' (the 'idiographic' flavor) rather than to group them in an abstract state space (the 'nomothetic' flavor). It is possible to read out of the diagram which elements are incorporated in primary magmas, which elements are abundant in seawater, which are essential for life etc.

5.2. Molecules of astrophysical concern

The literature on the chemical evolution of the Universe is vast and detailed (for a review, see e.g. Herbst 2001). There is only a handful of confirmed gas-phase chemical species in interstellar matter (ISM), with all of the more complex ones occurring only in so-called molecular clouds: structures of dense interstellar gas where the low temperature and shielding from UV radiation allows the formation of larger molecules. Additionally, a large variety of molecules and supramolecular structures, notably polycyclic aromatic hydrocarbons (PAHs) and their aliphatic modifications, is suspected to occur on the surfaces of interstellar grains. The general picture is that first molecules, usually simple diatomic species like CO, form in the outer envelopes of dying stars, then follows their evolution in ISM, and the next significant boost to the chemical complexity of the universe occurs in the protoplanetary disks where higher concentrations and effective radiative shielding allow more diverse reactions to proceed. Astrochemists in their work typically group molecules according to environments in which they are abundant – a different mix is to be expected in the gas phase of diffuse interstellar clouds and in molecular clouds; in interstellar grains and on their surfaces (Shaw 2006) etc.

One interesting fact that may be mentioned here is the suspected dependence of interstellar H₂ on the presence of grains (Shaw 2006; 131) related to the fact that the simple H + H association in the gas phase seems to be forbidden by the lack of energy levels of free H₂ necessary to radiatively stabilize the molecule. This leads to the surprising hypothesis that, at the galactic scale, H₂ is essentially a 'solid-state molecule' which means that most of molecular hydrogen comes from the surfaces of solid bodies. This, again, is not something that we would predict based solely on quantum mechanics.

5.3. Mineral evolution

In the sea of relevant papers, one particularly enlightening review is called simply "Mineral evolution" (Hazen et al. 2008). The paper follows the complexification of the mineral

repertoire of terrestrial planets from the ca. 60 species present in the early protoplanetary nebula to the ca. 4300 recognized today. It is admittedly only marginally relevant to chemistry *sensu stricto*, but one crucial point made by the authors makes it worthwhile to consider this paper nonetheless. At the end of the review, its authors describe how structurally analogous mineral species, commonly lumped together in classification systems, are in fact completely unrelated 'genetically'. Specifically, the garnet group of silicates is shown to consist of mineral species occurring in completely different geological settings: grossular ($\text{Ca}_3\text{Al}_2\text{Si}_3\text{O}_{12}$) being formed in thermally altered meteorites from the earliest phases of planetary system evolution, pyrope ($\text{Mg}_3\text{Al}_2\text{Si}_3\text{O}_{12}$) forming in great pressures and moved to the surface of the Earth by early volcanism, and spessartine ($\text{Mn}_3\text{Al}_2\text{Si}_3\text{O}_{12}$) associated with uplifted metasediments, requiring then at least one cycle of rock alteration.

The authors themselves don't put forward a classification scheme explicitly, yet they present a table where specific phases in Earth evolution are related with specific minerals (Hazen et al. 2008: p. 1694), e.g. the phase of planetesimal thermal alteration with albite, feldspathoids and biopyriboles; the phase of granite formation with quartz, alkali feldspar, micas and others; the phase of plate tectonics-related hydrothermal activity with sulfides, selenides, arsenides... etc. It is clearly visible that these groupings cut across traditional mineral classes, yet in the historical framework suggested in the paper seem logical and well justified.

Hazen et al. conclude that 'mineral evolution complements more traditional approaches to teaching mineralogy by providing an historical narrative for each mineral phase' (Hazen et al. 2008: p. 1714). At the same time most modern textbooks on mineralogy and petrology boldly declare that they present principles rather than facts (e.g. Philpotts, Ague 2009).

6. The analysis of these examples

Let's first gather some common features of these examples. First, all of the classification schemes are 'secondary' options; in each case there is a widely accepted alternative, based on a 'structural' principle. The elements are commonly classified by the atomic number or by the electronic state of the neutral species, not by their nucleosynthetic past or geochemical provenience. 'Astrophysical molecules' are not commonly treated as an entity at all and distributed among relevant chemical groups: polycyclic or aliphatic hydrocarbons, metal oxides etc. Minerals are not typically classified by history or tectonic occurrence, but by chemical provenience (silicates, sulfates, oxides etc.), later by structure (nesosilicates, sorosilicates etc.).

Second, all of the propositions mentioned tend to frame a given group of objects in their 'historical' context and allow for a wider look at their place in the history of the Universe. The abovementioned 'cosmochemical' classification of isotopes is organically tied up to the theory of stellar evolution, so that the representatives of a given group might be used as indicators of the processes going on in a given astronomical location. For example, the presence of r-process elements suggests the occurrence of supernovae explosions which is in turn tied up to wider, galaxy-scale processes like surges of star formation in encountering galaxies (e.g. Springel 2000). This is exactly why such a classification system might be called a 'natural' one. For contrast, there is nothing cosmologically special about, say, a group

of chalcogens as contrasted to halogens. This of course isn't something new in geology and mineral species are commonly treated as indicators; the work of Hazen et al. simply uses this fact to argue for a general historical framework for mineralogy.

Third, all of them are strongly context-based. There may be nothing 'astrophysically special' about chalcogens and the use of this name in the context of astrophysical nucleosynthesis makes no sense. On the other hand, that category begins to be more 'naturally justified' at the level of mineralogy or biochemistry, where a different overall behavior of chalcogens in contrast to halogens justifies the need for this particular categorization.

Fourth, all of such classification systems include fuzzy categories. This in turn shows that Nature often creates not neat family trees, but rather networks of relationship. We may reasonably expect that different paths of chemical synthesis located in completely different environments may produce the same molecules. What it means in practice, is that there is no hope for a neat, crisp classification system like the 'structure-based' ones described earlier. Only at the level of systems as complicated as biological systems, could we hope for a large enough number of elemental configurations that there is no sensible probability that two *identical* objects would form at two different zones of the family tree.

At the very least, the molecule of DNA has sufficient length that it would be nearly impossible for Nature to duplicate the same sequence of nucleotides in unrelated populations. Most chemical species consist of tens to hundreds of atoms; even assuming that any configuration of atoms is possible, there is little chance that neat 'family trees' will be discernable, in which certain brands of, say, amino acids would only form on interstellar grains, and others only in aqueous systems on terrestrial planets, with their chemical 'children' (like oligopeptides) also limited in occurrence to these locations. As this is the most serious problem of the whole idea of 'genetic classification systems' in chemistry, some points regarding this fuzziness are worth discussing.

6.1. Some remarks on the fuzziness of genetic classes in chemistry

There might be a level of fuzziness which makes pointless the whole idea of classifying chemical species according to their history. It occurs where the fuzzy distribution of molecules makes it impossible to predict *anything* using the genetic classification system in question. For example, if it turned out that chemical species of a certain sort occur throughout the universe in more or less equal concentrations regardless of specific physical conditions, it would be impossible to tie their occurrence to any large-scale historical process (the way in which element abundances were shown earlier to be tied to astrophysical processes or mineral abundances to tectonic processes).

How seriously should we consider this threat? I believe that it is much too early to judge; I don't think that we're in a comfortable position to discuss whether derivatives of, say, pyrrole, form a coherent 'family group' tied up more or less tightly with a certain cosmological/geological/biological setting. So the question is, whether an observation of a spectroscopic signature of pyrrole in a patch of night sky would give us some unambiguous (or at least highly statistically significant) information on what kind of a context should we

expect to be weaved around those far-away molecules and what other molecules are to be suspected there. The problem is complicated by the very nature of chemistry: there are usually multiple pathways of synthesis and the final product 'has no memory': all traces of its history have been erased. Pyrrole may be formed from other heterocycles, but also from mucic acid and thus ultimately from sugars. This is in stark contrast to the situation in biology. While it is true that there may be multiple evolutionary pathways to photosynthesis, or to the formation of the eye, yet the traces of individual histories are always retained. Molecules, on the other hand, have no substructure that could help us in deciphering the circumstances of their formation.

On the other hand, chemistry also studies large macromolecules and long-chain polymers, also the still mysterious realm of prebiotic chemistry. Somewhere between the cosmic omnipresence of carbon monoxide or ethane and the cosmic uniqueness of *Escherichia coli* lies the border we are interested in. In other words: where is the point where it becomes feasible to track 'chemical histories'? After all, the purpose of classification is to provide a convenient language. It wouldn't then make any sense to create a classification system that would satisfy some fancy philosophical urges – for example the need to form groups based on common history – yet would be totally useless. There is however at least one way to deal with this issue.

If it would turn out that there is in fact so little regularity in the occurrence of chemical species, that the 'chemical family tree' would be a proposition less than practical, there would still be place for the examination of 'reservoirs'. Natural processes tend to produce different species in different amounts; similarly, the cosmochemical classification of elements describes in fact the production of differing *mixes* of elements in different environments. The notion of reservoirs is widely used in astrochemistry, but also in geophysics, where different mantle reservoirs are responsible for the production of different suites of igneous rocks (Tackley 2007). The shifting of attention to the generation of differing statistical ensembles by various natural processes is nothing more than an agreement to an even more statistical view of the 'pan-idiographic' science. What would then differentiate among the various settings would be not the *presence* or *lack* of certain molecules or chemical pathways, but rather the *proportions* in which they are present. As a limiting case, some of these species could serve as markers, if the proportion at a given setting would account for the 100% of the occurrence of that species. The presence of PAHs would then mean either interstellar grains or anything else, including cigarette smoke; the presence of large concentrations of acetylsalicylic acid, on the other hand, would unambiguously point to, well, fevers.

Furthermore, such a phylogenetic classification of chemical reservoirs would also automatically direct the attention to the evolution of chemical reaction networks and processes. For example, the formation of stars creates zones of strong UV radiation in the interstellar medium, called photon-dominated regions (PDRs). A characteristic suite of photochemical reactions and products is related to PDRs – similar suites may be discussed for other environments, such as interstellar grains, planetary atmospheres etc.

7. From physics to chemistry and back again

A second, much more exciting role for the 'historical chemistry' would be to track the role of certain chemical facts in the development of the cosmic repertoire of physical laws. Let's return for a second to the cosmochemical classification of elements. It is reasonable to suspect that most of the elements are omnipresent in space. The abovementioned classification of nuclei is actually quite fuzzy for all elements with high abundances – which means that most *typical* small molecules may form practically everywhere. Not all molecules however are typical. The formation of Gd_2O_3 would be limited by the presence of gadolinium which is in turn strongly constrained by stellar nuclear processes. It is not that trivial a fact as it may seem – if we would imagine an astrophysical setting that, for a certain reason, does not produce stars with mass exceeding 5 Sun masses, we might expect no Gd-based chemistry or Gd-based physics there – and there are examples of physical processes that require a given element to occur. Gadolinium, for one, is one of the very few elements that form alloys susceptible to the magnetocaloric effect. It may be thus sensible to suspect the magnetocaloric effect to operate only in those regions of the cosmos where supernovae have recently been exploding – not necessarily a intuitive result, but one that can be sensibly argued for.

Similarly, there are other physical and physico-chemical processes that operate in Nature only in a very narrow range of chemical environments: superfluidity is probably restricted to isotopes of helium; quasi-crystalline phases grow only in alloys of aluminum; the glass transition will naturally occur only in certain groups of silicates and in biopolymers; liquid crystals are typically formed by certain organic macromolecules. Also it may be noted that the whole fascinating field of supramolecular structures is usually discussed alongside specific, rare and well defined pathways of synthesis, i.e. crown ethers which were initially synthesised solely from compounds like phenol or catechol.

It might be surprising to see how many relationships between natural processes come to notice when *real*, genetic relationships instead of *ideal*, structural ones are being analyzed. There are chemical processes and reaction networks that initiate great transformations in cosmic evolution and make it possible for other processes to take place. Seen in the historical perspective, chemistry stands at the meeting point between atomic physics and tens of other branches of physics: surface and colloid science, the study of electronic, mechanical and magnetic properties of condensed matter etc. It would be interesting to describe how the evolution of chemical reservoirs sets the stage for the emergence of complex physics of today's Universe – an interesting twist indeed after so much talk about the reduction of chemistry to physics.

To give just one more example: according to the some astrophysicists, the formation of the first gravitationally bound objects in the early Universe – the proto-galaxies and the first stars – depended on the formation of H_2 which at the time was the only coolant available (Bromm 2010). The recent calculations of some critical parameters in the predominant synthesis reaction of H_2 (Kreckel et al. 2010) was greeted with great enthusiasm primarily by the astrophysical and cosmological community which needs these numbers to fill a *historical* gap. There is nothing particularly exciting in a refined calculation of reaction constants – unless this particular reaction is of great importance.

Generally speaking, the consideration of cosmic history gives us a much better understanding of the real place of chemistry in the general framework of universal laws and regularities. The world does not unfold in a way that mirrors the traditional scheme of scientific reductions (from elementary particles, to atoms, to molecules, to macromolecules, to metabolic networks, to life) which would justify the traditional 'pecking order': biology explained by biochemistry which is explained by inorganic chemistry which is explained by atomic physics which is explained by particle physics. To the contrary: some chemical facts explain physical facts, and some biological facts explain chemical facts.

7. Conclusion

The point of this article was to suggest that the inclusion of chemistry into a great unification scheme of sciences doesn't necessarily have to mean quantum chemistry or, generally, the deduction of the laws of chemistry from a set or more fundamental laws and the deduction of some other laws – like the laws of metabolism – from the laws of chemistry. The unification program itself does not have to imply the 'pan-nomothetic reduction'. In fact, a great progress has been made in the previous couple of decades in connecting the historical narratives of biology, geology, astronomy and particle physics. The 'pan-idiographic science' would describe the real, historical relationships between the sciences, and prove that a simple picture of 'biology reduced to chemistry' and 'chemistry reduced to physics' is no longer tenable.

Acknowledgement

I would like to thank the anonymous referees for their constructive comments and suggestions.

References:

- Alexander, S.: 1920, *Space, Time, and Deity*, London: Macmillan.
- Boeyens, J.C.A.: 2008, *Chemistry from First Principles*, Springer Science + Business Media B.V.
- Bromm, V.: 2010, 'To Cool or Not to Cool', *Science*, **329**, 2 July 2010, pp. 45-6.
- Burbidge, E.M., G.R. Burbidge, W.A. Fowler, F. Hoyle: 1957, 'Synthesis of the Elements in Stars', *Reviews of Modern Physics*, **29**, No. 4, pp. 547-650.
- Corwin, C.H.: 2007, *Introductory Chemistry: Concepts & Connections (5th Edition)*, Prentice Hall.
- Earley J.E.: 2004, 'Would Introductory Chemistry Courses Work Better with a New Philosophical Basis?', *Foundations of Chemistry*, **6**, pp. 137-160.
- Haken, H.: 1978: *Synergetics. An Introduction. Nonequilibrium Phase Transitions and Self-Organization in Physics, Chemistry and Biology*, 2nd edition, Springer-Verlag, Berlin, Heidelberg, New York.
- Hazen, R.M., D. Papineau, W. Bleeker, R.T. Downs, J.M. Ferry, T.J. McCoy, D.A. Sverjensky, H. Yang: 2008, 'Mineral evolution', *American Mineralogist*, **93**, pp. 1693-1720.
- Hempel, C.: 1966, *Philosophy of Natural science*, Prentice Hall.
- Herbst, E.: 2001, 'The chemistry of interstellar space', *Chemical Society Reviews*, **30**, pp. 168-176.

- Jakubowski, H.V., Owen W.G.: 1998, 'The Teaching of Biochemistry: An Innovative Course Sequence Based on the Logic of Chemistry', *Journal of Chemical Education*, **75**, No. 6 June 1998, pp. 734-6.
- Kreckel, H., Bruhns, H., Cizek, M., Glover, S.C.O., Miller, K.A., Urbain, X., Savin. D.W.: 2010, 'Experimental Results for H₂ Formation from H- and H and Implications for First Star Formation', *Science*, **329**, 2 July 2010, pp. 69-71.
- Mayr, E.: 1991, *This is biology: the science of the living world*, Belknap Press of Harvard University Press, Harvard.
- McNaught, A.D.: 1996, 'Nomenclature of Carbohydrates', *Pure and Applied Chemistry*, **68**, No. 10, pp. 1919-2008.
- Miessler, G.L., Tarr, D.A.: 2010, *Inorganic Chemistry (4th Edition)*, Prentice Hall.
- Nagel, E.: 1979, *The structure of science: problems in the logic of scientific explanation*, Hackett Publishing Company, Indianapolis – Cambridge.
- Näpinen, L.: 2007, 'The need for the historical understanding of nature in physics and chemistry', *Foundations of Chemistry*, **9**, pp. 65-84.
- Ostrovsky, V.N.: 2005, 'Towards a Philosophy of Approximations in the "Exact" Sciences', *Hyle*, **11**, No. 2, pp. 101-126.
- Patterson, D.J., 1999, 'The Diversity of Eukaryotes', *The American Naturalist*, **154**, pp. 96-124.
- Pauling, L.: 1988, *General Chemistry*, Dover Publications.
- Philpotts A.R, J.J. Ague: 2009, *Principles of Igneous and Metamorphic Petrology*, Cambridge University Press, Cambridge.
- Prigogine, I.: 1997, *The End of Certainty: Time, Chaos, and the New Laws of Nature*. The Free Press.
- Railsback, B., 'Questions and answers about the construction of *The Earth Scientist's Periodic Table of the Elements and Their Ions*', electronic document, <http://www.gly.uga.edu/railsback/11111misc/PTQ&A.html>.
- Railsback, B.: 2003, 'An earth scientist's periodic table of the elements and their ions', *Geology*, **31**, No. 9, pp. 737-740.
- Rauchfuss, H.: 2008, *Chemical Evolution and the Origin of Life*. Translated by T.N. Mitchell. Springer-Verlag, Berlin – Heidelberg.
- Retallack, G.J.: 2007, 'Coevolution of Life and Earth', in: Stevenson, D. (ed.): 2007, *Treatise on Geophysics. Volume 9: Evolution of the Earth*, Elsevier, Amsterdam, pp. 295-320.
- Scerri, E.R.: 2007, 'The Ambiguity of Reduction', *Hyle*, **13**, No. 2, pp. 67-81.
- Schrödinger, E.: 1992, *What is Life?*, Cambridge University Press.
- Shaw A.M.: 2006, *Astrochemistry*, John Wiley & Sons, Ltd, Chichester.
- Springel, V.: 2000, 'Modelling star formation and feedback in simulations of interacting galaxies', *Monthly Notices of the Royal Astronomical Society*, **312**, No. 4, pp. 859-879.
- Tackley, P.J.: 2007, 'Mantle Geochemical Geodynamics', in: G. Schubert (ed.): 2007, *Treatise on Geophysics. Volume 7: Mantle Dynamics*, Elsevier, Amsterdam, pp. 437-505.
- Vihalemm, R.: 2001, 'Chemistry as an Interesting Subject for the Philosophy of Science', in: Vihalemm, R. (Ed.): 2001, *Estonian Studies in the History and*

Philosophy of Science, Boston Studies in the Philosophy of Science, vol. 219, Kluwer Academic Publishers, Dordrecht/Boston/London, pp. 185-200.

- Vihalemm, R.: 2005, 'Chemistry and a theoretical model of science on the occasion of a recent debate with the Christies', *Foundations of Chemistry*, **7**, pp. 171-82.
- Wallerstein, G., I. Iben Jr., P. Parker, A.M. Boesgaard, G.M. Hale, A.E. Champagne, C.A. Barnes, F. Kaeppler, V.V. Smith, R.D. Hoffman, F.X. Timmes, C. Sneden, R.N. Boyd, B.S. Meyer, D.L. Lambert: 1997, 'Synthesis of the Elements in Stars: Forty Years of Progress', *Reviews of Modern Physics*, **69**, No. 4, pp. 995-1084.
- Windelband W.: 1894, *Geschichte und Naturwissenschaft*, Strassburg.