

The Semantics of Scientific Theories

Sebastian Lutz*

Preprint: 2013–03–15

Abstract

Marian Przełęcki's semantics for the Received View is a good explication of Carnap's position on the subject, anticipates many discussions and results from both proponents and opponents of the Received View, and can be the basis for a thriving research program.

Keywords: semantics of theories; logical empiricism; received view; theoretical terms; vagueness; analyticity; analytic-synthetic distinction

Contents

1	Introduction	2
2	The Received View in the philosophy of science	3
2.1	The observational-theoretical distinction	3
2.2	The analytic–synthetic distinction	6
3	Przełęcki's semantics for the Received View	8
3.1	Ostension, vagueness, and approximation	9
3.2	The analytic-synthetic distinction	13
3.3	Przełęcki's modifications of his semantics	18
4	After the Received View	20
4.1	Constructive empiricism	21
4.2	Suppe on partial interpretations	22
4.3	Andreas on the semantics of scientific theories	24
5	Analyticity in vague languages	28
6	The semantics of scientific theories	30

*Munich Center for Mathematical Philosophy, Ludwig-Maximilians-Universität München. sebastian.lutz@gmx.net. I thank Holger Andreas, Radin Dardashti, Krystian Jobczyk, and Alana Yu for helpful comments. Research for this article was supported by the Alexander von Humboldt Foundation.

*Dedicated to Marian Przełęczki
on occasion of his 90th birthday.*

1 Introduction

The Received View in the philosophy of science was the logical empiricists' framework for analyzing theories and related concepts. Developed mainly by Carnap (1939; 1966) and Hempel (1958), and influenced by, for example, Reichenbach (1928), Neurath (1932), Feigl (1956), and Nagel (1961), it arguably formed the core of the logical empiricists' philosophy. In 1969, it stood at a precipice. Carnap had been concentrating on the philosophy of probability for years, without ever having discussed in detail its connection to the Received View.¹ From 1965 through 1969, Hempel had criticized and ultimately abandoned the Received View in a series of talks which were just being published (Hempel 1969; 1970; 1974). Hempel's talk in 1969 played a central role in an influential conference critical of the Received View (Suppe 2000, S102–S103). The proceedings of that conference included what is now widely considered a canonical introduction to the Received View (Suppe 1974a), which recommends its complete rejection. The next years would bring the Received View's spectacular fall into infamy (cf. Lutz 2012b, 79).

In the following, I will argue that this unequivocal dismissal of the Received View after 1969 was far from justified. In fact, while sociologically it stood at a precipice, conceptually it had reached firm ground that could have led—and might still lead—to heights undiscovered by its chronological successors in the philosophy of science. Specifically, I will argue that Marian Przełęczki's outstanding² monograph *The Logic of Empirical Theories* and his related articles gave the Received View, for the first time, a natural and precise semantics that can capture major linguistic phenomena encountered in the analysis of scientific theories and provides a unifying framework for discussions in the philosophy of science.³

Przełęczki (1969, 1) notes that “a more adequate, though more cumbersome” title of his monograph “would read: the logical syntax and semantics of the language of empirical theories”. And Przełęczki (1974b, 402) adds:

The account of empirical interpretation of scientific theories advanced therein is, as far as I can judge, not a new one; anyway it was not meant to be, as the main purpose of the monograph was to give a brief and elementary account of the current view of the subject. The view presented in the monograph is known under the name of the *Standard (or Received) View of Scientific Theories*.

¹Carnap's work on probability may have been directly motivated by the need for probabilistic correspondence rules in the Received View (Lutz 2012b, 109–110).

²Two other current philosophers of science have described the book as ‘marvelous’ and ‘wonderful’, respectively, so I am in good company.

³I have argued elsewhere that the major criticisms of the Received View are spurious (Lutz 2012b; Lutz 2012a, ch. 3, 4).

The logical syntax that Przełęczki lays out is a restriction of Carnap’s higher order syntax (cf. Carnap 1939, §§13–19) to first order logic, and thus is indeed not new. The semantics, however, is Przełęczki’s own, though informed by the works of Kemeny (1956) and Carnap (1961), which Przełęczki (1969, 107) cites as “classics”. I will argue in the following that Przełęczki’s semantics completes the Received View in a natural way that fits with Carnap’s informal descriptions and arguments (§2), while going beyond Carnap’s account both in its precision and in its content. Przełęczki’s semantics relies on classical model theoretic notions developed by Tarski and others, but expands them to deal with empirically interpreted theories. It further permits straightforward generalizations without a loss of its basic insights (§3). That Przełęczki’s semantics is very natural is indicated by the sheer number of later results he anticipated, coming from both the Received View’s proponents *and* its critics (§4). And this treasure trove is far from exhausted. As a simple example of a new result, I will point out an interesting relation between vague languages and analyticity (§5).

The overall picture that will emerge is this: Przełęczki’s semantics is a natural formalism for the Received View, and provides a natural framework for understanding the semantics of scientific theories in general. Furthermore, it points the way to significant new research questions and results in the philosophy of science.

2 The Received View in the philosophy of science

Over the course of its development, the Received View has seen a variety of formulations and modifications by different authors. In the following, I will focus on Carnap’s contributions, and specifically on those that play a major role in Przełęczki’s semantics.

2.1 The observational-theoretical distinction

The central component of the Received View on scientific theories is its distinction between observational and non-observational (theoretical) sentences. This distinction can be found in Carnap’s work from his earliest contribution to the Received View (Carnap 1923, 99–100) to his last (Carnap 1966, ch. 23). In some of his works, the observational and theoretical languages are taken to be completely distinct, where the theoretical language is used as a metalanguage of the observational language, with a translational scheme from observational (object-) sentences to theoretical (meta-) sentences (Carnap 1932, 216–217). However, Neurath (1932, 207) suggested distinguishing between observational and non-observational sentences in *the same* language (cf. Carnap 1932, 215–216);⁴ the translational scheme can then be realized by sentences of that same language,

⁴Carnap’s conjecture that Neurath was the first to suggest this treatment of the sentences’ relation is somewhat puzzling, since Carnap (1928) himself had already used this method.




Figure 1: Giving an empirical interpretation to theoretical terms (loosely based on a diagram by Carnap 1939, 205).

known by Carnap (1966, ch. 24) as ‘correspondence rules’. One typically makes a distinction between the set C of correspondence rules and the set T of sentences of the theory proper, although for the logical analysis within a single language, it is often convenient to combine them into a set $\Theta \equiv T \cup C$ of a single new theory.

Given the initial distinction between observational and non-observational sentences, it is typical to distinguish between the set \mathcal{O} of observational terms and the set \mathcal{T} of non-observational (theoretical) terms.⁵ Together, they make up the whole of theory Θ ’s vocabulary $\mathcal{V} = \mathcal{O} \cup \mathcal{T}$.⁶ The observational sentences contain only observational vocabulary and may be further restricted in their logical strength, for example to first order logic, finitely quantified first order logic, or molecular sentences (Carnap 1956, 41). Carnap (1963, 959) calls the language whose sentences contain only \mathcal{O} -terms but that is otherwise unrestricted the *logically extended observation language*.

The \mathcal{O} -terms are directly interpreted, either by observation or by simple, uncontroversial measurements (Carnap 1966, 226–227).⁷ The \mathcal{T} -terms are not directly interpreted (cf. Carnap 1956, 47) but rather interpreted *only* through the direct interpretation of the \mathcal{O} -terms and the relations of the \mathcal{T} -terms with the \mathcal{O} -terms given by Θ (see figure 1). When interpreting the \mathcal{T} -terms one might need to

⁵As is traditional in the philosophy of science, I will use ‘term’ to refer to any non-logical constant. This fits well with general usage and related terms like ‘terminology’, but unfortunately not with the usage in symbolic logic.

⁶Throughout, I refer only to non-logical constants as ‘the vocabulary of a theory’. Theories and sentences can, of course, always contain logical constants and variable names.

⁷Chang (2005) gives a contemporary defense of such a direct interpretation of \mathcal{O} -terms.

introduce new objects that are not observable. Carnap (1958, 237–238, 242–243) assumes that such newly introduced objects can be taken as mathematical objects: Assuming that there are at most countably many observable objects, he suggests mapping them injectively to the natural numbers, and treating theoretical terms as applying only to the natural numbers and objects that can be constructed from the natural numbers with the help of Cartesian products or powersets. Carnap never spelled out this schema in much detail, although it seems that the formalization of a statement like ‘Some red object has a temperature of 0°C’ would be as follows:

$$\exists x . Rx \wedge t m x = 0,^8 \quad (1)$$

where m is the mapping from observational objects to natural numbers, $t \in \mathcal{T}$ is the function assigning the temperature in degrees Celsius, and $R \in \mathcal{O}$ refers to red objects. The analogue of the temperature concept of natural language (which assigns a value in degrees Celsius directly to an observable object) is thus not t (which assigns such a value to a natural number), but rather $t \circ m$. Since m is a mapping from observable objects to unobservable ones and its extension can thus not be determined by observation or simple measurement, it is a theoretical term as well. New, unobservable objects are introduced simply as other numbers or more complicated mathematical constructs. Theoretical terms hence apply to them in the same way that they apply to the mathematical representations of observable objects under m .⁹

The bipartition between \mathcal{O} -terms and \mathcal{T} -terms is not fixed. In fact, according to Carnap (1932, 224) one can *choose* the observation terms depending on the context:

Let G be a law [...]. To check G , derive concrete sentences that relate to specific space-time points [...]. From these concrete sentences, derive further concrete sentences using other laws and logico-mathematical rules of derivation, until one reaches sentences that one wishes to accept in the specific case. And it is a matter of choice which sentences one intends to use as these endpoints of the reduction [...]. Whenever one wants to—for instance, if there are doubts or one wants to consolidate the scientific hypotheses more securely—one can reduce those sentences previously accepted as endpoints again to other ones and choose those to be endpoints. *[T]here are no absolute primary sentences for the construction of science.*¹⁰

⁸Throughout, I assume that quantifiers have minimal scope unless followed by a dot, in which case they have maximal scope.

⁹Carnap introduces this rather circuitous way of interpreting theoretical terms to address the worry that it may be impossible to interpret or discuss unobservable objects or non-observational terms. However, it is at least not obvious why the mapping function m is needed, as Carnap’s formalism also works for a mapping t^* that assigns temperatures directly to observational objects (so that $t^* = t \circ m$ for observable objects and $t^* = t$ for unobservable objects).

¹⁰“Es sei G ein Gesetz [...]. Zum Zweck der Nachprüfung sind aus G zunächst konkrete, auf

This notion of a hierarchy of the scientific language is one of the central assumption of Carnap’s account of scientific theories (Lutz 2012a, 124). In figure 1, this assumption could be drawn by partitioning the theoretical terms \mathcal{T} into a series $\mathcal{T}_1, \mathcal{T}_2, \dots, \mathcal{T}_n$ from lower (more observational) to higher (more theoretical) terms, where the interpretation of the higher terms \mathcal{T}_k is determined solely by the interpretation of the lower terms \mathcal{T}_{k-1} and some theory Θ_k .¹¹

2.2 The analytic–synthetic distinction

On the basis of a bipartitioned vocabulary, Carnap (1958, 245–246; cf. 1963, 24.D) suggests a distinction between the synthetic (empirical) and analytic component of a theory as follows: Assume that Θ is a finite conjunction of sentences that describe the theory, and assume that $\Theta = \Theta(O_1, \dots, O_m, T_1, \dots, T_n)$, that is, Θ contains only the \mathcal{O} -terms O_1, \dots, O_m and the \mathcal{T} -terms T_1, \dots, T_n .¹² Then

$$R_{\mathcal{O}}(\Theta) := \exists X_1 \dots X_n \Theta(O_1, \dots, O_m, X_1, \dots, X_n) \quad (2)$$

is Θ ’s *Ramsey sentence*, which entails the same \mathcal{O} -sentences as Θ itself. Θ ’s *Carnap sentence* is given by

$$C_{\mathcal{O}}(\Theta) := R_{\mathcal{O}}(\Theta) \rightarrow \Theta. \quad (3)$$

According to Carnap (1963), the Ramsey sentence and the Carnap sentence fulfill the conditions of adequacy for any distinction between the analytic and synthetic component of a theory. To spell out these conditions, Carnap (1963, 963) defines the observational content of any sentence S as follows:

Definition 1. The *observational content* or \mathcal{O} -content of $S =_{\text{Df}}$ the class of all non-L-true [not logically true] sentences in $L'_{\mathcal{O}}$ which are implied by S .

$L'_{\mathcal{O}}$ refers to the logically extended observation language. On this basis, Carnap (1963, 963) suggests

Definition 2. S' is *O-equivalent* (observationally equivalent) to $S =_{\text{Df}}$ S' is a sentence in $L'_{\mathcal{O}}$ and S' has the same \mathcal{O} -content as S .¹³

bestimmte Raum-Zeit-Stellen bezogene Sätze abzuleiten [...]. Aus diesen konkreten Sätzen sind mit Hilfe anderer Gesetze und logisch-mathematischer Schlußregeln weitere konkrete Sätze abzuleiten, bis man zu Sätzen kommt, die man im gerade vorliegenden Fall anerkennen will. Dabei ist es Sache des Entschlusses, welche Sätze man jeweils als derartige Endpunkte der Zurückführung [...] verwenden will. Sobald man will, – etwa wenn Zweifel auftreten oder wenn man die wissenschaftlichen Thesen sicherer zu fundieren wünscht, – kann man die zunächst als Endpunkte genommenen Sätze ihrerseits wieder auf andere zurückführen und jetzt diese durch Beschluß zu Endpunkten erklären. [Es gibt keine absoluten Anfangssätze für den Aufbau der Wissenschaft.]

¹¹In this particular exposition, Carnap (1939) does not even distinguish between observational and theoretical terms, but rather between elementary and abstract ones. And he notes, for instance, that “if ‘iron’ is not accepted as sufficiently elementary, the rules can be stated for more elementary terms” (Carnap 1939, 207).

¹²Note that an unadorned ‘ T ’ is a set of sentences (a subset of Θ), while a subscripted ‘ T_i ’ is a theoretical term. This notation is traditional, albeit confusing.

¹³Note that Carnap’s definition is asymmetric.

Taking $R_{\mathcal{O}}(\Theta)$ and $C_{\mathcal{O}}(\Theta)$ as the first and second components of Θ , respectively, Carnap (1963, 965) states:¹⁴

The two components satisfy the following conditions:

- (a) The two components together are L-equivalent to TC [$:= T \wedge C \models \Theta$].
- (b) The first component is O-equivalent to TC .
- (c) The second component contains theoretical terms; but its O-content is null, since its Ramsey-sentence is L-true in $L'_{\mathcal{O}}$.

These results show, in my opinion, that this method supplies an adequate explication for the distinction between those postulates which represent factual relations between completely given meanings, and those which merely represent meaning relations.

By definition 2, Carnap's condition (b) entails that the first component does not contain \mathcal{T} -terms, so that the conditions on a theory's *analytic component* $An(\Theta)$ and its *synthetic component* $Syn(\Theta)$ can be formulated as follows:

Definition 3. $An(\Theta)$ is an *adequate analytic component* of Θ and $Syn(\Theta)$ is an *adequate synthetic component* of Θ if and only if

1. $An(\Theta) \wedge Syn(\Theta)$ is L-equivalent to Θ ,
2. $Syn(\Theta)$ has the same O-content as Θ ,
3. $Syn(\Theta)$ contains no theoretical terms, and
4. the O-content of $An(\Theta)$ is the empty set.

As Carnap points out, a sentence's O-content is the empty set if and only if its Ramsey sentence is logically true. This result follows from

Lemma 1. *Let Φ and Ψ be sentences. Then Φ 's O-content is the empty set if and only if $\models R_{\mathcal{O}}(\Phi)$, and Φ and Ψ have the same O-content if and only if $R_{\mathcal{O}}(\Phi) \models R_{\mathcal{O}}(\Psi)$.*

Proof. Φ 's O-content is the empty set if and only if all the \mathcal{O} -sentences of any order that it entails are tautologies (since $L'_{\mathcal{O}}$ contains sentences of any order). Since $R_{\mathcal{O}}(\Phi)$ is an \mathcal{O} -sentence, $\Phi \models R_{\mathcal{O}}(\Phi)$, and $R_{\mathcal{O}}(\Phi)$ entails all \mathcal{O} -sentences that are entailed by Φ (Rozeboom 1962, 291–293), this is the case if and only if $\models R_{\mathcal{O}}(\Phi)$.

¹⁴These conditions are equivalent to earlier ones that Carnap (1958, 245–246) uses to argue for the adequacy of the Ramsey sentence and the Carnap sentence:

- (2) Jeder Satz ohne T -Terme, der aus TC folgt, folgt auch aus R . [...]
- (3) a) Die Konjunktion $R \cdot A_T$ ist L-äquivalent mit TC .
b) Jeder Satz ohne T -Terme, der aus A_T folgt, ist L-wahr.

In these conditions, Carnap speaks of “sentences without theoretical terms”, which, though containing only observational terms, are unrestricted in their logical apparatus.

Two sentences have the same O-content if and only if they entail the same \mathcal{O} -sentences of any order. A sentence has the same O-content as its Ramsey sentence, so two sentences have the same O-content if and only if they have equivalent Ramsey sentences. \square

Carnap's conditions of adequacy can thus be rephrased:

Corollary 2. *An(Θ) is an adequate analytic component of Θ and Syn(Θ) is an adequate synthetic component of Θ if and only if*

1. $An(\Theta) \wedge Syn(\Theta) \models \Theta$,
2. $R_{\mathcal{O}}(Syn(\Theta)) \models R_{\mathcal{O}}(\Theta)$,
3. Syn(Θ) contains no theoretical terms, and
4. $\models R_{\mathcal{O}}(An(\Theta))$.

The Ramsey sentence thus allows for a compact description of central empiricist concepts. More importantly, together with the Carnap sentence it fulfills the central need of the logical empiricists' philosophy for an analytic-synthetic distinction.

While the syntactic analysis of scientific theories had at this point in the historical development of the Received View reached a very high level, the Received View's semantics was a mere impressionistic story, not yet described with any formal rigor. It was Marian Przełęczki who first developed and analyzed the semantics of the Received View as rigorously as Carnap did with its syntactic aspect.

3 Przełęczki's semantics for the Received View

In his monograph, Przełęczki develops a semantics based on two central assumptions. For one, Przełęczki (1969, 105–106) explicitly sets aside the matter of the *development* of theories. Instead he focuses his analysis on a theory at a specific point in time—the theory's "cross-section"—and considers the development of a theory a series of such cross-sections.¹⁵ This perspective fits nicely with Carnap's and Hempel's analyses, which, although typically referring to a fixed set of sentences of a theory, often assumed that those sentences might change in the future. The best example of this is probably their reliance on conditional rather than explicit definitions in order to allow for the definitions to be strengthened later (Carnap 1936, 449–450; Hempel 1952, 680–681).

More substantially, Przełęczki (1969, 29–30) also assumes that the domain of a theory is fixed in advance in the theory's metalanguage. Przełęczki (1974a, 405)

¹⁵Przełęczki (1969, 106) provides a nice analogy: "The logical technique resembles here a biological one. Logical reconstruction of a scientific theory is like making 'slices' of a living organism. This certainly distorts our original object of inquiry. But only then can it be put under a logical microscope".

later calls this assumption “unfounded [and] involv[ing] certain undue restrictions”, but he is too harsh in judging his assumption unfounded, since in his monograph he refers to Kemeny (1956, 17), who argues that this

restriction is motivated by the idea that a formal system is the formalization of the abstract structure of a given set of individuals. We can see this in examples from [...] Science. [...] Sociology deals with human beings [and] a sociologist would allow only the set of all human beings (past, present, and future)[.]

Przełęcki (1974b, 405) notes another defense in connection with an argument by Winnie (1967), which I will discuss in the following section. In spite of these two possible defenses, Przełęcki (1973) provides two modifications of his semantics that lift the restriction, which I will discuss in §3.3.

3.1 Ostension, vagueness, and approximation

In a central discussion of his monograph, Przełęcki (1969, 24–30) argues that purely verbal means (i. e., the exclusive use of sentences) are insufficient for giving a theory an empirical interpretation. This is justified by by

Claim 3. *A set Θ of sentences cannot determine the domains of its models.*

Proof (cf. Przełęcki 1969, 30–31). Let $\mathfrak{A} = \langle |\mathfrak{A}|, R_1, \dots, R_r, f_1, \dots, f_s, c_1, \dots, c_t \rangle$ be a model of Θ and let B be any set with the same cardinality as $|\mathfrak{A}|$. Now define, for any k -tuple $\langle x_1, \dots, x_k \rangle$ of objects and any function g with domain $|\mathfrak{A}|$, $gR(g(x_1), \dots, g(x_k)) \Leftrightarrow R_i(x_1, \dots, x_k)$. Then any bijection $g : |\mathfrak{A}| \rightarrow B$ is an isomorphism from \mathfrak{A} to $\mathfrak{B} = \langle B, gR_1, \dots, gR_r, g \circ f_1, \dots, g \circ f_s, g(c_1), \dots, g(c_t) \rangle$, and thus $\mathfrak{B} \models \Theta$. \square

Hence, if all intended interpretations of Θ are over some domain A , Θ will always also be true of interpretations over some completely unrelated domain B . Specifically, Θ cannot identify any objects in its domain.¹⁶ Even under Przełęcki’s restriction of all models of Θ to the same domain, g may still be any permutation on the domain; hence any object of the domain can be exchanged for any other object of the domain, always leading to another model of Θ (Przełęcki 1969, 30–31). Relying on the same formal result, Putnam (1989, 353) puts this point in a discussion of his famous model theoretic argument against realism (Putnam 1977) as follows:

[I]f there is such a thing as ‘an ideal theory’ [I], then that theory can never implicitly define its own intended reference relation. In fact, there are always many different reference relations that make I true, if I is a consistent theory which postulates the existence of more than one object.

¹⁶This point is closely related to Newman’s objection to Russell’s theory of perception (Newman 1928, §2).

For this reason, at least *some* terms of Θ have to be interpreted directly, and alongside Carnap, Przełęczki assumes that these are the \mathcal{O} -terms.

As to the means of direct interpretation, Przełęczki (1969, 36–37) suggests *ostension*, the presentation of paradigmatic cases (the *positive standards*) and paradigmatic non-cases (the *negative standards*) of a predicate. By a *psychological* process, a student who is presented with the positive and negative standards can then learn to identify reliably other objects that the teacher considers to fall under the predicate. Importantly, Przełęczki (1969, 37) points out:

If one chooses the ‘right’ class [i. e. the one intended by the teacher] as the denotation of the predicate, one is not compelled to this choice by purely logical reasons. This conclusion is arrived at in some process of abstraction whose analysis presents a problem for a psychologist rather than for a logician.

Hence the efficacy of ostension for observational terms is an empirical problem, which lies outside the philosophy of science.¹⁷ Because \mathcal{O} -terms are *only* ostensively interpreted there are no analytic \mathcal{O} -sentences; otherwise, according to Przełęczki (1969, 37), their interpretation would be partly determined verbally, and thus not by ostension.

A direct interpretation of the \mathcal{O} -terms and a fixed domain determine an \mathcal{O} -structure $\mathfrak{N}_\mathcal{O} := \langle |\mathfrak{N}_\mathcal{O}|, O_1^{\mathfrak{N}_\mathcal{O}}, \dots, O_m^{\mathfrak{N}_\mathcal{O}} \rangle$. The interpretation of the \mathcal{T} -terms within Θ is determined *only* by $\mathfrak{N}_\mathcal{O}$ and Θ , just as assumed by Carnap. This is the *Thesis of Semantic Empiricism* (Przełęczki 1974b, 402, 405; cf. Rozeboom 1962). But only a portion of Θ contributes to the interpretation of the \mathcal{T} -terms, namely Θ ’s analytic component $\text{An}(\Theta)$. Θ ’s synthetic component $\text{Syn}(\Theta)$ rather contains Θ ’s empirical claims. Hence any expansion of $\mathfrak{N}_\mathcal{O}$ to a model \mathfrak{N} of $\text{An}(\Theta)$ ($\mathfrak{N}|_\mathcal{O} = \mathfrak{N}_\mathcal{O} \wedge \mathfrak{N} \models \text{An}(\Theta)$) provides a possible interpretation of the \mathcal{T} -terms (Przełęczki 1969, 48–50). Such an expansion is unique for any $\mathfrak{N}_\mathcal{O}$ if and only if $\text{An}(\Theta)$ entails a definition for every \mathcal{T} -term (Beth 1953), and so $\mathfrak{N}_\mathcal{O}$ and $\text{An}(\Theta)$ typically determine a set of structures for \mathcal{V} rather than a single structure. In an earlier paper, Przełęczki (1964a) considers the resulting sets of structures for a special kind of analytic sentence: conditional definitions of \mathcal{T} -terms. As he points out, a conditional definition of T_i leads to a *vague denotation*, for some objects of the domain $|\mathfrak{N}_\mathcal{O}|$ will be in the extension of T_i in some expansions of $\mathfrak{N}_\mathcal{O}$, but not in others. More precisely, a k -place predicate T_i tripartitions $|\mathfrak{N}_\mathcal{O}|^k$ into a set T_i^+ of k -tuples of objects that are always in T_i ’s extension (the *positive extension* of T_i), a set T_i^- of k -tuples that are never in T_i ’s extension (the *negative extension*), and a set of k -tuples that are only sometimes in T_i ’s extension, which I will call T_i° (the *neutral extension*). In a generalization, Przełęczki (1976, 375)

¹⁷Incidentally, because of this psychological process of abstraction, Przełęczki (1974b, 403–404) contends that ostension is less restricted than Tuomela (1972, §2) makes it out to be in his criticism of Przełęczki. As to Tuomela’s rejoinder that he “attributed to Przełęczki somewhat too strict a view on ostension, if [Przełęczki’s] reply really states what he said in his monograph” (Tuomela 1974, 407): See pages 36–37.

also discusses the denotation of a function symbol F that is vague over $|\mathfrak{N}_\theta|$, which does not assign a single element $b \in |\mathfrak{N}_\theta|$ to a k -tuple $\langle a_1, \dots, a_k \rangle \in |\mathfrak{N}_\theta|^k$, but rather a set $F^{+\circ}(a_1, \dots, a_k) = B \subseteq |\mathfrak{N}_\theta|$ (call this the ‘*non-negative extension of F* ’).¹⁸ B can be seen as the set of possible values of the function named by F for the arguments a_1, \dots, a_k . The denotation of a constant symbol c (considered as a 0-place function symbol) that is vague over $|\mathfrak{N}_\theta|$ is thus a set $c^{+\circ} \subseteq |\mathfrak{N}_\theta|$.

In a keen move, Przełęczki (1969, ch. 5) draws on the multiplicity of possible interpretations to formally describe the semantics of vague *observational* terms. Because the interpretation of any θ -term is ostensive and some objects will be neither like its positive nor like its negative standards, these objects will be in the term’s neutral extension (Przełęczki 1969, 38–39). Like Carnap, Przełęczki (1969, 34) distinguishes between the observable objects O and the unobservable objects U in the domain $O \cup U$ of Θ . Unlike Carnap, Przełęczki (1969, 38) suggests the following delineation of observable objects:

We shall call an object *observable*, if the possibility of its being observed is guaranteed by some natural law. In other words, x is observable if x has a property P such that the following statement: whoever (in suitable conditions) looks at an object possessing property P will perceive the object—is a statement of a natural law. This loose explication is not meant to serve as a definition of observability. It is only intended to point out some of its characteristic features.

Whether an object is observable or not is thus an empirical question. This does not mean that Θ itself determines the observable objects, since Θ can be one theory among many. The theories containing the natural laws about observability may be different from Θ .

Since an unobservable object is similar to neither positive nor negative standards of any θ -term, Przełęczki (1969, 40–41) argues that all θ -terms are completely vague over U , that is, every object in U is in the neutral or non-negative extension of every θ -term. This is markedly different from Carnap’s approach, in which unobservable objects have to be in the negative extension of all θ -terms simply because unobservable objects are numbers. Przełęczki (1969, 40–41), on the other hand, intends unobservable objects to be physical (cf. Przełęczki 1974b, 405), which provides a second justification of his assumption of a fixed domain $O \cup U$. For a fixed domain of the theory blocks a proof by Winnie (1967), according to which there is for any unobservable object a a model of Θ in which any other unobservable object (e. g. a number) is exchanged for a . Przełęczki thus chooses a fixed domain over the danger of an antirealist interpretation of unobservable objects. And this may be the biggest difference between Carnap’s and Przełęczki’s approaches: While Przełęczki aims to be a realist about unobservable objects, Carnap explicitly allows for an antirealist stance towards them.

¹⁸This is a slight generalization of Przełęczki’s account, who assumes that B is an interval of reals, which would therefore have to be in $|\mathfrak{N}_\theta|$.

Incidentally, one can now also see a central restriction of Przełęcki's semantics in his monograph, which is explicitly acknowledged by Przełęcki (1969, 103–104): It does not contain mathematical objects, even though Θ could contain axiomatizations of mathematics. In subsequent discussions, however, Przełęcki (1974a, 347–348; 1976, 376) drops this restriction and allows terms of the theory to be directly and uniquely interpreted by mathematical objects. In other words, mathematical terms are interpreted like (non-vague) \mathcal{O} -terms. As Balzer and Reiter (1989) show, such a formalization is possible in a sorted first order language without the loss of completeness.

In Przełęcki's semantics the existence of unobservable objects, and in general the direct interpretation of \mathcal{O} -terms by ostension leads to a non-trivial class $\mathbf{N}_{\mathcal{O}}$ of intended \mathcal{O} -structures, and *these* then determine, together with $\text{An}(\Theta)$, the class

$$\mathbf{N} := \{\mathfrak{N} : \mathfrak{N}|_{\mathcal{O}} \in \mathbf{N}_{\mathcal{O}} \wedge \mathfrak{N} \models \text{An}(\Theta)\} \quad (4)$$

of intended \mathcal{V} -structures. The effect of this is that once \mathbf{N} is determined, \mathcal{O} -terms and \mathcal{T} -terms can be treated in the same way (as interpreted non-uniquely by classes of intended structures), even though \mathcal{O} -terms are directly interpreted, and \mathcal{T} -terms are indirectly interpreted.

After a cogent discussion of different possibilities for defining truth and falsity in sets of structures (rather than single structures), Przełęcki (1969, 22) opts for conditional definitions: σ is true in \mathbf{N} if $\mathfrak{N} \models \sigma$ for all $\mathfrak{N} \in \mathbf{N}$, and σ is false in \mathbf{N} if $\mathfrak{N} \not\models \sigma$ for all $\mathfrak{N} \in \mathbf{N}$. As Przełęcki (1976, 375, n. 3) points out, the conditionals together with their converses make truth and falsity into *supertruth* and *superfalsity*, respectively (cf. Fine 1975), which I will assume for ease of exposition. Przełęcki (1976, 378–379) also suggests that the *subtruth* of σ (cf. Hyde 1997), with $\mathfrak{N} \models \sigma$ for *some* $\mathfrak{N} \in \mathbf{N}$, can serve as an explication of the notion of *approximate truth*. Przełęcki (1976, 379, my notation) states:

The notion of approximate truth makes it possible to dispense with certain idealizing assumptions in the semantics of empirical theories. The requirement that a physical theory Θ be approximately true allows to treat theory Θ as a theory of real, not idealized, objects. The universe of the structures in \mathbf{N} may be thought of as a set of real things which are close enough to the alleged ideal entities. Thus, in the case of particle mechanics, its universe will be composed not of ideal point-masses, but of actual things, such as planets, projectiles, and the like. The theory is approximately true of them—in the sense being here considered. That is to say, among proper structures in \mathbf{N} there [are] some in which the theory is (strictly) true. This amounts to the fact that the values of the theory's functions for those objects, as stated by the theory, fall into the intervals determined by the relevant measurement procedures.

For example, when measuring a magnitude F with imperfect precision, an object b (e. g., a body of condensed matter, liquid, or gas, or a whole system thereof)

is assigned a range of possible values, and the pair consisting of b and its range of values is in the non-negative extension $F^{+\circ}$ of F . The measurements and observations for all objects in the theory's domain and all relations and functions in \mathcal{O} then determine, together with the domain itself, the class $\mathbf{N}_{\mathcal{O}}$ of intended \mathcal{O} -structures. If Θ contains only \mathcal{O} -terms, Θ is approximately true if and only if it is subtrue in $\mathbf{N}_{\mathcal{O}}$, and thus, because of its definition (4), also subtrue in \mathfrak{N} .

In general, of course, the definition of approximate truth in \mathbf{N} hinges on the as-of-yet undefined notion of $\text{An}(\Theta)$. But under the assumption that $\Theta \vDash \text{An}(\Theta)$ (discussed below), it is trivial to show that Θ is approximately true if and only if there is some $\mathfrak{N}_{\mathcal{O}} \in \mathbf{N}_{\mathcal{O}}$ that can be expanded to a model of Θ . Delineating the analytic component of Θ is therefore not necessary for determining whether Θ is approximately true. But it is necessary for determining whether Θ is true in a vague language. For in that case, Θ has to be true in *every* $\mathfrak{N} \in \mathbf{N}$, and there may be intended structures that are not models of Θ since typically $\text{An}(\Theta) \not\vDash \Theta$.

3.2 The analytic-synthetic distinction

Towards a delineation of $\text{An}(\Theta)$, Przełęczki (1969, 58–59) assumes that Θ contains a distinguished set of postulates P that determine the interpretation of the theory's theoretical terms. Since P can have empirical content, Przełęczki allows $P \vDash \Theta$ and I will assume this in the sequel. Przełęczki (1969, 50–51) then argues as follows:

The language of any empirical theory always seems to be treated by the scientist as an interpreted, meaningful language, and not as a mere formal, meaningless calculus. And it seems to be treated so independently of any empirical findings. Experience may decide only whether an empirical theory is true or false, not whether it is meaningful or meaningless.

Since, first, an interpretation of the \mathcal{T} -terms is given by an expansion of some intended structure in $\mathbf{N}_{\mathcal{O}}$ to a model of $\text{An}(\Theta)$, and second, $\mathbf{N}_{\mathcal{O}}$ has to be determined exclusively by empirical means, Przełęczki (1969, 55, my notation) can conclude that $\text{An}(\Theta)$ must be “sufficiently weak to fulfil the semantic condition of non-creativity”.

Definition 4. $\text{An}(\Theta)$ is *semantically non-creative* if and only if

$$\forall \mathfrak{A}_{\mathcal{O}} \exists \mathfrak{B}. \mathfrak{B}|_{\mathcal{O}} = \mathfrak{A}_{\mathcal{O}} \wedge \mathfrak{B} \vDash \text{An}(\Theta). \quad (5)$$

Any \mathcal{O} -structure can be expanded to a model of $\text{An}(\Theta)$ if it is semantically non-creative. Thus $\text{An}(\Theta)$ is weak enough that it does not restrict the \mathcal{O} -structures.

“On the other hand”, Przełęczki (1969, 55) argues, “it must be sufficiently strong to include all of the meaning postulates contained” in Θ . To express this

demand formally, Przełęczki paraphrases a demand by Wójcicki (1963):¹⁹

Definition 5. $\text{An}(\Theta)$ includes all of the meaning postulates contained in Θ if and only if

$$\forall \mathfrak{A}. \exists \mathfrak{B} [\mathfrak{B}|_{\mathcal{O}} = \mathfrak{A}|_{\mathcal{O}} \wedge \mathfrak{B} \models \Theta] \rightarrow [\mathfrak{A} \models \text{An}(\Theta) \leftrightarrow \mathfrak{A} \models \Theta]. \quad (6)$$

The conditions of adequacy for the analytic component of Θ are therefore given by

Definition 6. $\text{An}(\Theta)$ is a *semantically adequate analytic component* of Θ if and only if it is semantically non-creative and includes all of the meaning postulates contained in Θ .

Incidentally, Przełęczki does not assume (and does not need to assume) that Θ , $\text{An}(\Theta)$, and $\text{Syn}(\Theta)$ are single sentences. Hence I will treat them as sets in the following.

With Przełęczki's conditions of adequacy, one can now establish the already announced

Claim 4. *If $\text{An}(\Theta)$ is a semantically adequate analytic component of Θ , then Θ is true (false) in the intended structures \mathbf{N} if and only if every (no) intended \mathcal{O} -structure can be expanded to a model of Θ .*

Proof. ' \Rightarrow ': Assume that Θ is true in \mathbf{N} . Then Θ is true in every $\mathfrak{N} \in \mathbf{N}$ and thus in every expansion of every intended \mathcal{O} -structure to a model of $\text{An}(\Theta)$. Since $\text{An}(\Theta)$ is semantically non-creative, Θ is thus true in at least one such expansion and, since $\text{An}(\Theta)$ contains all meaning postulates of Θ , in all of them.

Now assume that some intended \mathcal{O} -structure can be expanded to a model of Θ . Then it can be expanded to a model of $\text{An}(\Theta)$ because $\text{An}(\Theta)$ contains all meaning postulates of Θ . Thus Θ is not false in \mathbf{N} .

' \Leftarrow ': Assume that every $\mathfrak{N}_{\mathcal{O}} \in \mathbf{N}_{\mathcal{O}}$ can be expanded to a model of Θ . Therefore, since $\text{An}(\Theta)$ includes all of the meaning postulates contained in Θ , an expansion of $\mathfrak{N}_{\mathcal{O}}$ is a model of $\text{An}(\Theta)$ only if it is a model of Θ . Hence every $\mathfrak{N} \in \mathbf{N}$ is a model of Θ .

Now assume that no $\mathfrak{N}_{\mathcal{O}} \in \mathbf{N}_{\mathcal{O}}$ can be expanded to a model \mathfrak{N} of Θ . Since $\text{An}(\Theta)$ is semantically non-creative, no $\mathfrak{N} \in \mathbf{N}$ is a model of Θ . \square

Even without having determined a theory's analytic component, Przełęczki's semantics already provides the notion of approximate truth under the reasonable assumption that a theory entails its analytic component (which follows from claim 5 below). Claim 4 now shows that for truth in a vague language it is not necessary to determine a theory's analytic component either. Hence, while it is necessary to know how to delineate an analytic component of Θ in principle (by way of its conditions of adequacy), it is *not* necessary to do so in any specific case.

¹⁹I am very grateful to Krystian Jobczyk for giving me an overview and partial translation of Wójcicki's article.

Also based on work by Wójcicki (1963), Przełęczki and Wójcicki (1969, 376) give conditions of adequacy for the synthetic component of Θ , based on

Definition 7. An \mathcal{O} -structure $\mathfrak{A}_\mathcal{O}$ is *admitted* by Θ if and only if

$$\exists \mathfrak{B} . \mathfrak{B}|_\mathcal{O} = \mathfrak{A}_\mathcal{O} \wedge \mathfrak{B} \models \Theta . \quad (7)$$

Two sets of sentences that admit the same \mathcal{O} -structures place the same restrictions on them, and thus can be considered semantically empirically equivalent:

Definition 8. $\text{Syn}(\Theta)$ and Θ are *semantically empirically equivalent* if and only if they admit the same \mathcal{O} -structures.

Przełęczki and Wójcicki (1969, 387) demand that $\text{Syn}(\Theta)$ admit the same \mathcal{O} -structures as Θ , so $\text{Syn}(\Theta)$ and Θ must be semantically empirically equivalent. They demand further that $\text{Syn}(\Theta)$ provide no empirical interpretation of \mathcal{T} .

Definition 9. $\text{Syn}(\Theta)$ *provides no empirical interpretation* of \mathcal{T} if and only if

$$\forall \mathfrak{A} \forall \mathfrak{B} . \mathfrak{A}|_\mathcal{O} = \mathfrak{B}|_\mathcal{O} \rightarrow [\mathfrak{A} \models \text{Syn}(\Theta) \leftrightarrow \mathfrak{B} \models \text{Syn}(\Theta)] \quad (8)$$

Together, these demands lead to

Definition 10. $\text{Syn}(\Theta)$ is a *semantically adequate synthetic component* of Θ if and only if $\text{Syn}(\Theta)$ is semantically empirically equivalent to Θ and provides no empirical interpretation of \mathcal{T} .

The conditions of adequacy for $\text{An}(\Theta)$ and $\text{Syn}(\Theta)$ can be combined as follows:

Claim 5. $\text{An}(\Theta)$ is a *semantically adequate analytic component* of Θ and $\text{Syn}(\Theta)$ is a *semantically adequate synthetic component* of Θ if and only if

1. $\text{An}(\Theta) \cup \text{Syn}(\Theta) \models \Theta$,
2. $\text{Syn}(\Theta)$ is *semantically empirically equivalent* to Θ .
3. $\text{Syn}(\Theta)$ *provides no empirical interpretation* of \mathcal{T} , and
4. $\text{An}(\Theta)$ is *semantically non-creative*.

Proof. ‘ \Rightarrow ’: Przełęczki and Wójcicki (1969, theorem 7) note that condition 1 follows from the conditions of adequacy; that the others follow is trivial.

‘ \Leftarrow ’: $\text{Syn}(\Theta)$ is trivially a semantically adequate synthetic component of Θ , and $\text{An}(\Theta)$ is trivially semantically conservative. It remains to be shown that $\text{An}(\Theta)$ contains all of the meaning postulates in Θ . This is the case if and only if

$$\forall \mathfrak{A} . \exists \mathfrak{B} [\mathfrak{B}|_\mathcal{O} = \mathfrak{A}|_\mathcal{O} \wedge \mathfrak{B} \models \Theta] \wedge \mathfrak{A} \models \Theta \rightarrow \mathfrak{A} \models \text{An}(\Theta) , \quad (9)$$

and

$$\forall \mathfrak{A}. \exists \mathfrak{B} [\mathfrak{B}|_{\mathcal{O}} = \mathfrak{A}|_{\mathcal{O}} \wedge \mathfrak{B} \models \Theta] \wedge \mathfrak{A} \models \text{An}(\Theta) \rightarrow \mathfrak{A} \models \Theta. \quad (10)$$

Conditional (9) is equivalent to $\Theta \models \text{An}(\Theta)$ and follows trivially from condition 1. Conditional (10) follows from conditions 1, 2, and 3: Because of the first conjunct of the antecedent and condition 2, $\exists \mathfrak{B} [\mathfrak{B}|_{\mathcal{O}} = \mathfrak{A}|_{\mathcal{O}} \wedge \mathfrak{B} \models \text{Syn}(\Theta)]$. Hence, by condition 3, $\mathfrak{A} \models \text{Syn}(\Theta)$. $\mathfrak{A} \models \Theta$ then follows from the second conjunct of the antecedent and condition 1. \square

Although the conditions of adequacy in claim 5 are arguably more intuitive than those given by Przełęczki and Wójcicki, their conditions have an indisputable advantage: Unlike claim 5, Przełęczki and Wójcicki's conditions can be applied to a purported analytic component without knowing the synthetic component and vice versa. This will be convenient in §4.3 below.

The conditions of claim 5 seem very similar to Carnap's (definition 3), and indeed, they are direct generalizations of Carnap's conditions to sets of sentences. The connection is given by the paraphrase of Carnap's conditions in terms of Ramsey sentences (claim 2) and

Lemma 6. $\mathfrak{A}|_{\mathcal{O}}$ can be expanded to a model of the sentence Φ if and only if $\mathfrak{A}|_{\mathcal{O}} \models R_{\mathcal{O}}(\Phi)$.

Proof. Let Φ^\dagger be the result of substituting each \mathcal{T} -term in Φ by a corresponding variable.

' \Leftarrow ': Since $\mathfrak{A}|_{\mathcal{O}} \models R_{\mathcal{O}}(\Phi)$, there is a relation V_i for every relation symbol P_i in \mathcal{T} , a function G_j for every function symbol F_j in \mathcal{T} , and a constant d_k for every constant symbol c_k in \mathcal{T} such that $\{V_i, G_j, d_k\}$ satisfies Φ^\dagger in \mathfrak{A} . Define \mathfrak{C} so that $P_i^{\mathfrak{C}} = V_i$ for each V_i , $F_j^{\mathfrak{C}} = G_j$ for each G_j , $c_k^{\mathfrak{C}} = d_k$ for every d_k , and $\mathfrak{C}|_{\mathcal{O}} = \mathfrak{A}|_{\mathcal{O}}$. Induction on the complexity of Φ shows that $\mathfrak{C} \models \Phi$.

' \Rightarrow ': Induction shows that $\{P_i^{\mathfrak{C}}, F_j^{\mathfrak{C}}, c_k^{\mathfrak{C}}\}$ satisfies Φ^\dagger in \mathfrak{A} , so $\mathfrak{A} \models \exists_i X_i \exists_j Y_j \exists_k x_k \Phi^\dagger$. \square

Lemma 6 immediately entails

Corollary 7. Let Θ , $\text{Syn}(\Theta)$, and $\text{An}(\Theta)$ be single sentences. Then $\text{Syn}(\Theta)$ is semantically equivalent to Θ if and only if $R_{\mathcal{O}}(\text{Syn}(\Theta)) \models R_{\mathcal{O}}(\Theta)$ and $\text{An}(\Theta)$ is semantically non-creative if and only if $\models R_{\mathcal{O}}(\text{An}(\Theta))$.

Furthermore the following holds:

Lemma 8. Let $\text{Syn}(\Theta)$ be a single sentence. Then $\text{Syn}(\Theta)$ provides no empirical interpretation of \mathcal{T} if and only if $\text{Syn}(\Theta) \models R_{\mathcal{O}}(\text{Syn}(\Theta))$.

Proof. ' \Rightarrow ': Since $R_{\mathcal{O}}(\text{Syn}(\Theta))$ is an existential generalization of $\text{Syn}(\Theta)$, it is clear that $\text{Syn}(\Theta) \models R_{\mathcal{O}}(\text{Syn}(\Theta))$. For the converse, assume that $\mathfrak{A} \models R_{\mathcal{O}}(\text{Syn}(\Theta))$. By lemma 6, there is a $\mathfrak{B} \models \text{Syn}(\Theta)$ with $\mathfrak{B}|_{\mathcal{O}} = \mathfrak{A}|_{\mathcal{O}}$. Therefore $\mathfrak{A} \models \Theta$.

' \Leftarrow ': Immediate. \square

Corollary 7 and lemma 8 furthermore entail

Claim 9. *Let Θ and $\text{Syn}(\Theta)$ be single sentences. Then $\text{Syn}(\Theta)$ is a semantically adequate synthetic component of Θ if and only if $\text{Syn}(\Theta) \models R_{\mathcal{O}}(\Theta)$.*

Proof. If $\text{Syn}(\Theta)$ is a semantically adequate synthetic component of Θ , then $R_{\mathcal{O}}(\Theta) \models R_{\mathcal{O}}(\text{Syn}(\Theta))$ and $R_{\mathcal{O}}(\text{Syn}(\Theta)) \models \text{Syn}(\Theta)$, and thus $\text{Syn}(\Theta) \models R_{\mathcal{O}}(\Theta)$. The converse holds because $R_{\mathcal{O}}(R_{\mathcal{O}}(\Theta)) \models R_{\mathcal{O}}(\Theta)$. \square

Because of claim 9, a semantically adequate synthetic component of Θ must be equivalent to a (singleton) set of \mathcal{O} -sentences. Hence claim 2, corollary 7, corollary 8, and claim 9 together entail

Claim 10. *Let Θ , $\text{An}(\Theta)$, and $\text{Syn}(\Theta)$ be single sentences. Then $\text{An}(\Theta)$ is a semantically adequate analytic component of Θ and $\text{Syn}(\Theta)$ is a semantically adequate synthetic component of Θ if and only if $\text{An}(\Theta)$ is an adequate analytic component of Θ and $\text{Syn}(\Theta)$ is, up to equivalent reformulation, an adequate synthetic component of Θ according to definition 3.*

Thus for single sentences, Wójcicki and Przełęcki's conditions of adequacy are essentially equivalent to Carnap's and can be phrased in a very compact way in terms of Ramsey sentences.

Claim 9 shows that Przełęcki and Wójcicki's (and hence Carnap's) conditions of adequacy uniquely determine the synthetic component of Θ up to logical equivalence when \mathcal{O} -sentences can be of any order. In contradistinction, $\text{An}(\Theta)$ is not in general uniquely determined by their conditions of adequacy, as Przełęcki and Wójcicki (1969, 391) point out. In particular, the Carnap sentence is just the weakest of a variety of adequate analytic components of Θ . Przełęcki (1969, §7.III) provides a nice example for reduction sentences

$$\Theta \models \forall x[\varphi(x) \rightarrow T_1x] \wedge \forall x[\psi(x) \rightarrow \neg T_1x], \quad (11)$$

where φ and ψ are \mathcal{O} -formulas and T_1 is a \mathcal{T} -term. Then

$$C_{\mathcal{O}}(\Theta) \models \forall x[\varphi(x) \rightarrow \neg\psi(x)] \rightarrow \forall x[\varphi(x) \rightarrow T_1x] \wedge \forall x[\psi(x) \rightarrow \neg T_1x] \quad (12)$$

is an adequate analytic component of Θ . However, the logically stronger sentence

$$\forall x[\varphi(x) \wedge \neg\psi(x) \rightarrow T_1x] \wedge \forall x[\psi(x) \wedge \neg\varphi(x) \rightarrow \neg T_1x] \quad (13)$$

is also an adequate analytic component of Θ . This solution has general advantages (Przełęcki 1961b) and can, for example, be used to salvage ethical terms that were introduced by reduction sentences with empirically false implications (Lutz 2010). Winnie (1970, 294–296) and Demopoulos (2007, V) argue that the possibility of choosing the analytic component of a theory is a problem for the analytic-synthetic distinction, and they suggest an additional condition of adequacy that establishes a theory's Carnap sentence as its sole adequate analytic component. However, neither their argument nor their suggested condition of adequacy are convincing (Caulton 2012; Lutz 2012a, §12.1).

3.3 Przełęcki's modifications of his semantics

Przełęcki (1969, §10.I) generalizes his semantics in a significant way already in his monograph. He introduces a hierarchy of languages $\mathcal{O}, \mathcal{T}_1, \mathcal{T}_2, \dots$ that begins with a set \mathcal{O} of observational terms and continues with a series of sets of theoretical terms. The intended \mathcal{O} -structures and some theory Θ_1 determine the intended structures for $\mathcal{O} \cup \mathcal{T}_1$, which in turn determines with some theory Θ_2 the intended structures for $\mathcal{O} \cup \mathcal{T}_1 \cup \mathcal{T}_2$, and so forth. The intended \mathcal{O} -structures do not interpret the vocabulary of the theory Θ_n , $n > 1$, so the class of intended structures for Θ_n is the reduct of the intended structures for $\mathcal{O} \cup \mathcal{T}_1 \cup \dots \cup \mathcal{T}_n$ to $\mathcal{T}_{n-1} \cup \mathcal{T}_n$. Indeed, there need not even be a well-determined class of \mathcal{O} -terms; it may simply be convenient within the formalism to postulate this starting point of the hierarchy (Przełęcki 1969, §10.II). Such a hierarchy of vocabularies was suggested at about the same time by Rozeboom (1970, 202), and Przełęcki's formalism is a plausible explication of the hierarchies of vocabularies discussed by Carnap. For convenience, \mathcal{T}_n and \mathcal{T}_{n-1} can be renamed to \mathcal{T} and \mathcal{O} , respectively, keeping in mind that \mathcal{O} does not have to be observational in any specific sense. In fact, Carnap (1931, 437–438) suggested that observation reports are formulated more expediently in such a vocabulary.

The new \mathcal{O} -terms can thus be considered to refer to concepts that are not themselves under investigation, as was suggested explicitly by Reichenbach (1951, 49), Lewis (1970, 428), and Carnap himself. Since the \mathcal{O} -terms are unproblematic in this sense, there can be a set $\Pi_{\mathcal{O}}$ of analytic \mathcal{O} -sentences. Accordingly, Przełęcki (1969, 98–99) generalizes the conditions of adequacy for a theory's analytic component:

Definition 11. $\text{An}(\Theta)$ is a *semantically adequate analytic component* of Θ given analytic \mathcal{O} -sentences $\Pi_{\mathcal{O}}$ if and only if

$$\forall \mathfrak{A}_{\mathcal{O}} . \mathfrak{A}_{\mathcal{O}} \models \Pi_{\mathcal{O}} \rightarrow \exists \mathfrak{B} . \mathfrak{B}|_{\mathcal{O}} = \mathfrak{A}_{\mathcal{O}} \wedge \mathfrak{B} \models \text{An}(\Theta) \quad (14)$$

and

$$\forall \mathfrak{A} . \mathfrak{A} \models \Pi_{\mathcal{O}} \wedge \exists \mathfrak{B} [\mathfrak{B}|_{\mathcal{O}} = \mathfrak{A}|_{\mathcal{O}} \wedge \mathfrak{B} \models \Theta] \rightarrow [\mathfrak{A} \models \text{An}(\Theta) \leftrightarrow \mathfrak{A} \models \Theta] . \quad (15)$$

The first condition (14) generalizes semantic non-creativity to semantic non-creativity relative to \mathcal{O} -sentences $\Pi_{\mathcal{O}}$ ²⁰ and the second condition generalizes the demand that $\text{An}(\Theta)$ include all of the meaning postulates of Θ .

In a later work, Przełęcki (1973) discusses the possibilities for avoiding the assumption of a fixed domain. The reason is simple: Fixing the set U of unobservable objects in the metalanguage is impossible if the interpretation of the \mathcal{T} -terms is to be determined solely by the interpretation of the \mathcal{O} -terms and by Θ . Therefore the assumption of a fixed domain $O \cup U$ is incompatible with the

²⁰This can be further generalized to semantic non-creativity relative to \mathcal{V} -sentences (Lutz 2012a, definition 6.6, cf. §6.11.1).

thesis of semantic empiricism (Przełęczki 1974b, 405). Przełęczki (1973, 287) avoids the assumption in two alternative modifications of his semantics. Given the intended \mathcal{O} -structure $\mathfrak{N}_\mathcal{O}$, the intended \mathcal{V} -structures can be given by the class of all expansions of elementary extensions of $\mathfrak{N}_\mathcal{O}$ or the class of all expansions of extensions of $\mathfrak{N}_\mathcal{O}$. If there is no single intended observational structure $\mathfrak{N}_\mathcal{O}$ but a class $\mathbf{N}_\mathcal{O}$ thereof, the class of intended structures may be defined in three different ways:

$$\mathbf{N} := \{ \mathfrak{A} : \mathfrak{A} \models \text{An}(\Theta) \wedge \exists \mathfrak{B}_\mathcal{O} \in \mathbf{N}_\mathcal{O} . \mathfrak{B}_\mathcal{O} = \mathfrak{A}|_\mathcal{O} \} \quad (16)$$

$$\mathbf{N} := \{ \mathfrak{A} : \mathfrak{A} \models \text{An}(\Theta) \wedge \exists \mathfrak{B}_\mathcal{O} \in \mathbf{N}_\mathcal{O} . \mathfrak{B}_\mathcal{O} \preceq \mathfrak{A}|_\mathcal{O} \} \quad (17)$$

$$\mathbf{N} := \{ \mathfrak{A} : \mathfrak{A} \models \text{An}(\Theta) \wedge \exists \mathfrak{B}_\mathcal{O} \in \mathbf{N}_\mathcal{O} . \mathfrak{B}_\mathcal{O} \subseteq \mathfrak{A}|_\mathcal{O} \} \quad (18)$$

The first definition (16) paraphrases Przełęczki's initial definition (4). The two modifications (17) and (18) avoid the assumption of a fixed domain and are compatible with the thesis of semantic empiricism, but are also subject to Winnie's proof: In both semantics, an intended \mathcal{O} -structure can always be extended to contain mathematical objects if it can be extended at all.

Przełęczki (1973, 289) modifies the condition of non-creativity accordingly, assuming the possibility of analytic \mathcal{O} -sentences. When elementary extensions of the intended \mathcal{O} -structures are allowed, this leads to

Definition 12. *An(Θ) is up to elementary extensions semantically non-creative relative to \mathcal{O} -sentences $\Pi_\mathcal{O}$ if and only if*

$$\forall \mathfrak{A}_\mathcal{O} . \mathfrak{A}_\mathcal{O} \models \Pi_\mathcal{O} \rightarrow \exists \mathfrak{B} . \mathfrak{A}_\mathcal{O} \preceq \mathfrak{B}|_\mathcal{O} \wedge \mathfrak{B} \models \text{An}(\Theta) . \quad (19)$$

As Przełęczki points out, definition 4 has no syntactic formulation in first order logic, while definition 12 corresponds to syntactic non-creativity:

Definition 13. *An(Θ) is syntactically non-creative relative to \mathcal{O} -sentences $\Pi_\mathcal{O}$ if and only if for all \mathcal{O} -sentences ω , $\text{An}(\Theta) \cup \Pi_\mathcal{O} \models \omega$ only if $\Pi_\mathcal{O} \models \omega$.*

Claim 11. *An(Θ) is up to elementary extensions semantically non-creative relative to \mathcal{O} -sentences $\Pi_\mathcal{O}$ if and only if An(Θ) is syntactically non-creative relative to \mathcal{O} -sentences $\Pi_\mathcal{O}$.*

The difference between semantic and syntactic non-creativity lies at the core of the critique of Demopoulos and Friedman (1985) by Ketland (2004, 297–299).²¹ Demopoulos's response turns on the equivalence of syntactic non-creativity and semantic non-creativity up to elementary extension (Demopoulos 2011, §4).

In the case where the semantics allows for any kind of extensions of the \mathcal{O} -structures, Przełęczki (1973, 289) modifies semantic non-creativity as follows:

Definition 14. *An(Θ) is up to extensions semantically non-creative relative to \mathcal{O} -sentences $\Pi_\mathcal{O}$ if and only if*

$$\forall \mathfrak{A}_\mathcal{O} . \mathfrak{A}_\mathcal{O} \models \Pi_\mathcal{O} \rightarrow \exists \mathfrak{B} . \mathfrak{A}_\mathcal{O} \subseteq \mathfrak{B}|_\mathcal{O} \wedge \mathfrak{B} \models \text{An}(\Theta) . \quad (20)$$

²¹As Przełęczki and Wójcicki (1971, 94–95) show, this difference holds even if $\Pi_\mathcal{O} = \emptyset$.

Przełęcki (1973, 289) notes

Claim 12. $An(\Theta)$ is up to extensions semantically non-creative relative to \mathcal{O} -sentences $\Pi_{\mathcal{O}}$ if and only if for all purely universally \mathcal{O} -sentences ω , $An(\Theta) \cup \Pi_{\mathcal{O}} \models \omega$ only if $\Pi_{\mathcal{O}} \models \omega$.

Note that in the semantics that allows any kind of extensions of intended \mathcal{O} -structures, the truth-value of a first order \mathcal{O} -sentence can be different in $\mathbf{N}_{\mathcal{O}}$ and \mathbf{N} , which is impossible in the previous two.

It is clear that Przełęcki’s modifications of his semantics lead to natural modifications of definition 6 for an adequate analytic component and of definition 10 for an adequate synthetic component of a theory. Przełęcki demonstrates this with his modifications of non-creativity (definitions 12 and 14); the general method can be read off of these: To take previously accepted analytic sentences $\Pi_{\mathcal{O}}$ into account, all that is needed is a restriction of the quantifiers over the class of \mathcal{O} structures to the class of \mathcal{O} -models of $\Pi_{\mathcal{O}}$. To take the change from simple expansions to expansions of elementary extensions or expansions of extensions into account, all that is needed is a systematic substitution of ‘=’ between structures by ‘ \preceq ’ or ‘ \subseteq ’, respectively.

4 After the Received View

In the preceding section, I have argued that Przełęcki’s semantics can be seen as an explication of Carnap’s informal description of the semantics of scientific theories. I now want to argue that with his semantics, Przełęcki both influenced and anticipated later developments in the philosophy of science. Although Przełęcki (1975, 284) considered himself “positivistically-minded” and his monograph an introduction to the Received View, he had the greatest influence on the Received View’s main opponent—the so-called Semantic View—which describes theories as classes of model theoretic structures rather than sets of sentences. Probably due to Przełęcki’s heavy use of model theoretic methods, da Costa and French (1990, 249) consider his monograph a precursor of the Semantic View and Volpe (1995, 566) even lists it as an early work *within* the Semantic View.²² It is notable that, even though Przełęcki’s monograph does not seem to have had any specific influence on the article by da Costa and French (1990), Przełęcki (1969; 1976) anticipates and even generalizes their central concepts of partial structures and quasi-truth in his concepts of vague terms and approximate truth (Lutz 2012a, §4.3.2).

²²This suggests that the differences between the Received View and the Semantic View are not as large as some proponents of the latter have claimed (cf. Lutz 2012a, 4.1). Przełęcki (1974c) also outlines how to bridge the gap to Sneed’s Structuralist View, which is sometimes considered one variety of the Semantic View.

4.1 Constructive empiricism

Przełęcki explicitly influenced van Fraassen, who famously declared that the Received View is in principle unable to capture the relation between theory and phenomena (van Fraassen 1980, §3.6). Within his alternative, constructive empiricism, van Fraassen (1980, 64) states that

[t]o present a theory is to specify a family of structures, its *models*; and secondly, to specify certain parts of those models (the *empirical substructures*) as candidates for the direct representation of observable phenomena.

Furthermore the models of the theory “are describable only up to structural isomorphism” (van Fraassen 2008, 238; cf. 2002, 22). Under the simplifying assumption that each model of the theory has exactly one empirical substructure, this can be phrased as follows:

Definition 15. A *theory* is a family $\{\mathfrak{T}_n\}_{n \in N}$ of structures (the *models of the theory*) such that each of its members \mathfrak{T}_n has exactly one *empirical substructure* $\mathfrak{E}_n \subseteq \mathfrak{T}_n$. With each model, a theory also contains every isomorphic structure with its corresponding empirical substructure.

Van Fraassen (1980, 64) strictly distinguishes between the set O of observable objects and the unobservable objects and suggests describing observable phenomena by structures as well: “The structures which can be described in experimental and measurement reports we can call *appearances*” (van Fraassen 2008, 286). With the simplifying assumption that all appearances can be included in a single structure, this suggests

Definition 16. The *appearances* are given by a structure \mathfrak{P} with $|\mathfrak{P}| = O$.

Van Fraassen (1980, 64) then defines a theory as “empirically adequate if it has some model such that all appearances are isomorphic to empirical substructures of that model” (cf. van Fraassen 1991, 12). With the simplifications given above, this results in

Definition 17. A theory $\{\mathfrak{T}_n\}_{n \in N}$ is *empirically adequate* for the appearance \mathfrak{P} if and only if there is some $n \in N$ such that $\mathfrak{E}_n \cong \mathfrak{P}$.

Van Fraassen (1980, 64; 1989, 227) traces his inspiration for relying on empirical substructures to Przełęcki’s monograph, but a much more direct connection is given by Przełęcki’s second modification of his semantics:

Claim 13. Assume that $\{\mathfrak{T}_n : n \in N\} = \{\mathfrak{B} : \mathfrak{B} \models \Theta\}$, that Θ contains only \mathcal{O} -terms, and that all and only expansions of extensions of intended \mathcal{O} -structures are in N . Then, if $N_{\mathcal{O}} = \{\mathfrak{P}\}$, $\{\mathfrak{T}_n\}_{n \in N}$ is empirically adequate if and only if Θ is approximately true in N .

Proof. $\{\mathfrak{T}_n\}_{n \in N}$ is empirically adequate for \mathfrak{P} if and only if \mathfrak{P} has an extension to some $\mathfrak{T}_n, n \in N$. This holds if and only if $\mathfrak{T}_n \in \mathbf{N}$, that is, $\mathfrak{N} \models \Theta$ for some $\mathfrak{N} \in \mathbf{N}$, which is the approximate truth of Θ . \square

The first assumption in claim 13 is a restriction on van Fraassen’s notion of a theory, because the language of Θ may not be strong enough to describe $\{\mathfrak{T}_n\}_{n \in N}$ up to isomorphism. The second assumption is a restriction on Przełęczki’s notion of a theory, which allows theories to contain terms that do not occur in the description of the appearances. The third assumption simply describes Przełęczki’s second modification of his semantics. The condition $\mathbf{N}_\Theta = \{\mathfrak{P}\}$ shows very clearly that within the domain of observable objects, van Fraassen assumes perfect information about the phenomena without any vagueness of terms or imprecision of measurement. Van Fraassen (1989, 366, n. 5) is aware of this, as he suggests introducing an approximate notion of empirical substructures to generalize empirical adequacy. In Przełęczki’s terminology, and in full agreement with Przełęczki’s own position, the \mathcal{O} -terms are completely vague for the unobservable objects.

Together with claim 12, claim 13 has the nice

Corollary 14. *Assume a language of first order logic. Assume further that $\{\mathfrak{T}_n : n \in N\} = \{\mathfrak{B} : \mathfrak{B} \models \Theta\}$, that Θ contains only \mathcal{O} -terms, and that all and only expansions of extensions of intended \mathcal{O} -structures are in \mathbf{N} . Then if \mathfrak{P} is described up to isomorphism by Ω , $\{\mathfrak{T}_n\}_{n \in N}$ is empirically adequate if and only if Θ is compatible with all purely universal \mathcal{O} -sentences entailed by Ω .*

Proof. Since Ω describes \mathfrak{P} up to isomorphism, Θ is approximately true in \mathbf{N} if and only if Θ is up to extensions semantically non-creative relative to Ω , which is the case if and only if for every purely universal \mathcal{O} -sentence ω , $\Theta \cup \Omega \models \omega$ only if $\Omega \models \omega$. Since Ω is maximally consistent, this holds if and only if Θ is compatible with all purely universal \mathcal{O} -sentences entailed by Ω . \square

An analogue to corollary 14 for another semantic concept of van Fraassen’s was later pointed out by Scott Weinstein in a defense of “syntactic approaches” like the Received View (Friedman 1982, 277). This would be the second time that Przełęczki anticipated a defense of the Received View.

4.2 Suppe on partial interpretations

A defense by Suppe (1971) was possibly the first that Przełęczki anticipated. Although highly critical of the Received View (Suppe 1972), Suppe gives an elucidation of the Received View’s notion of a ‘partial interpretation’ with the aim of defending it against Putnam’s claim that the notion was “completely broken-backed” (Putnam 1962, 241). Towards this goal, Suppe develops a number of supporting concepts. First, he assumes that the language of the theory Θ is of first order and that the \mathcal{O} -terms are interpreted over a domain of “concrete observable entities” (Suppe 1972, 58–59, my notation here and in the following). Suppe (1972,

60) goes on to “assume that a fixed set of rules of designation has been specified” for the \mathcal{O} -terms and calls the class of interpretations specified by these rules the *permissible interpretations* S^* for \mathcal{O} . The “result of adding a new property P to $[S^*]$ and a new rule of designation that ‘P’ designates P is said to be a *permissible extension* of $[S^*]$ ” (Suppe 1971, 63). Suppe (1971, 65) adds that for a permissible extension from S to S^* , “we do not require that S and S^* have the same domain, but rather only that the domain of S contain the domain of S^* . This allows the possibility that the domain of S may contain both theoretical entities and observable entities, etc”.²³ Finally, in effect treating the correspondence rules C (from $TC = T \cup C \models \Theta$) like the postulates that determine the interpretation of \mathcal{T} in Przełęczki’s account,²⁴ Suppe (1971, 65) concludes that

the assumed truth of TC will impose restrictions upon the class of true permissible extensions to $[\mathcal{T}]$. [...] This, then, suggests that the sense in which the interpretative system C supplies $[\mathcal{T}]$ with a partial interpretation is that it imposes restrictions on the class of permissible models for it.

The resulting semantics is that of Przełęczki’s second modification: The \mathcal{O} -terms are interpreted by an \mathcal{O} -structure S , and an expansion S^* of an extension is a “permissible extension” in Suppe’s sense if and only if $S \subseteq S^*|_{\mathcal{O}}$.²⁵

Przełęczki (1973) suggested his second modification at a conference in 1971 (Bogdan and Niiniluoto 1973, v), in the year that Suppe (1971) published his semantics. But it seems that the core idea of Suppe’s semantics is that of letting the interpretation of \mathcal{O} fix a structure $\mathfrak{N}_{\mathcal{O}}$ and consider any structure a possible interpretation of \mathcal{V} that in some sense includes $\mathfrak{N}_{\mathcal{O}}$; and this account is already worked out with much precision and in a very general way in Przełęczki’s monograph. Of course, the question of priority is basically moot since Suppe and Przełęczki have developed their accounts wholly independently. The important point is rather that their accounts are equivalent, for this provides another reason to consider Przełęczki’s semantics a faithful formal account of the semantics of the Received View, since such an account was an explicit goal of Suppe’s.

Unfortunately, Suppe (1971, 67) further argues that within the constraints of the Received View, his semantics can be supplemented by a direct interpretation of the \mathcal{T} -terms within some antecedently understood metalanguage, which he assumes to be a natural language. But this goes against the thesis of semantic empiricism and makes partial interpretation pointless, since there is no need to

²³Suppe’s sequence of definitions takes a number of twists and turns that are sometimes difficult to follow, so that the relation between S^* and the permissible extensions S might be not as direct as indicated here. This may be partly because of his puzzling use of some technical terms. For example Suppe (1971, 59, 60) repeatedly speaks of predicate and function variables although the language is of first order. I hope to have done his semantics justice.

²⁴As noted, I have instead used the whole of Θ .

²⁵As noted above, Suppe’s outline of his semantics is not always clear, and I must restrict my claim to the extent that I have been able to reconstruct Suppe’s semantics.

construct an interpretation of the \mathcal{T} -terms with the help of Θ if the \mathcal{T} -terms are already directly interpreted.²⁶ Furthermore, Suppe’s move only pushes questions about the interpretation of theoretical terms of the object language into the meta-language, as was already argued by Carnap (1939, 204), Hempel (1963, 696), and Rozeboom (1970, 204–205), and again pointed out by Przełęczki (1974b, 402) in a response to a similar suggestion by Tuomela (1972, 171). More generally, Suppe’s (and Tuomela’s) suggestion seems to stem from “a certain tendency of ascribing to natural language a ‘mystical’ quality not inherent in formalized languages”. In this way Beth (1963, 481) describes the view that natural languages can provide intended interpretations in a way that formalized languages cannot. Without such a mystical view, supplementing a formal theory Θ with natural language sentences “is just adding more theory”, as Putnam (1980, 477, emphasis removed) put it most famously.

4.3 Andreas on the semantics of scientific theories

In a more recent article, Andreas (2010, 530–532) aims to give a formal semantics based on the indirect interpretation of theoretical terms outlined by Carnap (1939). Like Carnap and Przełęczki, Andreas assumes a fixed domain. And like Carnap, but unlike Przełęczki, he assumes that there is a fixed bipartition of the domain into observable objects O and mathematical objects U . Andreas (2010, 529, 532) further introduces the notion of an intended interpretation, specifically the intended interpretation \mathfrak{N}_θ of the θ -terms; like Przełęczki and Suppe, he assumes that there is a subset P of postulates of Θ that determine the interpretation of the theory’s theoretical terms. Also like Przełęczki, Andreas assumes that it is possible and indeed preferable to let $P = \Theta$,²⁷ which I will suppose in the following. With these concepts, Andreas (2010, 533) suggests that the intended interpretations of \mathcal{V} be given by the admissible structures for the intended θ -structure \mathfrak{N}_θ and the theory Θ .

Definition 18. Let $O \cap U = \emptyset$ and let \mathfrak{N}_θ be the intended θ -structure with $|\mathfrak{N}_\theta| = O$. Define two classes of \mathcal{V} -structures:

$$\mathbf{S}_1(\mathfrak{N}_\theta) = \{\mathfrak{A} : |\mathfrak{A}| = O \cup U \wedge \mathfrak{A}|_{O_\theta} = \mathfrak{N}_\theta \wedge \mathfrak{A} \models \Theta\} \quad (21)$$

$$\mathbf{S}_2(\mathfrak{N}_\theta) = \{\mathfrak{A} : |\mathfrak{A}| = O \cup U \wedge \mathfrak{A}|_{O_\theta} = \mathfrak{N}_\theta\} \quad (22)$$

The class $\mathbf{S}(\mathfrak{N}_\theta)$ of *admissible \mathcal{V} -structures* for Θ and \mathfrak{N}_θ is defined as

$$\mathbf{S}(\mathfrak{N}_\theta) := \mathbf{S}_1(\mathfrak{N}_\theta) \text{ if } \mathbf{S}_1(\mathfrak{N}_\theta) \neq \emptyset, \quad \mathbf{S}(\mathfrak{N}_\theta) := \mathbf{S}_2(\mathfrak{N}_\theta) \text{ if } \mathbf{S}_1(\mathfrak{N}_\theta) = \emptyset. \quad (23)$$

$\mathfrak{A}|_{O_\theta}$ here stands for the *relativized reduct* of \mathfrak{A} , the substructure of \mathfrak{A} ’s reduct $\mathfrak{A}|_\theta$ that has domain O (i. e., $\mathfrak{A}|_{O_\theta} := \mathfrak{A}|_\theta|_O$). It is a standard notion in model theory (cf. Hodges 1993, §5.1).

²⁶The quotes from Hempel and Carnap that Suppe adduces to show that they accept direct interpretations of \mathcal{T} -terms in fact show the exact opposite (Lutz 2012b, 93–94).

²⁷Personal communication from 10 January 2013.

Given this semantics, Andreas defines truth in \mathfrak{N}_θ as supertruth in \mathbf{S} . Since $\mathbf{S}(\mathfrak{N}_\theta)|_{O_\theta} := \{\mathfrak{G}|_{O_\theta} : \mathfrak{G} \in \mathbf{S}(\mathfrak{N}_\theta)\} = \{\mathfrak{N}_\theta\}$, all θ -terms are completely precise over O . But as in Przełęczki's semantics (and unlike in Carnap's semantics), most θ -terms are completely vague over U . This is because for any $\mathfrak{G} \in \mathbf{S}(\mathfrak{N}_\theta)$, any function f such that $f|_O = \text{id}$ and $f|_U = g$ for some permutation g over U leads to another model \mathfrak{G}' of Θ as described in the proof of claim 3. Since $\mathfrak{G}'|_{O_\theta} = \mathfrak{N}_\theta$, $\mathfrak{G}' \in \mathbf{S}(\mathfrak{N}_\theta)$. The only θ -terms that are not completely vague over U are those that are invariant under any permutation; such terms may be called purely logical over U (cf. Przełęczki 1969, 30–31). Purely logical terms R occur only if $\mathbf{S}_1 \neq \emptyset$ and Θ entails sentences like $\forall x. \neg O x \rightarrow R x$ or $\forall x \forall y. R x y \leftrightarrow x = y$. Note that this exception does not hold for Przełęczki's semantics, since there the extension of the θ -terms over U is determined independently of Θ .

Andreas (2010, 538) states that in his account

only sentences qualifying as postulates are assumed to determine the meaning of theoretical terms. And the distinction between postulates and other theoretical sentences must clearly not be equated with the analytic-synthetic distinction. Analyticity is therefore no requirement for a sentence to determine the meaning of nonlogical symbols.

Although Andreas did not set out developing a semantics that allows a clear analytic-synthetic distinction, I contend that he did. One way to show this is to follow Przełęczki's suggestion of introducing a possibly fictitious new observational vocabulary, and to treat Andreas's θ -terms as theoretical terms. Andreas's semantics is then recovered by defining his θ -terms conditionally with the help of the new observational terms (Lutz 2012a, §2.10.2). In this way, Andreas's θ -terms are completely vague over all unobservable objects as a result of the conditional definitions, as was already suggested by Przełęczki. A more direct way leads via Przełęczki's criteria of analyticity that take previously established analytic sentences into account (definition 11). The discussion in the following will be much simplified by focusing not on the set of sentences Θ describing a scientific theory, but rather the class $\mathbf{T} := \{\mathfrak{A} : \mathfrak{A} \models \Theta\}$ of its models. Similarly, one can define the analytic component $\text{An}(\mathbf{T}) := \{\mathfrak{A} : \mathfrak{A} \models \text{An}(\Theta)\}$ of \mathbf{T} and the class $\mathbf{A}_\theta := \{\mathfrak{A}_\theta : \mathfrak{A}_\theta \models \Pi_\theta\}$ of analytic θ -structures. As first suggested by Caulton (2012), I will go one step further and treat these these classes as primitive, thus specifically not assuming that they have an axiomatization in first order logic.²⁸

Andreas's semantics is intended for *any* θ -structure with domain O . Thus, while he defines $\mathbf{S}(\mathfrak{N}_\theta)$ as the class of admissible structures for Θ and \mathfrak{N}_θ , it is of interest to determine which structures are admissible in principle, that is, independently of the empirically determined \mathfrak{N}_θ .

Definition 19. The class of *admissible structures for* Θ is given by

$$\mathbf{S}^* := \bigcup \{\mathbf{S}(\mathfrak{A}_\theta) : |\mathfrak{A}_\theta| = O\} \quad (24)$$

²⁸Caulton gives a semantic version of Carnap's conditions of adequacy (definition 3).

This can be simplified by using $\mathbf{T}|_{O_\theta} := \{\mathfrak{T}|_{O_\theta} : \mathfrak{T} \in \mathbf{T}\}$ and $\exists \mathfrak{A}|_{O_\theta}$ for the claim that $\mathfrak{A}|_{O_\theta}$ has a relativized reduct with domain O :

Claim 15. *The class of admissible structures for Θ is*

$$\mathbf{S}^* = \{\mathfrak{A} : |\mathfrak{A}| = O \cup U \wedge \exists \mathfrak{A}|_{O_\theta} \wedge (\mathfrak{A}|_{O_\theta} \notin \mathbf{T}|_{O_\theta} \vee \mathfrak{A} \in \mathbf{T})\} \quad (25)$$

Proof. First note that every θ -structure \mathfrak{A}_θ with $|\mathfrak{A}_\theta| = O$ is in $\mathbf{S}^*|_{O_\theta}$, either because it can be extended and expanded to a model of Θ with domain $O \cup U$ (which is then in \mathbf{S}_1), or because every such expansion makes Θ false (and is thus in \mathbf{S}_2). Hence the following holds:

$$\mathbf{S}^* = \{\mathfrak{A} : |\mathfrak{A}| = O \cup U \wedge \exists \mathfrak{A}|_{O_\theta} \wedge \mathfrak{A} \in \mathbf{T}\} \quad (26)$$

$$\cup \{\mathfrak{A} : |\mathfrak{A}| = O \cup U \wedge \exists \mathfrak{A}|_{O_\theta} \wedge \mathfrak{A}|_{O_\theta} \notin \mathbf{T}|_{O_\theta}\}$$

$$= \{\mathfrak{A} : |\mathfrak{A}| = O \cup U \wedge \exists \mathfrak{A}|_{O_\theta} \wedge (\mathfrak{A}|_{O_\theta} \notin \mathbf{T}|_{O_\theta} \vee \mathfrak{A} \in \mathbf{T})\} \quad (27)$$

□

Przełęczki's definition 11 can be rephrased using classes of structures:

Definition 20. $\text{An}(\mathbf{T})$ is a *semantically adequate analytic component of \mathbf{T} given analytic θ -structures \mathbf{A}_θ* if and only if

$$\forall \mathfrak{A}_\theta. \mathfrak{A}_\theta \in \mathbf{A}_\theta \rightarrow \exists \mathfrak{B}. \mathfrak{B}|_\theta = \mathfrak{A}_\theta \wedge \mathfrak{B} \in \text{An}(\mathbf{T}) \quad (28)$$

and

$$\forall \mathfrak{A}. \mathfrak{A}|_\theta \in \mathbf{A}_\theta \wedge \exists \mathfrak{B}[\mathfrak{B}|_\theta = \mathfrak{A}|_\theta \wedge \mathfrak{B} \in \mathbf{T}] \rightarrow [\mathfrak{A} \in \text{An}(\mathbf{T}) \leftrightarrow \mathfrak{A} \in \mathbf{T}]. \quad (29)$$

It is clear that for $\mathbf{T} = \{\mathfrak{A} : \mathfrak{A} \models \Theta\}$, $\text{An}(\mathbf{T}) = \{\mathfrak{A} : \mathfrak{A} \models \text{An}(\Theta)\}$, and $\mathbf{A}_\theta = \{\mathfrak{A}_\theta : \mathfrak{A}_\theta \models \Pi_\theta\}$, definitions 11 and 20 are equivalent. It is now possible to establish the status of \mathbf{S}^* :

Claim 16. *\mathbf{S}^* is a semantically adequate analytic component of \mathbf{T} given analytic θ -structures*

$$\mathbf{A}_\theta := \{\mathfrak{A}_\theta : |\mathfrak{A}_\theta| = O \cup U \wedge \exists \mathfrak{A}|_{O_\theta} \wedge (\mathfrak{A}|_{O_\theta} \notin \mathbf{T}|_{O_\theta} \vee \mathfrak{A}_\theta \in \mathbf{T}|_\theta)\}. \quad (30)$$

Proof. To show that equation (28) holds for \mathbf{S}^* , \mathbf{T} , and \mathbf{A} , assume that $\mathfrak{A}_\theta \in \mathbf{A}_\theta$. Then $\mathfrak{A}_\theta|_{O_\theta} \notin \mathbf{T}|_{O_\theta}$ or $\mathfrak{A}_\theta \in \mathbf{T}|_\theta$. In the former case, there is no $\mathfrak{B} \in \mathbf{T}$ with $|\mathfrak{B}| = O \cup U$ such that $\mathfrak{B}|_{O_\theta} = \mathfrak{A}_\theta$, and thus any extension and expansion of \mathfrak{A}_θ to $O \cup U$ and \mathcal{T} is in \mathbf{S}^* . In the latter case, there is such a $\mathfrak{B} \in \mathbf{T}$, and thus, by claim 15, $\mathfrak{B} \in \mathbf{S}^*$.

To show that equation (29) holds, assume that $\mathfrak{A}|_\theta \in \mathbf{A}_\theta \wedge \exists \mathfrak{B}[\mathfrak{B}|_\theta = \mathfrak{A}|_\theta \wedge \mathfrak{B} \in \mathbf{T}]$. If further $\mathfrak{A} \in \mathbf{T}$, then $\mathfrak{A} \in \mathbf{S}^*$ by claim 15. If on the other hand $\mathfrak{A} \in \mathbf{S}^*$, then by claim 15, $\mathfrak{A}|_{O_\theta} \notin \mathbf{T}|_{O_\theta} \vee \mathfrak{A} \in \mathbf{T}$. The first disjunct is false because $\exists \mathfrak{B}[\mathfrak{B}|_\theta = \mathfrak{A}|_\theta \wedge \mathfrak{B} \in \mathbf{T}]$, so $\mathfrak{A} \in \mathbf{T}$. □

Claim 16 hinges on the definition of the analytic \mathcal{O} -structures $\mathbf{A}_\mathcal{O}$, and it is clear that \mathbf{S}^* can always be an adequate analytic component if $\mathbf{A}_\mathcal{O}$ is chosen small enough. For instance, if $\mathbf{A}_\mathcal{O} = \emptyset$, both conditions in definition 20 are trivially fulfilled. But $\mathbf{A}_\mathcal{O}$ is not too strict; more precisely, it does not place any restrictions on the \mathcal{O} -structures with domain O :

Claim 17.

$$\mathbf{A}_\mathcal{O}|O = \{\mathfrak{A}_\mathcal{O} : |\mathfrak{A}_\mathcal{O}| = O\} \quad (31)$$

Proof. Let $|\mathfrak{A}_\mathcal{O}| = O$. For a proof by cases, assume that for some \mathfrak{B} , $\mathfrak{B}|O_\mathcal{O} = \mathfrak{A}_\mathcal{O} \wedge |\mathfrak{B}| = O \cup U \wedge \mathfrak{B} \in \mathbf{T}$. Then $\mathfrak{B}|_\mathcal{O}|O = \mathfrak{A}_\mathcal{O}$ and $|\mathfrak{B}|_\mathcal{O}| = O \cup U \wedge \exists \mathfrak{B}|_\mathcal{O}|O_\mathcal{O} \wedge \mathfrak{B}|_\mathcal{O} \in \mathbf{T}|_\mathcal{O}$, and thus $\mathfrak{A}_\mathcal{O} \in \mathbf{A}_\mathcal{O}|O$.

Now assume that there is no \mathfrak{B} with $\mathfrak{B}|O_\mathcal{O} = \mathfrak{A}_\mathcal{O} \wedge |\mathfrak{B}| = O \cup U \wedge \mathfrak{B} \in \mathbf{T}$. Then choose any extension $\mathfrak{B}_\mathcal{O}$ of $\mathfrak{A}_\mathcal{O}$ to $O \cup U$. By assumption, $\mathfrak{B}_\mathcal{O}$ has no expansion that is in \mathbf{T} . Thus $|\mathfrak{B}_\mathcal{O}| = O \cup U \wedge \exists \mathfrak{B}_\mathcal{O}|O_\mathcal{O} \wedge \mathfrak{B}_\mathcal{O} \notin \mathbf{T}|O_\mathcal{O}$, and thus $\mathfrak{A}_\mathcal{O} \in \mathbf{A}_\mathcal{O}|O$.

The proof in the other direction is immediate. \square

Since \mathbf{T} has an analytic component, it should also have a synthetic component. The analogue to definition 20 is given by

Definition 21. $\text{Syn}(\mathbf{T})$ is a *semantically adequate synthetic component of \mathbf{T} given analytic \mathcal{O} -structures $\mathbf{A}_\mathcal{O}$* if and only if

$$\forall \mathfrak{A}_\mathcal{O}. \mathfrak{A}_\mathcal{O} \in \mathbf{A}_\mathcal{O} \rightarrow (\exists \mathfrak{B}[\mathfrak{B}|_\mathcal{O} = \mathfrak{A}_\mathcal{O} \wedge \mathfrak{B} \in \mathbf{T}] \leftrightarrow \exists \mathfrak{B}[\mathfrak{B}|_\mathcal{O} = \mathfrak{A}_\mathcal{O} \wedge \mathfrak{B} \in \text{Syn}(\mathbf{T})]) \quad (32)$$

and

$$\forall \mathfrak{A} \forall \mathfrak{B}. \mathfrak{A}|_\mathcal{O} = \mathfrak{B}|_\mathcal{O} \wedge \mathfrak{A}|_\mathcal{O} \in \mathbf{A}_\mathcal{O} \rightarrow [\mathfrak{A} \in \text{Syn}(\mathbf{T}) \leftrightarrow \mathfrak{B} \in \text{Syn}(\mathbf{T})]. \quad (33)$$

The first condition generalizes definition 8, and the second condition generalizes definition 9. While \mathbf{S} leads to an analytic component of \mathbf{T} , \mathbf{S}_1 leads to \mathbf{T} 's synthetic component. Define

$$\mathbf{S}_1^* := \{\mathfrak{A} : |\mathfrak{A}| = O \cup U \wedge \exists \mathfrak{A}|O_\mathcal{O} \wedge \mathbf{S}_1(\mathfrak{A}|O_\mathcal{O}) \neq \emptyset\} \quad (34)$$

This can again be simplified:

$$\mathbf{S}_1^* = \{\mathfrak{A} : |\mathfrak{A}| = O \cup U \wedge \exists \mathfrak{A}|O_\mathcal{O} \wedge \mathfrak{A}|O_\mathcal{O} \in \mathbf{T}|O_\mathcal{O}\} \quad (35)$$

The following then holds:

Claim 18. \mathbf{S}_1^* is a *semantically adequate synthetic component of \mathbf{T} given analytic \mathcal{O} -structures $\mathbf{A}_\mathcal{O}$* .

Proof. For a proof of equation (32), assume $\mathfrak{B}|_\mathcal{O} = \mathfrak{A}_\mathcal{O} \in \mathbf{A}_\mathcal{O}$ and $\mathfrak{B} \in \mathbf{S}_1^*$. Then by equation (35), $\mathfrak{A}_\mathcal{O}|O = \mathfrak{B}|O_\mathcal{O} \in \mathbf{T}|O_\mathcal{O}$. Hence, since $\mathfrak{A}_\mathcal{O} \in \mathbf{A}_\mathcal{O}$, $\mathfrak{A}_\mathcal{O} \in \mathbf{T}|_\mathcal{O}$, and thus there is some \mathfrak{B} with $\mathfrak{B}|_\mathcal{O} = \mathfrak{A}_\mathcal{O}$ and $\mathfrak{B} \in \mathbf{T}$. The other direction of the equivalence is immediate.

For a proof of equation (33), assume $\mathfrak{B}|_\mathcal{O} = \mathfrak{A}|_\mathcal{O} \in \mathbf{A}_\mathcal{O}$ and $\mathfrak{A} \in \mathbf{S}_1^*$. Then by equation (35), $\mathfrak{B}|O_\mathcal{O} = \mathfrak{A}|O_\mathcal{O} \in \mathbf{T}|O_\mathcal{O}$ and thus $\mathfrak{B} \in \mathbf{S}_1^*$. \square

In summary, then, for each theory \mathbf{T} it is possible to find an analytic component and a synthetic component under the assumption that there are already analytic \mathcal{O} -structures.

This result might be unsurprising given the way Andreas sets up his semantics. He assumes that any \mathcal{O} -structure with domain O can be an intended structure, and then allows any extension to the whole domain $O \cup U$. Thus the empirical information in an \mathcal{O} -structure with domain $O \cup U$ is completely contained in its substructure with domain O . This means that the extensions of the \mathcal{O} -terms over U do not provide empirical, but only analytic information. Thus any restrictions of the extensions over U that follow from Θ are analytic, and when this is taken into account, Przełęczki's formalism for an analytic-synthetic distinction with previously given analytic structures becomes applicable.

* * *

The overall result so far is this: Przełęczki's semantics anticipates and generalizes concepts and results from the partial structures approach, constructive empiricism and its critics, Suppe's semantics, and Andreas's semantics. Since Suppe's and Andreas's semantics are meant to be elaborations of Carnap's informal remarks, this provides another argument for the adequacy of Przełęczki's formalism as a semantics of the Received View.

5 Analyticity in vague languages

There is no question that most if not all terms are vague. This holds on empirical grounds for \mathcal{O} -terms and, due to Winnie's argument, especially for \mathcal{F} -terms over U . Since Przełęczki assumes that the intended \mathcal{O} -structures $\mathbf{N}_{\mathcal{O}}$ are determined solely by ostensive interpretation and that the negative extension of a term is determined analogously to the positive extension of a term (by comparison with the negative standards), he can conclude that \mathcal{O} -terms are completely vague over the unobservable objects. This is in contrast to Carnap's assumption that the \mathcal{O} -terms are precise over U , simply because their extension is disjoint from U (and hence the permutation argument given in connection with Andreas's semantics does not apply). Whether Carnap's (and Suppe's) or Przełęczki's (and Andreas's) view on the interpretation of \mathcal{O} -terms is more apt depends on whether the negative extension of a term can *only* be determined by comparison with the negative standards. I at least doubt that this is in general the case, since, for example, I expect that the positive standards of 'blue' are sufficient to definitely exclude a kiss on the neck from its extension.²⁹ In any case, nothing very important hinges on the decision: To move from Przełęczki's view to Carnap's, every \mathcal{O} -term may

²⁹While this is an empirical question in the case of observable objects, things are somewhat different for unobservable objects since these cannot even be referred to by ostension. Hence one cannot ask whether 'this' is red by pointing to it or, in the case of the kiss, performing it. I will have to leave this line of thought for another time.

be substituted by a new \mathcal{O} -term that is co-extensional except in that its negative extension includes U . To move from Carnap's view to Przełęczki's, every \mathcal{O} -term may substituted by a new \mathcal{O} -term that is co-extensional except that its neutral extension includes U .

The move from Przełęczki's view to Carnap's introduces analytic \mathcal{O} -sentences, which state for every \mathcal{O} -term that it does not apply to unobservable objects. The move from Carnap's view to Przełęczki's does not seem to introduce any such statements, since it only restricts the positive and negative extensions. Therefore the new set of intended interpretations $\mathbf{N}_{\mathcal{O}}$ is a superset of the old set, and thus renders at most as many sentences true and at most as many sentences false as the old. In that sense, Przełęczki's view may seem preferable for allowing the assumption of \mathcal{O} -terms without analytic sentences. But it does not allow this; specifically, languages with vague \mathcal{O} -terms sometimes entail the existence of analytic \mathcal{O} -sentences.

Andreas's semantics provides one instance of this phenomenon: Because the intended structures do not fix the extensions of the intended \mathcal{O} -structures to U , any such restriction by Θ becomes non-empirical and thus analytic. In the discussion above, this is expressed by the claim that $\mathbf{A}_{\mathcal{O}}$ is not the set of all \mathcal{O} -structures over $O \cup U$, so typically not all analytic sentences are tautological. More generally, whenever $\Omega := \{\omega : \mathbf{N}_{\mathcal{O}} \models \omega\}$ is not maximally consistent, there will be an \mathcal{O} -sentence that is analytic, since its truth value is not determined by $\mathbf{N}_{\mathcal{O}}$, which, by assumption, contains all empirical information there is. Only if a language is too weak to distinguish between at least some of the elements of $\mathbf{N}_{\mathcal{O}}$ do the vague terms fail to lead to analytic sentences. This result has the interesting corollary that Carnap's use of the Ramsey sentence as the synthetic component of a theory is generally justified only if all \mathcal{O} -terms are completely precise, or at least so precise that even a higher order sentence cannot distinguish between their different extensions. Otherwise, some theories' Ramsey sentences would have analytic components, which is impossible by assumption. Thus Carnap's use of the Ramsey sentence is incompatible with Andreas's and Przełęczki's semantics, which suggests that Carnap indeed assumed that unobservable objects are in the negative extension of all \mathcal{O} -terms.

While the analytic sentences in Andreas's semantic are easily determined, the general case suggests an interesting and possibly deep puzzle. $\mathbf{N}_{\mathcal{O}}$ is assumed to be determined by language and world together, and the argument just given shows that most $\mathbf{N}_{\mathcal{O}}$ of vague languages lead to analytic \mathcal{O} -sentences. But since $\mathbf{N}_{\mathcal{O}}$ is in part determined by the world, there is no guarantee that the analytic \mathcal{O} -sentences will be the same for all worlds. Thus an \mathcal{O} -sentence may be clearly analytic, but that it is clearly analytic may be an empirical fact.

6 The semantics of scientific theories

Przełęcki's formalism fulfills the central desiderata for a successful explication of the semantics of the Received View. For one, it is broadly compatible with Hempel's and especially Carnap's elaborations of the Received View. This is shown by its equivalence or near-equivalence with Suppe's and Andreas's semantics, which are meant to explicate the Received View as well. More importantly, however, Przełęcki's semantics provides a rigorous framework for many discussions among philosophers of science, including Putnam, French and DaCosta, Demopoulos, Ketland, and, in part, van Fraassen. Finally, and most significantly, Przełęcki's semantics suggests the further investigation of vagueness, approximation, Ramsey and Carnap sentences, analyticity, and much more that I have not touched on in this discussion. Hence there are good reasons to consider Przełęcki's semantics the best we have for scientific theories, and, I would argue, for large parts of philosophy in general.

References

- Andreas, H. (2010). Semantic holism in scientific language. *Philosophy of Science*, 77(4):524–543.
- Balzer, W. and Reiter, M. (1989). Completeness for systems including real numbers. *Studia Logica*, 48(1):67–75.
- Beth, E. W. (1953). On Padoa's method in the theory of definition. *Indagationes Mathematicae*, 15:330–339.
- Beth, E. W. (1963). Carnap's views on the advantages of constructed systems over natural languages in the philosophy of science. In Schilpp (1963), pages 469–502.
- Bogdan, R. J. and Niiniluoto, I., editors (1973). *Logic, Language, and Probability: A Selection of Papers Contributed to Sections IV, VI, and XI of the Fourth International Congress for Logic, Methodology, and Philosophy of Science, Bucharest, September 1971*. D. Reidel Publishing Company, Dordrecht, Holland.
- Carnap, R. (1923). Über die Aufgabe der Physik und die Anwendung des Grundsatzes der Einfachheit. *Kant-Studien*, 28:91–107.
- Carnap, R. (1928). *Der logische Aufbau der Welt*. Weltkreis-Verlag, Berlin-Schlachtensee. References are to the translation (Carnap 1967).
- Carnap, R. (1931). Die physikalische Sprache als Universalsprache der Wissenschaft. *Erkenntnis*, 2(5/6):432–465. Nominal publication date incorrect. Published in 1932.
- Carnap, R. (1932). Über Protokollsätze. *Erkenntnis*, 3(1):215–228.

- Carnap, R. (1936). Testability and meaning. *Philosophy of Science*, 3(4):420–468.
- Carnap, R. (1939). *Foundations of Logic and Mathematics*, volume I,3 of *Foundations of the Unity of Science. Toward an International Encyclopedia of Unified Science*. University of Chicago Press, Chicago and London. References are to the two-volume edition.
- Carnap, R. (1956). The methodological character of theoretical concepts. In Feigl and Scriven (1956).
- Carnap, R. (1958). Beobachtungssprache und theoretische Sprache. *Dialectica*, 12:236–248.
- Carnap, R. (1961). On the use of Hilbert's ε -operator in scientific theories. In Bar-Hillel, Y., Poznanski, E. I. J., Rabin, M. O., and Robinson, A., editors, *Essays on the Foundations of Mathematics, Dedicated to A. A. Fraenkel on His Seventieth Anniversary*, pages 156–164. The Magnes Press, The Hebrew University, Jerusalem.
- Carnap, R. (1963). Replies and systematic expositions. In Schilpp (1963), pages 859–1016.
- Carnap, R. (1966). *Philosophical Foundations of Physics: An Introduction to the Philosophy of Science*. Basic Books, Inc., New York and London. Edited by Martin Gardner.
- Carnap, R. (1967). *The Logical Structure of the World. Pseudoproblems of Philosophy*. University of California Press, Berkeley and Los Angeles. Translation by Rolf A. George.
- Caulton, A. (2012). Theoretical analyticity, revisited. Talk presented at the 2012 *Annual Conference of the British Society for the Philosophy of Science*, University of Stirling, 5 July 2012.
- Chang, H. (2005). A case for old-fashioned observability, and a reconstructed constructive empiricism. *Philosophy of Science*, 72(5):876–887.
- da Costa, N. and French, S. (1990). The model-theoretic approach in the philosophy of science. *Philosophy of Science*, 57:248–265.
- Demopoulos, W. (2007). Carnap on the rational reconstruction of scientific theories. In Friedman, M. and Creath, R., editors, *The Cambridge Companion to Carnap*, pages 248–272. Cambridge University Press, Cambridge.
- Demopoulos, W. (2011). Three views of theoretical knowledge. *The British Journal for the Philosophy of Science*, pages 177–205.

- Demopoulos, W. and Friedman, M. (1985). Bertrand Russell's *The Analysis of Matter*: Its historical context and contemporary interest. *Philosophy of Science*, 52(4):621–639.
- Feigl, H. (1956). Some major issues and developments in the philosophy of science of logical empiricism. In Feigl and Scriven (1956).
- Feigl, H. and Scriven, M., editors (1956). *The Foundations of Science and the Concepts of Psychology and Psychoanalysis*, volume 1 of *Minnesota Studies in the Philosophy of Science*. University of Minnesota Press, Minneapolis, MN.
- Fine, K. (1975). Vagueness, truth and logic. *Synthese*, 30(3–4):265–300. References are to the corrected reprint (Fine 1997).
- Fine, K. (1997). Vagueness, truth and logic. In Keefe, R. and Smith, P., editors, *Vagueness. A Reader*, pages 119–150. The MIT Press, Cambridge, MA, and London.
- Friedman, M. (1982). Review. *The Journal of Philosophy*, 79(5):274–283. Review of (van Fraassen 1980).
- Hempel, C. G. (1952). *Fundamentals of Concept Formation in Empirical Sciences*, volume II,7 of *Foundations of the Unity of Science. Toward an International Encyclopedia of Unified Science*. University of Chicago Press, Chicago and London. References are to the two-volume edition.
- Hempel, C. G. (1958). The theoretician's dilemma. In Feigl, H., Scriven, M., and Maxwell, G., editors, *Concepts, Theories, and the Mind-Body Problem*, volume 2 of *Minnesota Studies in the Philosophy of Science*, pages 173–226. University of Minnesota Press, Minneapolis, MN.
- Hempel, C. G. (1963). Implications of Carnap's work for the philosophy of science. In Schilpp (1963), pages 685–709.
- Hempel, C. G. (1969). On the structure of scientific theories. In Suter, R., editor, *The Isenberg Memorial Lecture Series 1965–1966*, pages 11–38. Michigan State University Press, East Lansing. References are to the reprint (Hempel 2001, §4).
- Hempel, C. G. (1970). On the “standard conception” of scientific theories. In Radner and Winokur (1970), pages 142–163.
- Hempel, C. G. (1974). Formulation and formalization of scientific theories—A summary-abstract. In Suppe (1974b), pages 244–265.
- Hempel, C. G. (2001). *The Philosophy of Carl G. Hempel: Studies in Science, Explanation, and Rationality*. Oxford University Press, Oxford. Edited by James H. Fetzer.

- Hodges, W. (1993). *Model Theory*, volume 42 of *Encyclopedia of Mathematics and its Applications*. Cambridge University Press, Cambridge. Digitally printed in 2008.
- Hyde, D. (1997). From heaps and gaps to heaps of gluts. *Mind*, 106(424):641–660.
- Kemeny, J. G. (1956). A new approach to semantics—part I. *The Journal of Symbolic Logic*, 21(1):1–27.
- Ketland, J. (2004). Empirical adequacy and ramsification. *The British Journal for the Philosophy of Science*, 55:287–300.
- Lewis, D. (1970). How to define theoretical terms. *The Journal of Philosophy*, 67(13):427–446.
- Lutz, S. (2010). Discussion note—Concept formation in ethical theories: Dealing with polar predicates. *Journal of Ethics & Social Philosophy*. http://jesp.org/articles/download/DiscussionNote_PolarPredicates.pdf.
- Lutz, S. (2012a). *Criteria of Empirical Significance: Foundations, Relations, Applications*. PhD thesis, Utrecht University. <http://philsci-archive.pitt.edu/id/eprint/9117>.
- Lutz, S. (2012b). On a straw man in the philosophy of science: A defense of the Received View. *HOPOS: The Journal of the International Society for the History of Philosophy of Science*, 2(1):77–120.
- Nagel, E. (1961). *The Structure of Science: Problems in the Logic of Scientific Explanation*. Harcourt, Brace & World, New York and Burlingame.
- Neurath, O. (1932). Protokollsätze. *Erkenntnis*, 3(1):204–214.
- Newman, M. H. A. (1928). Mr. Russell’s “causal theory of perception”. *Mind*, 37(146).
- Przełęcki, M. (1961a). Pojęcia teoretyczne a doświadczenie. *Studia Logica*, 11(1):91–129.
- Przełęcki, M. (1961b). Theoretical concepts and experience. *Studia Logica*, 11(1):135–138. Summary of the Polish original (Przełęcki 1961a).
- Przełęcki, M. (1964a). The semantics of open terms. *Studia Logica*, 15:220. Summary of the Polish original (Przełęcki 1964b).
- Przełęcki, M. (1964b). Z semantyki pojęć otwartych. *Studia Logica*, 15:189–218.
- Przełęcki, M. (1969). *The Logic of Empirical Theories*. Monographs in Modern Logic Series. Routledge & Kegan Paul/Humanities Press, London/New York.

- Przełęcki, M. (1973). A model-theoretic approach to some problems in the semantics of empirical languages. In Bogdan and Niiniluoto (1973), pages 285–290.
- Przełęcki, M. (1974a). Empirical meaningfulness of quantitative statements. *Synthese*, 26:344–355.
- Przełęcki, M. (1974b). On model theoretic approach to empirical interpretation of scientific theories. *Synthese*, 26:401–406.
- Przełęcki, M. (1974c). A set theoretic versus a model theoretic approach to the logical structure of physical theories. *Studia Logica*, 33(1):91–105.
- Przełęcki, M. (1975). Review of Ryszard Wójcicki: *Metodologia formalna nauk empirycznych. Podstawowe pojęcia i zagadnienia* (Formal methodology of empirical sciences. Basic concepts and problems), Ossolineum, Wrocław, 1974. *Studia Logica*, 34(3):275–284.
- Przełęcki, M. (1976). Fuzziness as multiplicity. *Erkenntnis*, 10:371–380.
- Przełęcki, M. and Wójcicki, R. (1969). The problem of analyticity. *Synthese*, 19(3–4):374–399.
- Przełęcki, M. and Wójcicki, R. (1971). Inessential parts of extensions of first-order theories. *Studia Logica*, 28(1):83–95.
- Putnam, H. (1962). What theories are not. In Nagel, E., Suppes, P., and Tarski, A., editors, *Logic, Methodology, and Philosophy of Science: Proceedings of the 1960 International Congress*. Stanford University Press, Stanford.
- Putnam, H. (1977). Realism and reason. *Proceedings and Addresses of the American Philosophical Association*, 50(6):483–498.
- Putnam, H. (1980). Models and reality. *The Journal of Symbolic Logic*, 45(3):464–482. Presidential Address delivered before the Winter Meeting of the Association for Symbolic Logic in Washington, D. C., 29 December 1977.
- Putnam, H. (1989). Model theory and the “factuality” of semantics. In George, A., editor, *Reflections on Chomsky*. Basil Blackwell, Oxford. References are to the reprint (Putnam 1994, ch. 18).
- Putnam, H. (1994). *Words and Life*. Harvard University Press, Cambridge, MA. Second printing 1995, edited by James Conant.
- Radner, M. and Winokur, S., editors (1970). *Analyses of Theories and Methods of Physics and Psychology*, volume 4 of *Minnesota Studies in the Philosophy of Science*. University of Minnesota Press, Minneapolis, MN.
- Reichenbach, H. (1928). *Philosophie der Raum-Zeit-Lehre*. Walter de Gruyter & Co., Berlin.

- Reichenbach, H. (1951). The verifiability theory of meaning. *Proceedings of the American Academy of Arts and Sciences*, 80(1):46–60.
- Rozeboom, W. W. (1962). The factual content of theoretical concepts. In Feigl, H., Scriven, M., and Maxwell, G., editors, *Scientific Explanation, Space, and Time*, volume 3 of *Minnesota Studies in the Philosophy of Science*, pages 273–357. University of Minnesota Press, Minneapolis, MN.
- Rozeboom, W. W. (1970). The crisis in philosophical semantics. In Radner and Winokur (1970), pages 196–219.
- Schilpp, P. A., editor (1963). *The Philosophy of Rudolf Carnap*, volume 11 of *The Library of Living Philosophers*. Open Court Publishing Company, Chicago and LaSalle, IL.
- Suppe, F. (1971). On partial interpretation. *The Journal of Philosophy*, 68(3):57–76.
- Suppe, F. (1972). What’s wrong with the received view on the structure of scientific theories? *Philosophy of Science*, 39(1):1–19.
- Suppe, F. (1974a). The search for philosophic understanding of scientific theories. In Suppe (1974b), pages 3–241.
- Suppe, F., editor (1974b). *The Structure of Scientific Theories*. University of Illinois Press, Urbana, IL.
- Suppe, F. (2000). Understanding scientific theories: An assessment of developments, 1969–1998. *Philosophy of Science*, 67:S102–S115. Supplement. Proceedings of the 1998 Biennial Meetings of the Philosophy of Science Association. Part II: Symposia Papers.
- Tuomela, R. (1972). Model theory and empirical interpretation of scientific theories. *Synthese*, 25:165–175.
- Tuomela, R. (1974). Empiricist vs. realist semantics and model theory. *Synthese*, 26:407–408.
- van Fraassen, B. C. (1980). *The Scientific Image*. The Clarendon Library of Logic and Philosophy. Clarendon Press, Oxford.
- van Fraassen, B. C. (1989). *Laws and Symmetry*. The Clarendon Library of Logic and Philosophy. Clarendon Press, Oxford.
- van Fraassen, B. C. (1991). *Quantum Mechanics: An Empiricist View*. Clarendon Press, Oxford.
- van Fraassen, B. C. (2002). *The Empirical Stance*. The Terry Lectures. Yale University Press, New Haven, CT.

- van Fraassen, B. C. (2008). *Scientific Representation: Paradoxes of Perspective*. Clarendon Press, Oxford.
- Volpe, G. (1995). A semantic approach to comparative verisimilitude. *The British Journal for the Philosophy of Science*, 46(4):563–581.
- Winnie, J. A. (1967). The implicit definition of theoretical terms. *The British Journal for the Philosophy of Science*, 18:223–229.
- Winnie, J. A. (1970). Theoretical analyticity. In Buck, R. C. and Cohen, R. S., editors, *In Memory of Rudolf Carnap: Proceedings of the Biennial Meeting of the Philosophy of Science Association*, volume VIII of *Boston Studies in the Philosophy of Science*, pages 289–305. D. Reidel Publishing Company, Dordrecht.
- Wójcicki, R. (1963). Analityczne komponenty definicji arbitralnych. *Studia Logica*, 14(1):119–149.