Generalized Continuum Hypothesis and the Axiom of Combinatorial Sets

K. K. Nambiar

August 20, 2001



### Prologue

In an earlier paper [1], intuitive set theory (IST) was defined as the theory we get when we add the two axioms, *monotonicity* and *fusion*, to ZF theory. Here we attempt to replace the axiom of monotonicity with a simpler axiom we call, *axiom of combinatorial sets*.



## **Axiom of Combinatorial Sets**

If k is an ordinal, we write  $\binom{\aleph_{\alpha}}{k}$  for the cardinality of the set of all subsets of  $\aleph_{\alpha}$  with cardinality of k.

**Axiom of Combinatorial Sets:** 

$$\aleph_{\alpha+1} = \binom{\aleph_{\alpha}}{\aleph_{\alpha}}.$$



# Derivation

We derive the Generalized Continuum Hypothesis from the axiom of combinatorial sets as below:

$$2^{\aleph_{\alpha}} = \binom{\aleph_{\alpha}}{0} + \binom{\aleph_{\alpha}}{1} + \binom{\aleph_{\alpha}}{2} + \cdots \binom{\aleph_{\alpha}}{\aleph_{0}} + \cdots \binom{\aleph_{\alpha}}{\aleph_{\alpha}}.$$

Note that  $\binom{\aleph_{\alpha}}{1} = \aleph_{\alpha}$ . Since, there are  $\aleph_{\alpha}$  terms in this addition and  $\binom{\aleph_{\alpha}}{k}$  is a monotonically nondecreasing function of k, we can conclude that

$$2^{\aleph_{\alpha}} = \binom{\aleph_{\alpha}}{\aleph_{\alpha}}.$$

Using axiom of combinatorial sets, we get

$$2^{\aleph_{\alpha}} = \aleph_{\alpha+1}.$$



## Epilogue

In view of the fact that we can derive the generalized continuum hypothesis from the axiom of combinatorial sets, we can replace the axiom of monotonicity [1, 2] with the axiom of combinatorial sets, in the definition of intuitive set theory.



#### References

- [1] K. K. Nambiar, *Intuitive Set Theory*, Computers and Mathematics with Applications **39** (1999), no. 1-2, 183–185.
- [2] K. K. Nambiar, *Real Set Theory*, Computers and Mathematics with Applications **38** (1999), no. 7-8, 167–171.

··· for a printable version of this paper ··· click here

