

This is a preprint of an article whose final and definitive form will be published in *Philosophy of Science*

available online at: <http://www.journals.uchicago.edu/PHILSCI/>

Two Confusions Concerning Multiple Realization

Thomas W. Polger
University of Cincinnati
thomas.polger@uc.edu
<http://homepages.uc.edu/~polgertw>

4928 words

4328 text + (3 figures @ 200/ea.)

Abstract. Despite some recent advances, multiple realization remains a largely misunderstood thesis. Consider the dispute between Lawrence Shapiro and Carl Gillett over the application of Shapiro's recipe for deciding when we have genuine cases of multiple realization. I argue that Gillett follows many philosophers in mistakenly supposing that multiple realization is absolute and transitive. Both of these are problematic. They are tempting only when we extract the question of multiple realization from the explanatory context in which it is invoked. Anchoring multiple realizability in its theoretical context provides grounds for arbitrating disagreements. Doing so, I argue, favors the view advanced by Shapiro.

Two Confusions Concerning Multiple Realization*

1. Introduction

For many years it was the received view in philosophy of psychology, and in philosophy of science generally, that the multiple realization of special science kinds decisively refutes any hopes that they can be identified with or reduced to basic science kinds. The core example was always the reduction of sensation kinds to neuroscientific kinds (Putnam 1967, Block and Fodor 1972). But the reasoning was readily applied to other classic cases such as economic kinds and physical kinds (Fodor 1974), and to genetic kinds and molecular biological kinds (Kitcher 1982). Sometimes the claim of multiple realization was advanced as a consequence of the empirical observation of actual multiple realization (Putnam 1967, Block and Fodor 1972, Kitcher 1982). Other times the claim of multiple realizability was advanced as a claim about the proper or likely form of special science explanations, superceding empirical actual evidence of the contingent coextensiveness of kinds (Block and Fodor 1972, Fodor 1974). Both claims have some appeal, and the antireductive consensus grew strong.

It is now evident that historical discussions of multiple realization were unclear in several ways. Recent discussion of multiple realization have aimed to increase clarity in order to better evaluate the evidence and arguments, both for and against multiple realization (Bickle 1998, Bechtel and Mundale 1999, Heil 1999, Sober 1999, Shapiro 2000, Clapp 2001, Kim 2002, Polger 2002, Gillett 2003, Couch 2004, Richardson THIS SESSION, Shapiro THIS SESSION). In this paper I suggest that that current discussions of multiple realizability have nevertheless been hindered by two lingering confusions. The first is the failure to recognize that facts about multiple realization are always relative or relational facts. The second is the mistaken

assumption that multiple realization is transitive. To illustrate my observations, I focus on the dispute between Lawrence Shapiro (2000, 2004, THIS SESSION) and Carl Gillett (2002, 2003; Aizawa and Gillett, forthcoming.)

2. Identity, Reduction and the Multiple Realization Argument

The basic antireductive argument from multiple realizability is familiar. One presentation of the argument proceeds as follows.¹ Where S is a special science kind and the Bs are base science kinds:

1. Reduction of kind S to a kind B requires a 1:1 relation between S and B.
2. S is (in fact) multiply realized or (in principle) multiply realizable.
3. If S is multiply realized or multiply realizable then there is a many:1 relation between S and the Bs.
4. There is a many:1 relation between S and the Bs.
5. S cannot be reduced to a B.

Now there were always holdouts against the antireductive consensus (Lewis 1969, Kim 1972, Richardson 1979, Richardson 1982, Eng 1983). Yet the tide did not really begin to turn until the 1990's.

The most widespread criticism of the multiple realization argument attacks its first premise, arguing that reduction does not require a one-to-one relation between reduced and reducing kinds (e.g., Schaffner 1967, Richardson 1979, Bickle 1998). Another line of objection claims that the multiple realization argument fails to establish that the multiply realized kinds do not share anything in common, after all (Kim 1972, Adams 1979) or that reasons that favor multiple realization are reasons against taking them to be unified kinds at all (Lewis 1969, Kim

1972). This latter objection draws premise (2) into question. And recently this second line of attack has been given renewed vigor by critics who argue that whether or not multiple realizability is in principle possible, the evidence in favor of it is much less compelling than its advocates suggest (Bickle 1998, Bickle 2003, Bechtel and Mundale 1999, Shapiro 2000, Shapiro 2004, Sullivan THIS SESSION).

This much is intended to give the flavor of the dispute. Now is not the time to review all of the arguments for or against the multiple realization argument. My interest herein will be in premises (2) and (3).

3. Shapiro's Recipe

Shapiro (2000) provides a recipe for determining when a special science kind is in fact multiply realized. Shapiro's is one of the lines of reasoning that aims to show that premise (2) is true for many fewer special science kinds than is often supposed, and this has brought him in for some criticism (Gillett 2003, Aizawa and Gillett forthcoming). The criticism is that Shapiro's recipe yields the wrong answer when applied to certain simple cases. I'll argue that Shapiro's recipe is the right one, and furthermore that his understanding of multiple realization reveals a problem with premise (3).

Shapiro (2000) is perplexed that so much discussion of multiple realization has proceeded without any explicit attention to the question of when two instances or realizations of a kind are the same or different—that is, to what makes realizations multiple or heterogeneous rather than unitary or homogenous. This is the lacuna he aims to fill. The simple answer is that multiple realization occurs when the various instances of special science kind *S* are cross-classified by the base science kinds, the *Bs*. But that is only to push the question back a step. We must now ask,

when is S correctly cross-classified by the Bs? The answer is captured by Shapiro's slogan: Same but different. Multiple realization occurs when items of the same special science kind fall into different base science kinds. If special science kinds are often or always functionally individuated kinds per Fodor (1974), which Shapiro does not dispute, then the recipe comes down to this: "To say that a kind is multiply realizable is to say that there are different ways to bring about the function that defines the kind" (Shapiro 2000: 644).

INSERT FIGURE 1 HERE

Shapiro illustrates the application of his recipe with two main cases: corkscrews, and eyes. Are a waiter's corkscrew and a double-lever corkscrew different realizations of the kind *corkscrew*? Yes, answers Shapiro, because they each achieve the function of removing corks from bottles in different ways. This is evident from the fact that the respective explanations of how they each achieve their results will appeal to different mechanical principles (Figure 1). What about two waiter's corkscrews that differ only in color? No, answers Shapiro, because while they are physically different tokens they do not achieve their effect in different ways. They both remove corks from bottles in the same way. And what of two waiter's corkscrews that differ in physical composition, one made of aluminum and the other of steel? Here too Shapiro maintains that the properties of the pieces of aluminum and steel that are relevant to their capacities to function as levers in bottle opening mechanisms—their rigidity for example—are shared by the two instances. Despite myriad superficial differences, the two devices nevertheless open bottles in the same way. To be sure, bits of aluminum and steel differ in countless ways, including (ultimately) in their particular forms of rigidity. But they do not differ in their rigidity

in a way that makes a difference to their individuation as mechanical devices. The two pieces of metal contribute to bottle opening in the same way: each by being capable of acting as rigid levers.

INSERT FIGURE 2 HERE

So too with the case of eyes. Numerous eye types are found in nature, and most have evolved more than once (Figure 2). These eye types are individuated by biological anthropologists and anatomists according to how they focus light onto photoreceptive cells (Land and Fernald 1992). These are, all would agree, different ways of being an eye. If two eyes have the same optical characteristics, then Shapiro counts them as the same kind of eye. Does it also matter whether these optical characteristics are achieved by, say, different molecular structures? Shapiro argues that it does not. Concerning the octopus eye and mammalian eye, he writes:

Each eye has a single lens that causes an inverted image to fall on a retina, where light is then transformed into electrical signals. Because it is the lens and the retina that contribute to the ability of the eye to see, Putnam might shake off as irrelevant the information that the lens of the octopus's eye is composed of one kind of protein and the lens of the mammalian eye of another, or that the two eyes utilize different kinds of visual pigments. The processes that result in formation and analysis of an image screen off these facts about microcomposition. Block and Fodor, were they to deny that octopi and mammals have the same kind of eye, would apparently not regard these processes of image formation as physically interesting. For Block and Fodor, eyes would count as distinct whenever they

differ in molecular composition. But if the line of argument I have pursued is correct, Block and Fodor would for similar reasons be committed to distinguishing between kinds of corkscrews simply on the basis of their color.

(646)

The implication of Shapiro's argument is that, since we all agreed that differently colored corkscrews do not *ipso facto* count as heterogeneous realizations of corkscrew, by parity of reasoning we should deny that molecularly different single-lens camera eyes *ipso facto* count as heterogeneous realizations of eye. And this seems right.

But not everyone agrees that molecularly different single-lens camera eyes count as the same kind of realizers of the kind eye, nor that aluminum and steel waiter's corkscrews count as the same kind of realizers of the kind corkscrew. Carl Gillett (2003) argues that Shapiro's recipe leads to the wrong results. More precisely, Gillett postulates an ambiguity in Shapiro's recipe of "same function, different ways." One kind of variation among realizers occurs when a function is achieved by realizers of different kinds, such as when the kind corkscrew is realized by waiter's corkscrews and double-lever corkscrews. These are the cases on which Shapiro focuses. But according to Gillett, there is another sort of variation that can result in multiple realization. The second case occurs when a function is achieved by realizers that differ in their composition or in their own realizations. These examples are such as the realization of the kind corkscrew by two waiter's corkscrews, one of which is made of aluminum and the other of steel. Although, Gillett concedes, both realizers perform their function in virtue of their rigidity, it is the rigidity itself that is achieved in different ways—one is dependent on aluminum and the other on steel. So, according to Gillett, the aluminum and steel waiter's corkscrews satisfy Shapiro's recipe after all: Same function, different ways.²

4. Same But Different, Redux

Both Shapiro and Gillett claim to accept the “same but different” recipe. But whereas Shapiro concludes that steel and aluminum waiter’s corkscrews are not different realizers of the kind corkscrew, Gillett arrives at the contrary result. And whereas Gillett holds that molecularly different single-lens camera eyes are distinct realizers of the kind eye, Shapiro arrives at the contrary result. How can we decide between these two applications of Shapiro’s recipe?

According to Gillett, we first settle on our account of realization, and then see what results it yields for multiple realization. Gillett argues that his account, being more general in virtue of being more inclusive, is to be preferred (2003). And he maintains that it is the account that was favored by empirically minded philosophers of science such as Block and Fodor (1972; and Fodor 1974), in contrast to the less inclusive account favored by science fiction oriented metaphysicians such as Putnam (1967).³

The basic problem with Gillett’s proposal is that it is unmotivated. There is no need to postulate an ambiguity in the notion of “ways” and a corresponding distinction among models of realization, for there is a straightforward factor that Gillett has overlooked. He supposes that something may be uniquely realized or multiply realized *tout court*. But multiple realization is plainly relativized. We should not ask, Is kind x multiply realized? Instead, the question must always be, Is kind x multiply realized by kind y ? Put another way, multiple realization is a two place relation. In discussion we often suppress the second place because it is tacitly understood or shared background. For example, we understand that questions about the unique or multiple realization of mental states concern whether psychological kinds are multiply realized by brain

state kinds. We understand that questions about the multiple realization of genes concern whether they can be individuated solely in terms of protein structures (Kitcher 1982).

Once we recognize this implicit relativization, it is easy to see how Shapiro and Gillett arrive at different answers about corkscrews and eyes. Shapiro asks whether a waiter's corkscrew and a double-lever corkscrew count as multiple realizations of corkscrews. Here the kind S is *corkscrew* and the B kinds are *waiter's corkscrew* and *double-lever corkscrew*. The question, then, is whether a hypothetical science of corkscrews treats waiter's corkscrews and double-lever corkscrews as different in kind, or not. And so too for steel and aluminum corkscrews, and for corkscrews of different colors. Shapiro imagines that a science of corkscrews would differentiate its objects according to the mechanical principles by which they operate. Doing so, Shapiro follows Fodor (1974) in supposing that special science kinds will generally be functional kinds.⁴ If this is right, then we can expect that a science of corkscrews would differentiate between waiter's corkscrews and double-lever corkscrews—but not steel and aluminum corkscrews or red and black corkscrews, because they do not differ in the mechanical principles by which they open bottles. The question of multiple realization is thus tied—whether tacitly or explicitly—to an individuating regime, ideally provided by a well-established science. There may be a science that attends to the distinction between rigidity-instantiated-in-steel and rigidity-instantiated-in-aluminum, but corkscrew science (Shapiro bets) would not be that science.

Gillett's mistake is to suppose that if he can find a scientific taxonomy that attends to the steel/aluminum difference, then that will show that a steel waiter's corkscrew and an aluminum waiter's corkscrew are different realizations of corkscrew. But what he has shown is not that corkscrew science will distinguish these things, but only that some science would distinguish

these things. In Shapiro's (2000) terminology, the difference between aluminum and steel composition is not treated as a relevant difference by corkscrew science, which pays attention to mechanical operation rather than material composition.

Returning now to the case of eyes, Shapiro applies the same principle. He supposes that from the point of view of a science that deals in the special science kind *eye*, eyes will be differentiated according to their mechanical operation, i.e., their functional organization, rather than their composition. So camera eyes that differ only by which photosensitive pigments are in their cones will not count as different kinds of eyes, but camera eyes with different lenses—i.e., that differ in the optical principles by which light is focused onto photoreceptive cells—will count as different kinds of eyes. Of course there may well be another science that does attend to the differences in photosensitive pigments, and it may count the above situation as one in which we are dealing with different kind of cones, or different kinds of retinas, or some such. But difference in cone type does not automatically ramify into difference in eye type. If it did, the science of eyes would count normal variation in photoreceptors as showing that different humans have different eyes, rather than as having incidental variations among eyes of the same kind. But it does not.

5. All the Way Down

Making explicit the relative or relational component of multiple realization claims helps to explain Shapiro's (2000, THIS SESSION) idea that not just any differences count as multiple realizations. Only some differences among corkscrews are relevant to their typology by the science of corkscrews, and only some differences among eyes are relevant to vision scientists.⁵

Shapiro does not deny that variation is the rule in nature. The point is only that not all such variation counts as multiple realization.

This observation is relevant to interpreting premise (3) of the multiple realization argument. It asserts:

3. If S is multiply realized or multiply realizable then there is a many:1 relation between S and the Bs.

But (3) assumes that there is something like multiple realization *tout court*, such that if S is multiply realized then there is a many:1 relation between S and the Bs. But if S is multiply realized by the physical kinds P_1 - P_n , say, then this may tell us nothing about the multiple realization of S by the Bs. Consider again the case of the aluminum and steel corkscrews.

Premise (3) would have us conclude from the fact that waiter's corkscrews can be made out of aluminum or steel, that aluminum and steel waiter's corkscrews count as different realizations of the kind corkscrew. In short, (3) assumes that multiple realization is transitive: If S is realized by Bs, and Bs are multiply realized by Ps, then S is multiply realized by Ps. But the multiplicity of the Ps *qua* physical kinds may be irrelevant to the multiplicity of the Bs *qua* corkscrew kinds. Bs may be multiply realized by Ps, i.e., the science of Ps may cross-classify the Bs (Figure 3b). But from that it does not follow that S is multiply realized by Ps, i.e., that the science of Ps cross-classifies the Ss (Figure 3a).

INSERT FIGURE 3 HERE

To know whether the aluminum and steel waiter's corkscrews are different realizations of *corkscrew*, we need to know whether they differ not just in any way but whether they differ *qua*

instances of the kind *corkscrew*. That is, we need to know whether aluminum and steel waiter's corkscrews are different relative to the taxonomic principles of a science of corkscrews.

So once we recognize that multiple realization is not absolute (*tout court*) but relative, we also find that it is not transitive. Premise (3) therefore requires revision. The correct principle is:

3*. If S is multiply realized or multiply realizable by Bs then there is a many:1 relation between S and the Bs.

This principle avoids the ambiguity in (3) that results from a failure to make explicit the relativization of multiple realization. But (3*) is also more demanding, for it says that multiple realization of S by the Bs requires particular sorts of differences among the Bs, and to find out which differences are relevant we must attend to the sciences that are in the business of classifying Ss and Bs, respectively. On the question of the multiple realization of mental states by brain states, Bechtel and Mundale (1999) and Shapiro (2004) remind us that the taxonomic schemes of these sciences have coevolved, making it likely that the S-kinds of psychology are not wildly cross-classified by the B-kinds of the neurosciences, contrary to what many philosophers have supposed. While it may be disputed whether this interpretation accurately presents the relevant sciences (Kim 2002, Aizawa forthcoming, Richardson THIS SESSION), such challenges differ from those that simply look for any variation among realizers.

6. Conclusion

I have tried to draw out two confusions about multiple realization: That it is an absolute or *tout court* matter, and that it is transitive. These confusions are related, and their appeal stems from failing to keep track of the theoretical and empirical reasons for caring about multiple realization to begin with—namely, we are interested in whether some sciences cross-classify others. We

often rely on simplified toy examples such as corkscrews, and even genuine examples such as eyes are often idealized and taken out of context. As a result it is easy to forget that we are always interested in the explanatory and taxonomic regimes of sciences, even the hypothetical science of corkscrews.

7. Notes

* I am grateful for input from the participants in the session, “Multiple Realizability, Explanation, and the Special Sciences” at the 2006 meeting of the Philosophy of Science Association: Bob Richardson, Larry Shapiro, and Jackie Sullivan. I have benefited from discussing multiple realization with many people, including Fred Adams, Ken Aizawa, Bill Bechtel, John Bickle, Mark Crouch, Carl Craver, Carl Gillett, and Elliott Sober. My participation in this PSA symposium was made possible in part by support from the Charles P. Taft Research Center at the University of Cincinnati.

¹ But see Shapiro (2000) and my (forthcoming) for some discussion of the proper interpretation of the argument.

² Gillett’s explanation for why Shapiro neglects this second possibility is that he (Shapiro) illicitly assumes a “flat” model of realization suggested by the work of Hilary Putnam, whereas Gillett favors a “dimensioned” model of realization derived from the work of Ned Block and Jerry Fodor (Block and Fodor 1972). My own view (2004, 2007) is that Gillett’s “dimensioned” realization conflates realization with other compositional and constitutive relations, but that is a matter for another time and place.

³ I find this historical representation quite odd. But this is not the place to settle the matter.

⁴ This accounts for both why he supposes that a special science of corkscrews will pay attention to mechanical principles rather than composition, and also why he supposes that lessons from the obviously toy example of corkscrews can be generalized to genuine special sciences.

⁵ Another example the implicit relativization may be a source of confusion is the dispute between Bickle (2003, 2005) on the one hand, and Aizawa (2007), de Jong and Schouten (2005) on the

other, concerning memory consolidation. Space prevents me from exploring this case in detail herein.

8. References

- Aizawa, K. 2007. The Biochemistry of Memory Consolidation: A Model System for the Philosophy of Mind. *Synthese* 155: 65-98.
- Aizawa, K. and C. Gillett. forthcoming. Multiple Realization and Methodology in the Neurological and Psychological Science.
- Bechtel, W. and J. Mundale. 1999. Multiple Realization Revisited: Linking Cognitive and Neural States. *Philosophy of Science*, 66: 175-207.
- Bickle, J. 1998. *Psychoneural Reduction: The New Wave*. Cambridge, MA: MIT Press.
- Bickle, J. 2003. *Philosophy of Neuroscience: A Ruthlessly Reductive Approach*. Dordrecht, Netherlands: Kluwer Academic Press.
- Bickle, J. 2005. Molecular neuroscience to my rescue (again): Reply to looren de jong & schouten. *Philosophical Psychology* 18 (4): 487-494.
- Block, N. (ed.) 1980. *Readings in Philosophy of Psychology, Volume One*. Cambridge, MA: Harvard University Press.
- Block, N. and J. Fodor. 1972. What Psychological States Are Not. *Philosophical Review* 81: 159-181.
- Clapp, L. 2001. Disjunctive Properties: Multiple Realizations. *Journal of Philosophy*, 98: 111-136.
- Couch, M. 2004. Discussion: A Defense of Bechtel and Mundale. *Philosophy of Science*, 71: 198-204.
- de Jong, H. Looren and M. K. D. Schouten. 2005. Ruthless reductionism: A review essay of John Bickle's *Philosophy and neuroscience: A ruthlessly reductive account*. *Philosophical Psychology* 18 (4): 473-486.
- Adams, F. 1979. Properties, Functionalism, and the Identity Theory. *Eidos*, I, II: 153-179.

- Enç, B. 1983. In Defense of the identity theory. *Journal of Philosophy* 80: 279-298.
- Fodor, J. 1974. Special Sciences, or the Disunity of Science as a Working Hypothesis. *Synthese* 28: 97-115. Reprinted in N. Block (1980).
- Gillett, C. 2002. The Dimensions of Realization: A Critique of the Standard View. *Analysis* 64, 4: 316-323.
- Gillett, C. 2003. The Metaphysics of Realization, Multiple Realization, and the Special Sciences. *Journal of Philosophy*, C (11): 591-603.
- Heil, J. 1999. Multiple Realization. *American Philosophical Quarterly* 36, 3: 189-208.
- Kim, J. 1972. Phenomenal Properties, Psychophysical Laws, and Identity Theory. *Monist* 56, 2: 177-192. Excerpted in Block (1980) under the title, Physicalism and the Multiple Realizability of Mental States.”
- Kim, J. 1992. Multiple Realization and the Metaphysics of Reduction. *Philosophy and Phenomenological Research*, 52: 1-16.
- Kim, S. 2002. Testing Multiple Realizability: A Discussion of Bechtel and Mundale. *Philosophy of Science*, 69 : 606–610.
- Kitcher, P.1982. 1953 and All That: A Tale of Two Sciences. *The Philosophical Review* 93: 335-373.
- Land, M. and R. Fernald. 1992. The Evolution of Eyes. *Annual Review of Neuroscience*, 15: 1-29.
- Lewis, D. 1969. Review of Art, Mind, and Religion. *Journal of Philosophy* 66: 23-35. Excerpted in Block (1980a) as Review of Putnam.”
- Polger, T. 2002. Putnam’s Intuition. *Philosophical Studies*, 109 (2): 143-170.
- Polger, T. 2004. *Natural Minds*. Cambridge, MA: The MIT Press.

- Polger, T. 2007. Realization and the Metaphysics of Mind. *Australasian Journal of Philosophy*, 85 (2): 233-259.
- Polger, T. forthcoming. Realization and Multiple Realization, Chicken and Egg.
- Putnam, H. 1967/1975. The Nature of Mental States, in H. Putnam (Ed.) *Mind, Language and Reality: Philosophical Papers, Volume 2*. (New York: Cambridge University Press, 1975).
- Richardson, R. 1979. Functionalism and Reductionism. *Philosophy of Science* 46: 533-558.
- Richardson, R. 1982. How not to reduce a functional psychology. *Philosophy of Science*, 49, 1: 125-137.
- Richardson, R. THIS SESSION. Autonomy and Multiple Realization.
- Schaffner, K. 1967. Approaches to Reductionism. *Philosophy of Science* 34: 137-147.
- Shapiro, L. 2000. Multiple Realizations, *The Journal of Philosophy*, 97, 635-654.
- Shapiro, L. 2004. *The Mind Incarnate*, Cambridge, MA: The MIT Press.
- Shapiro, L. THIS SESSION. How to Test for Multiple Realization.
- Sober, E. 1999. The Multiple Realization Argument Against Reductionism. *Philosophy of Science* 66: 542-564.
- Sullivan, J. THIS SESSION. Memory Consolidation, Multiple Realizations and Modest Reductions.

Figure 1. Two different kinds of corkscrews: a waiter's corkscrew (left) and a double-lever corkscrew (right). From Shapiro (2004: 2).




Figure 2. Nine varieties of camera eyes, from (Land and Fernald 1992: 6). Varieties of eyes are more numerous than these; compound eyes (as commonly found in insects) are not illustrated here.






Figure 3. Multiple realization of S by Bs requires variations in the Bs that are relevant to their classification *qua* Bs, not just *qua* Ps.



a.



b.